

**CHILDRENS WAL TUSSIN COUGH AND COLD- chlorpheniramine maleate,  
dextrometrorphan hbr liquid  
WALGREEN CO.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Children's Wal-Tussin® Cough & Cold Fruit Punch Flavor 4 FL OZ**

**DRUG FACTS**

**ACTIVE INGREDIENTS (in each 10 mL)**

Chlorpheniramine maleate, USP 2 mg

Dextromethorphan HBr, USP 15 mg

**PURPOSES**

Antihistamine

Cough suppressant

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat

**WARNINGS**

**Do not use**

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- trouble urinating due to an enlarged prostate gland
- glaucoma
- a cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers

**When using this product**

- **do not use more than directed**
- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**Stop use and ask a doctor if**

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

**DIRECTIONS**

- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- do not take more than 4 doses in any 24-hour period

<b>age</b>	<b>dose</b>
Children under 6 years	do not use
children 6 to under 12 years	10 mL every 6 hours
adults and children 12 years and older	20 mL every 6 hours

**Other information**

- each 10 mL contains: **sodium 7 mg**
- store at room temperature, Do not refrigerate.
- Do not use if printed seal under cap is torn or missing

**INACTIVE INGREDIENTS**

citric acid, FD&C red no. 40, glycerin, lactic acid, natural and artificial flavors, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose

**QUESTIONS OR COMMENTS?**

**1-866-467-2748**

## **PRODUCT PACKAGING**

### **Walgreens**

Compare to Children's Robitussin<sup>®</sup> Cough & Cold Long-Acting active ingredients ††

New

### **children's Wal-Tussin<sup>®</sup> Cough & Cold**

CHLORPHENIRAMINE MALEATE USP 2 mg / Antihistamine

DEXTROMETHORPHAN HBr, USP 15 mg/ Cough Suppressant

- Relief of cough & runny nose  
6 YEARS & OLDER

FRUIT PUNCH FLAVOR

NATURALLY AND ARTIFICIALLY FLAVORED

6 YEARS & OLDER

4 FL OZ (118 mL)

WALGREENS PHARMACIST RECOMMENDED

Walgreens Pharmacist Survey


**IMPORTANT: KEEP THIS CARTON FOR FUTURE REFERENCE ON FULL LABELING**

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

Walgreens 100% SATISFACTION GUARANTEED

walgreens.com ©2017 Walgreen Co.



## CHILDRENS WAL TUSSIN COUGH AND COLD

chlorpheniramine maleate, dextrometrorphan hbr liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-0745
<b>Route of Administration</b>	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>chlorpheniramine maleate</b> (UNII: V1Q0O9OJ9Z) (chlorpheniramine - UNII:3U6IO1965U)	chlorpheniramine maleate	2 mg in 10 mL
<b>dextromethorphan hydrobromide</b> (UNII: 9D2RTI9KYH) (dextromethorphan - UNII:7355X3ROTS)	dextromethorphan hydrobromide	15 mg in 10 mL

Inactive Ingredients	
Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LACTIC ACID, UNSPECIFIED FORM</b> (UNII: 33X04XA5AT)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	

Product Characteristics			
<b>Color</b>	RED	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	FRUIT PUNCH	<b>Imprint Code</b>	
<b>Contains</b>			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0745-04	1 in 1 CARTON	08/30/2017	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	08/30/2017	

**Labeler** - WALGREEN CO. (008965063)