

ASSORTED FRUIT ANTACID FLAVOR CHEWS- calcium carbonate tablet, chewable

Topco Associates

Calcium Carbonate 750 mg

Active ingredient (in each chewable tablet)

Calcium Carbonate 750 mg

Purpose

Antacid

Uses: Relieves

- Heartburn
- Sour stomach
- Acid indigestion
- Upset stomach due to these symptoms

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.

Do not take more than 5 chewable tablets in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

When using this product constipation may occur

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

Adults and children 12 years and older chew and swallow 1 to 2 chews every 2-4 hours as needed. Do not exceed 5 chews in 24 hours. Children under 12 years consult a doctor.

Other information

- **Each chewable tablet contains:** calcium 300 mg, magnesium 1 mg
- Contains soy
- Contains FD&C yellow No. 5 (tartrazine) as a color additive
- Store between 20° to 25°C (68° to 77°F) in a dry place

Inactive ingredients: Beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, DL-alpha tocopherol, ethyl acetate, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 5 (tartrazine), FD&C yellow no. 6, FD&C yellow no. 6 aluminum lake, gum arabic, hydrogenated coconut oil, medium chain triglycerides, methyl paraben, modified corn starch, natural and artificial flavors, phosphoric acid, pregelatinized corn starch, propyl paraben, propylene glycol, purified water, shellac,

sodium benzoate, sorbic acid, sorbitol, soy lecithin, soybean oil, sucrose, and titanium dioxide.

Questions? Call 1-888-423-0139

Drug Facts (continued)
Other information ■ Each chewable tablet contains: calcium 300mg, magnesium 1mg ■ Contains soy
 ■ Contains FD&C yellow No.5 (tartrazine) as a color additive
 ■ Store between 20° to 25° C (68° to 77°F) in a dry place

Inactive ingredients Beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, DL-alpha tocopherol, ethyl acetate, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 5 lake (tartrazine), FD&C yellow no. 6, FD&C yellow no. 6 aluminum lake, gum arabic, hydrogenated coconut oil, medium chain triglycerides, methyl paraben, modified corn starch, natural and artificial flavors, phosphoric acid, pregelatinized corn starch, propyl paraben, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, soybean oil, sucrose and titanium dioxide.

Questions? Call 1-888-423-0139

DISTRIBUTED BY TOPCO ASSOCIATES LLC
 ELK GROVE VILLAGE, IL 60007 ©TOPCO ESTD1918
 QUESTIONS? 1-888-423-0139 topcare@topco.com
 www.topcarebrand.com

MADE IN USA OF US
 AND IMPORTED
 INGREDIENTS.

QUALITY
 GUARANTEED

GLUTEN
 FREE

TopCare health™

EXTRA STRENGTH

Antacid Flavor Chews™

CALCIUM CARBONATE, 750mg

Chewy Not Chalky™

RELIEVES:

- Heartburn
- Sour Stomach
- Acid Indigestion

ASSORTED FRUIT

36 CHEWABLE TABLETS

COMPARE TO ALKA-SELTZER® RELIEF CHEWS® ACTIVE INGREDIENT*

Drug Facts
Active ingredient (in each chewable tablet) Purpose
 Calcium carbonate 750 mg.....Antacid

Uses Relieves
 ■ Heartburn ■ Sour stomach ■ Acid indigestion
 ■ Upset stomach due to these symptoms

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients
Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs. Do not take more than 5 chewable tablets in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.
When using this product constipation may occur
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

Directions Adults and children 12 years and older chew and swallow 1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5 chewable tablets in 24 hours. Children under 12 years consult a doctor.

Flavor Chews® & Chewy Not Chalky® are registered trademarks of BestCo Inc.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.
 PN-218061

0 36800 41842 4

ASSORTED FRUIT ANTACID FLAVOR CHEWS

calcium carbonate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-828
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	750 mg

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	orange (Assorted - orange, pink, yellow)	Score	no score
Shape	ROUND	Size	17mm
Flavor	FRUIT (orange, lemon, strawberry)	Imprint Code	FC
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-828-36	36 in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2015	



Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	06/01/2015	

Labeler - Topco Associates (006935977)

Registrant - Bestco Inc. (002149136)

Establishment

Name	Address	ID/FEI	Business Operations
Bestco Inc.		002149136	manufacture(36800-828)

Revised: 10/2023

Topco Associates