

SLEEP AID- diphenhydramine hcl solution

Rite Aid Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Rite Aid Corporation Sleep-Aid Drug Facts

Active ingredient (in each 30 mL)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Uses

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to an enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- avoid alcoholic beverages

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- take only one dose per day (24 hours)
- only use the dose cup provided

adults & children 12 yrs & over	30 mL at bed time if needed or as directed by a doctor
children under 12 yrs	do not use

Other information

- **each 30 mL contains:** sodium 20 mg
- store at 20-25°C (68-77°F)

Inactive Ingredients

alcohol, anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, high fructose corn syrup, poloxamer 407, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

Compare to the active ingredient of Vicks® ZzzQuil®

NIGHTTIME SLEEP-AID

DIPHENHYDRAMINE HCl 50 mg per 30 mL

not for treating cold or flu

non-habit forming

10% ALCOHOL

BERRY FLAVOR

12 FL OZ (355 mL)

DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING

Drug Facts (continued)

Directions

- take only one dose per day (24 hours)
 - only use the dose cup provided
- | | |
|------------------------------------|---|
| adults & children
12 yrs & over | 30 mL at bed time if needed
or as directed by a doctor |
| children under 12 yrs | do not use |

Other information

- each 30 mL contains: sodium 20 mg
- store at 20-25°C (68-77°F)

Inactive ingredients alcohol, anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, high fructose corn syrup, poloxamer 407, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate

Questions or comments? 1-800-719-9260

*This product is not manufactured or distributed by Procter & Gamble, distributor of Vicks® ZzzQuil®.

GLUTEN FREE

DISTRIBUTED BY:
RITE AID
30 HUNTER LANE
CAMP HILL, PA 17011
WWW.RITEAID.COM

**SATISFACTION
GUARANTEE**

If you're not satisfied, we'll happily refund your money.



Compare to the active ingredient of Vicks® ZzzQuil®*



NIGHTTIME SLEEP-AID

DIPHENHYDRAMINE HCl
50 mg per 30 mL

not for treating cold or flu

non-habit forming

10% ALCOHOL



**BERRY
FLAVOR**



12 FL OZ (355 mL)

Drug Facts

Active ingredient (in each 30 mL)	Purpose
Diphenhydramine HCl 50 mg.....	Nighttime sleep-aid

Uses

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

- Do not use**
- for children under 12 years of age
 - with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product ■ avoid alcoholic beverages

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.
In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

18640 83 F3

SLEEP AID

diphenhydramine hcl solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0186
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
POLOXAMER 407 (UNII: TUF21VW3M2)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	

SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)

Product Characteristics

Color	PURPLE	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0186-1	177 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/07/2016	12/31/2020
2	NDC:11822-0186-3	2 in 1 PACKAGE	07/30/2016	
2		355 mL in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:11822-0186-2	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/30/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part338	07/07/2016	

Labeler - Rite Aid Corporation (014578892)

Revised: 5/2022

Rite Aid Corporation