

**GOOD NEIGHBOR PHARMACY NASAL EXTRA MOISTURIZING- oxymetazoline hcl spray
Amerisource Bergen**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Amerisource Bergen Nasal Spray Drug Facts

Active ingredient

Oxymetazoline hydrochloride 0.05%

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to:
- common cold
- hay fever
- upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

Warnings

Ask a doctor before use if you have

- heart disease
- high blood pressure
- diabetes
- thyroid disease
- trouble urinating due to an enlarged prostate gland

When using this product

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if

symptoms persist

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: ask a doctor

To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Replace cap tightly to maintain child resistance.

Other information

- store at 20-25°C (68-77°F)
- retain carton for future reference on full labeling

Inactive ingredients

benzalkonium chloride solution, benzyl alcohol, dibasic sodium phosphate, edetate disodium, glycerin, monobasic sodium phosphate, polyethylene glycol, povidone, propylene glycol, purified water

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to Afrin® Nasal Spray active ingredient

See New Directions

Nasal Spray

Extra Moisturizing

Oxymetazoline HCl 0.05%

nasal decongestant


Colds – Allergies

Fast, Powerful Congestion Relief

Soothes and Helps Rehydrate Dry Noses

12 Hour Relief

1 fl oz (30 mL)



NDC 24385-067-10

Compare to Afrin[®]
Nasal Spray
active ingredient*



See New
Directions

DO NOT USE IF PRINTED
NECKBAND IS BROKEN
OR MISSING



Nasal Spray

Extra Moisturizing

Oxymetazoline HCl 0.05%
nasal decongestant

Colds • Allergies
Fast, Powerful
Congestion Relief

Soothes and Helps
Rehydrate Dry Noses

12 Hour Relief

Nasal Spray

**Extra
Moisturizing**


Oxymetazoline HCl 0.05%
nasal decongestant

Colds • Allergies
Fast, Powerful
Congestion Relief
Soothes and Helps
Rehydrate Dry Noses

12 Hour Relief

1 fl oz (30 mL)

1 fl oz (30 mL)



Nasal Spray

Oxymetazoline HCl 0.05%
nasal decongestant

Extra Moisturizing



Drug Facts

Active ingredient

Oxymetazoline hydrochloride 0.05%....Nasal decongestant

Purpose

Uses

- temporarily relieves nasal congestion due to:
 - common cold
 - hay fever
 - upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

Warnings

Ask a doctor before use if you have

- heart disease
- high blood pressure
- diabetes
- thyroid disease
- trouble urinating due to an enlarged prostate gland

When using this product

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
 - children under 6 years of age: ask a doctor
- To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Replace cap tightly to maintain child resistance.

Drug Facts (continued)

Inactive ingredients

benzalkonium chloride solution, benzyl alcohol, dibasic sodium phosphate, edetate disodium, glycerin, monobasic sodium phosphate, polyethylene glycol, povidone, propylene glycol, purified water

Questions or comments?

1-800-719-9260

*Good Neighbor Pharmacy® Nasal Spray is not manufactured or distributed by MSD Consumer Care, Inc., distributor of Afrin® Nasal Spray.

GLUTEN FREE

Distributed By
AmerisourceBergen
1300 Morris Drive
Chesterbrook, PA 19087

Visit us at
www.goodneighborpharmacy.com



ABC# 10028900



70143595 9

Other information

- store at 20-25°C (68-77°F)
- retain carton for future reference on full labeling

**LOT NO.****EXP.**

: 06510 29 C5

GOOD NEIGHBOR PHARMACY NASAL EXTRA MOISTURIZING

oxymetazoline hcl spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:24385-067
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC (UNII: 3980JIH2SW)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24385-067-10	1 in 1 CARTON	05/04/1995	

1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	05/04/1995	

Labeler - Amerisource Bergen (007914906)

Revised: 12/2018

Amerisource Bergen