

**ALLERGY RELIEF- cetirizine hydrochloride tablet**  
**Rite Aid Corporation**

-----

**Rite Aid Corporation Allergy Relief Drug Facts**

**Active ingredient (in each tablet)**

Cetirizine HCl 10 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**

**Do not use**

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have**

liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are**

taking tranquilizers or sedatives.

**When using this product**

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding:**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- do not use if blister unit is broken or torn (Blister Only)
- do not use if printed foil under cap is broken or missing (Bottle Only)
- store between 20° to 25°C (68° to 77°F)

**Inactive ingredients**

corn starch, FD&C blue no. 1 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, polydextrose, polyethylene glycol, povidone, titanium dioxide, triacetin

**Questions or comments?**

1-800-719-9260

**Principal Display Panel**

Compare to the active ingredient of Zyrtec®

ORIGINAL PRESCRIPTION STRENGTH

allergy relief

cetirizine hydrochloride tablets, 10 mg

antihistamine

INDOOR & OUTDOOR ALLERGIES

ACTUAL SIZE

24 hour relief of:

sneezing

runny nose

itchy, watery eyes

itchy throat or nose

30 TABLETS

10 mg EACH

ONE MONTH SUPPLY




# ORIGINAL PRESCRIPTION STRENGTH allergy relief

cetirizine hydrochloride tablets, 10 mg

30 TABLETS

antihistamine



Compare to the active ingredient of Zyrtec®\*

# ORIGINAL PRESCRIPTION STRENGTH allergy relief

cetirizine hydrochloride tablets, 10 mg

antihistamine

Contents - 1 Bottle

ACTUAL SIZE



ORIGINAL PRESCRIPTION STRENGTH

## allergy relief

cetirizine hydrochloride tablets, 10 mg

antihistamine  
INDOOR & OUTDOOR ALLERGIES

24 hour relief of:

sneezing  
runny nose  
itchy, watery eyes  
itchy throat or nose

30  
TABLETS  
ONE MONTH SUPPLY

## INDOOR & OUTDOOR ALLERGIES

24 hour relief of:  
sneezing  
runny nose  
itchy, watery eyes  
itchy throat or nose



ACTUAL SIZE

30 TABLETS  
10 mg EACH  
ONE MONTH SUPPLY

RA# 350538



0 11822 50538 3

DISTRIBUTED BY  
**Rite Aid**  
30 Hunter Lane  
Camp Hill, PA 17011



IF YOU'RE NOT SATISFIED,  
WE'LL HAPPILY REFUND  
YOUR MONEY.

\*This product is not  
manufactured or distributed by  
McNeil Consumer Healthcare,  
division of McNeil-PPC, Inc.,  
distributor of Zyrtec®.

LOT NO.

EXP.

: 4H239 83 C2



**Drug Facts**

**Active ingredient (in each tablet)**

Cetirizine HCl 10 mg.....

**Purpose**

.....Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have liver or kidney disease.** Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.**

**When using this product**

- drowsiness may occur ■ avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if an allergic reaction to this product occurs.** Seek medical help right away.

**If pregnant or breast-feeding:**

- if breast-feeding: not recommended ■ if pregnant: ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor


**Other information**

- do not use if printed foil under cap is broken or missing ■ store between 20° to 25°C (68° to 77°F)

**Inactive ingredients**

corn starch, FD&C blue no. 1 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, polydextrose, polyethylene glycol, povidone, titanium dioxide, triacetin

**Questions or comments?** 1-800-719-9260




30 TABLETS



cetirizine hydrochloride tablets, 10 mg

antihistamine

ORIGINAL PRESCRIPTION STRENGTH  
**allergy relief**



**ALLERGY RELIEF**

cetirizine hydrochloride tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG LABEL	<b>Item Code (Source)</b>	NDC:11822-0458
<b>Route of Administration</b>	ORAL	<b>DEA Schedule</b>	

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
CETIRIZINE HYDROCHLORIDE (CETIRIZINE)	CETIRIZINE HYDROCHLORIDE	10 mg

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
STARCH, CORN	
HYPROMELLOSES	
LACTOSE MONOHYDRATE	
MAGNESIUM STEARATE	
POLYDEXTROSE	
POLYETHYLENE GLYCOLS	
POVIDONES	
TITANIUM DIOXIDE	
TRIACETIN	

**Product Characteristics**

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	4H2
<b>Contains</b>			

**Packaging**

#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:11822-0458-1	14 in 1 CARTON		
1		1 in 1 BLISTER PACK		
2	NDC:11822-0458-2	1 in 1 CARTON		
2		30 in 1 BOTTLE		
3	NDC:11822-0458-3	1 in 1 CARTON		
3		60 in 1 BOTTLE		
4	NDC:11822-0458-4	1 in 1 CARTON		
4		120 in 1 BOTTLE		
5	NDC:11822-0458-6	1 in 1 CARTON		
5		45 in 1 BOTTLE		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
ANDA	ANDA078336	01/16/2008	

**Labeler** - Rite Aid Corporation (014578892)

Revised: 12/2013

Rite Aid Corporation