

LAXATIVE REGULAR STRENGTH- sennosides tablet, sugar coated
CVS PHARMACY

CVS 44-347

Active ingredient (in each tablet)

Sennosides USP, 15 mg

Purpose

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

Ask a doctor before use if you have

noticed a sudden change in bowel habits that persists over a period of 2 weeks.

Ask a doctor or pharmacist before use if you are

taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product

do not use for a period longer than 1 week.

Stop use and ask a doctor if

rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- swallow tablet(s) with a glass of water
- swallow tablet(s) whole; do not crush, break, or chew

adults and children 12 years and over	2 tablets once or twice daily
children 6 to under 12 years	1 tablet once or twice daily
children under 6 years	ask a doctor

Other information

- **each tablet contains:** calcium 45 mg, magnesium 5 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

acacia, calcium carbonate, carnauba wax, corn starch, dibasic calcium phosphate dihydrate, iron oxide black, iron oxide red, iron oxide yellow, magnesium stearate, methylparaben, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, propylene glycol, propylparaben, shellac glaze, silicon dioxide, sodium benzoate, sodium lauryl sulfate, sucrose, talc, titanium dioxide

Questions or comments?

1-800-426-9391

Principal display panel

CVSHealth®

Compare to the active
ingredient in ex•lax®*

Regular Strength

Laxative

SENNOSIDES USP, 15 mg

Stimulant laxative

- Gentle, dependable
- Constipation relief

30 TABLETS

Actual Size

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN, BROKEN
OR SHOWS ANY SIGNS OF TAMPERING**

*This product is not manufactured or distributed by
GSK Consumer Healthcare S.A., owner of the registered
trademark ex•lax®. 50844 REV0419A34701

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

© 2020 CVS/pharmacy

CVS.com® 1-800-SHOP CVS

V-14236

CVS® Quality
Money Back Guarantee

Compare to the active ingredient in ex•lax®



Regular Strength

Laxative

SENNOSIDES USP, 15 mg

Stimulant laxative

- Gentle, dependable
- Constipation relief



Actual Size

30 TABLETS

CVS 44-347

Drug Facts

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Active ingredient (in each tablet)

Sennosides USP, 15 mg.....Stimulant laxative

Purpose

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Drug Facts (continued)

Drug Facts (continued)

Warnings

Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks.

Ask a doctor or pharmacist before use if you are taking any other drug. Laxatives may affect how other drugs work.

Take this product 2 or more hours before or after other drugs.

When using this product do not use for a period longer than 1 week.

Stop use and ask a doctor if rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, propylene glycol, propylparaben, shealac glaze, silicon dioxide, sodium benzoate, sodium lauryl sulfate, sucrose, talc, titanium dioxide

Questions or comments? 1-800-426-9391

Drug Facts (continued)

Directions

- swallow tablet(s) with a glass of water
- swallow tablet(s) whole; do not crush, break, or chew

adults and children 12 years and over
2 tablets once or twice daily

children 6 to under 12 years
1 tablet once or twice daily

children under 6 years
ask a doctor

Other information

- each tablet contains: calcium 45 mg, magnesium 5 mg
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

acacia, calcium carbonate, carnauba wax, corn starch, dibasic calcium phosphate, dithyrate, iron oxide black, iron oxide red, iron oxide yellow, magnesium stearate, methylparaben,

*This product is not manufactured or distributed by GSK Consumer Healthcare S.A., owner of the registered trademark ex•lax®. 50844 REV0419A34701



Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2020 CVS/pharmacy
CVS.com® 1-800-SHOP CVS
V-14236

#246149



TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

B-0231-347-01-H
REV0419A34701

LAXATIVE REGULAR STRENGTH

sennosides tablet, sugar coated					
Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-347		
Route of Administration	ORAL				
Active Ingredient/Active Moiety					
Ingredient Name		Basis of Strength	Strength		
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)		SENNOSIDES	15 mg		
Inactive Ingredients					
Ingredient Name			Strength		
ACACIA (UNII: 5C5403N26O)					
CALCIUM CARBONATE (UNII: H0G9379FGK)					
CARNAUBA WAX (UNII: R12CBM0EIZ)					
STARCH, CORN (UNII: O8232NY3SJ)					
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)					
FERROSOFERRIC OXIDE (UNII: XM0M87F357)					
FERRIC OXIDE RED (UNII: 1K09F3G675)					
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)					
MAGNESIUM STEARATE (UNII: 70097M6I30)					
METHYLPARABEN (UNII: A2I8C7HI9T)					
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)					
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)					
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)					
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)					
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)					
PROPYLPARABEN (UNII: Z8IX2SC1OH)					
SHELLAC (UNII: 46N107B71O)					
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)					
SODIUM BENZOATE (UNII: OJ245FE5EU)					
SODIUM LAURYL SULFATE (UNII: 368GB5141J)					
SUCROSE (UNII: C151H8M554)					
TALC (UNII: 7SEV7J4R1U)					
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)					
Product Characteristics					
Color	brown (Tan)	Score	no score		
Shape	ROUND	Size	10mm		
Flavor		Imprint Code	44;347		
Contains					
Packaging					
		Marketing Start	Marketing End		

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-347-01	2 in 1 CARTON	12/08/2003	
1		15 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		505G(a)(3)	12/08/2003	

Labeler - CVS PHARMACY (062312574)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(69842-347)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	pack(69842-347)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(69842-347)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	pack(69842-347)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(69842-347)

Revised: 6/2023

CVS PHARMACY