

ARTHRITIS PAIN RELIEVER- acetaminophen tablet, film coated, extended release

Ohm Laboratories Inc.

Arthritis Pain Relief

Drug Facts

Active ingredient (in each caplet)

Acetaminophen USP, 650 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - minor pain of arthritis
 - muscular aches
 - backache
 - premenstrual and menstrual cramps
 - the common cold
 - headache
 - toothache
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults	<ul style="list-style-type: none">• take 2 caplets every 8 hours with water• swallow whole; do not crush, chew, split or dissolve• do not take more than 6 caplets in 24 hours• do not use for more than 10 days unless directed by a doctor
under 18 years of age	<ul style="list-style-type: none">• ask a doctor

Other information

- store at 20 - 25° C (68 - 77° F). Avoid excessive heat 40° C (104° F).
- see end panel for batch number and expiration date
- **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.**

Inactive ingredients

crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, pregelatinized starch, propylene glycol, sodium lauryl sulfate, stearic acid, titanium dioxide

Questions?

call **1-800-406-7984**

Distributed by:
Ohm Laboratories Inc.
New Brunswick, NJ 08901

PRINCIPAL DISPLAY PANEL - 650 mg CAPLET Bottle Carton

NDC 51660-333-50

**†Compare To the active ingredient of Tylenol® Arthritis Pain
Ohm®**

Last up to 8 Hours

Use only as directed.

Arthritis Pain Relief

Acetaminophen

Extended-release Tablets USP, 650 mg

Pain Reliever/Fever Reducer

- ***For the Temporary Relief of Minor Arthritis Pain***

**DO NOT USE WITH OTHER MEDICINES
CONTAINING ACETAMINOPHEN**

50 CAPLETS* (*Capsule-Shaped Tablets)

**DO NOT USE WITH OTHER MEDICINES
CONTAINING ACETAMINOPHEN**

100 CAPLETS* (*Capsule-Shaped Tablets)



Principal Display Panel

NDC 51660-333-24

**†Compare To the active ingredient of Tylenol® Arthritis Pain
Ohm®**

Last up to 8 Hours

Use only as directed.

Arthritis Pain Relief

Acetaminophen
Extended-release Tablets USP, 650 mg
Pain Reliever/Fever Reducer

- For the Temporary Relief of Minor Arthritis Pain

DO NOT USE WITH OTHER MEDICINES
CONTAINING ACETAMINOPHEN

24 CAPLETS* (*Capsule-Shaped Tablets)



ARTHRITIS PAIN RELIEVER

acetaminophen tablet, film coated, extended release

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51660-333
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I3O)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
CROSPVIDONE (UNII: 2S7830E561)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	19mm
Flavor		Imprint Code	cor116
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51660-333-01	1 in 1 CARTON	04/30/2002	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:51660-333-50	1 in 1 CARTON	04/30/2002	
2		50 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:51660-333-24	1 in 1 CARTON	09/03/2021	
3		24 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076200	04/30/2002	

Labeler - Ohm Laboratories Inc. (184769029)

Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		184769029	MANUFACTURE(51660-333)

Revised: 11/2021

Ohm Laboratories Inc.