

**SINUS CONGESTION AND PAIN RELIEF NON-DROWSY/DAYTIME-  
acetaminophen, guaifenesin and phenylephrine hcl tablet, film coated  
Rite Aid Corporation**

-----  
**Rite Aid 44-527C-SC**

***Active ingredients (in each caplet)***

Acetaminophen 325 mg  
Guaifenesin 200 mg  
Phenylephrine HCl 5 mg

***Purpose***

Pain reliever/fever reducer  
Expectorant  
Nasal decongestant

***Uses***

- temporarily relieves these symptoms associated with hay fever or other respiratory allergies, and the common cold:
  - headache
  - nasal congestion
  - minor aches and pains
  - sinus congestion and pressure
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

### **Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- heart disease
- thyroid disease
- diabetes
- liver disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

### **Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

### **When using this product**

**do not exceed recommended dosage.**

### **Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### ***Directions***

- **do not take more than directed**
- adults and children 12 years and over

- take 2 caplets every 4 hours
- swallow whole - do not crush, chew, or dissolve
- do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

### ***Other information***

- **each caplet contains:** sodium 3 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

### ***Inactive ingredients***

corn starch, crospovidone, flavor, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, sucralose, talc, titanium dioxide

### ***Questions or comments?***

**1-800-426-9391**

### ***Principal Display Panel***

NDC 11822-0527-8

Compare to the active ingredients in  
**Tylenol® SINUS SEVERE\***

**SEVERE  
SINUS CONGESTION  
& PAIN RELIEF**

**ACETAMINOPHEN 325 mg**

GUAIFENESIN 200 mg

PHENYLEPHRINE HCl 5 mg

PAIN RELIEVER/FEVER REDUCER  
EXPECTORANT • NASAL DECONGESTANT

DAY • NON-DROWSY

Relieves sinus headache, nasal congestion,  
sinus pressure, chest congestion,  
mucus

ACTUAL SIZE

**24**  
CAPLETS

**TAMPER EVIDENT: DO NOT USE IF**

**PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING**

\*This product is not manufactured or distributed by Johnson  
& Johnson Corporation, owner of the registered trademark  
Tylenol® SINUS SEVERE. 50844 REV0922G52708

**DISTRIBUTED BY: RITE AID  
200 NEWBERRY COMMONS  
ETTERS, PA 17319 [www.riteaid.com](http://www.riteaid.com)**

**SATISFACTION GUARANTEE:** If you're not  
satisfied, we'll happily refund your money.

**Drug Facts**  
KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

**Active ingredients**  
(in each caplet)  
Acetaminophen 325 mg... Pain reliever/fever reducer  
Guafenesin 200 mg... Expectorant  
Phenylephrine HCl 5 mg... Nasal decongestant

**Purpose**  
Pain reliever/fever reducer  
Expectorant  
Nasal decongestant

**Uses**  
Temporarily relieves these symptoms associated with fever or other respiratory ailments, and the common cold:  
■ headache ■ nasal congestion ■ minor aches and pains ■ sinus congestion and pressure

**Drug Facts** (continued)

NDC 11822-0527-8

Compare to the active ingredients in  
**Tylenol® SINUS SEVERE\***

# SEVERE SINUS CONGESTION & PAIN RELIEF

**ACETAMINOPHEN 325 mg**  
**GUAFENESIN 200 mg**  
**PHENYLEPHRINE HCl 5 mg**

**PAIN RELIEVER / FEVER REDUCER**  
**EXPECTORANT • NASAL DECONGESTANT**  
**DAY • NON-DROWSY**

Relieves sinus headache, nasal congestion,  
sinus pressure, chest congestion,  
mucus



ACTUAL SIZE

**24**  
CAPLETS



No print/No varnish area  
Lot no/Exp date

TAMPER EVIDENT: DO NOT USE IF  
PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING

**Drug Facts** (continued)  
povidone, silicon dioxide, sodium starch glycolate,  
stearic acid, sucrose, talc, titanium dioxide

**Questions or comments?**  
1-800-426-9391

\*This product is not manufactured or distributed by Johnson  
& Johnson Corporation, owner of the registered trademark  
Tylenol® SINUS SEVERE. 50844 REV0922G52708  
DISTRIBUTED BY: RTE AID  
200 NEUBERRY COMMONS  
LETTERS, PA 17319 www.rteaid.com  
**SATISFACTION GUARANTEE:** If you're not  
satisfied, we'll happily refund your money.

**Drug Facts** (continued)

**Other information**  
■ each caplet contains: sodium 3 mg  
■ TAMPER EVIDENT: DO NOT USE IF OUTER  
PACKAGE IS OPENED OR BLISTER IS TORN OR  
BROKEN ■ store at 25°C (77°F); excursions  
permitted between 15°-30°C (59°-86°F)

**Drug Facts** (continued)

**Inactive ingredients** com starch,  
croscollon, microcrystalline cellulose,  
maltodextrin, polyvinyl alcohol,  
polyethylene glycol, polyvinyl alcohol.

■ see end flap for expiration date and lot number

B-1702-527C-08SCR2  
REV0922G52708

**Do not use**  
■ with any other drug containing acetaminophen  
(prescription or nonprescription). If you are not  
sure whether a drug contains acetaminophen, ask a  
doctor or pharmacist.  
■ if you are now taking a prescription monoamine  
oxidase inhibitor (MAOI) (certain drugs for  
depression, psychiatric or emotional conditions, or  
Parkinson's disease), or for 2 weeks after stopping  
the MAOI drug. If you do not know if you are  
prescription drug contains an MAOI, ask a doctor  
or pharmacist before taking this product.  
■ if you have ever had an allergic reaction to this  
product or any of its ingredients  
**Ask a doctor before use if you have**  
■ cough that occurs with too much phlegm (mucus)  
■ persistent or chronic cough such as occurs with  
smoking, asthma, chronic bronchitis, or  
emphysema

**Directions**  
■ do not take more than directed  
■ adults and children 12 years and over  
take 2 caplets every 4 hours  
■ swallow whole - do not crush, chew, or dissolve  
■ do not take more than 10 caplets in 24 hours  
■ children under 12 years: ask a doctor

**Keep out of reach of children.** In case of overdose,  
get medical help or contact a Poison Control Center  
right away. Prompt medical attention is critical for  
adults as well as for children even if you do not  
notice any signs or symptoms.  
If pregnant or breast-feeding, ask a health  
care professional before use.  
■ cough comes back or occurs with rash or  
serious condition.  
■ headache that lasts. These could be signs of a



Rite Aid 44-527

## SINUS CONGESTION AND PAIN RELIEF NON-DROWSY/DAYTIME

acetaminophen, guaifenesin and phenylephrine hcl tablet, film coated

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0527
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1VS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>CROSPVIDONE, UNSPECIFIED</b> (UNII: 2S7830E561)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6130)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	19mm
<b>Flavor</b>	MENTHOL	<b>Imprint Code</b>	44;527
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0527-8	2 in 1 CARTON	08/06/2005	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/06/2005	

**Labeler** - Rite Aid Corporation (014578892)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(11822-0527) , pack(11822-0527)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(11822-0527)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(11822-0527)

Revised: 2/2024

Rite Aid Corporation