

NICOTINE TRANSDERMAL SYSTEM- nicotine patch, extended release
Walgreen Company

Drug Facts

Active ingredient Step 1 (in each patch)

Nicotine, 21mg delivered over 24 hours

Active ingredient Step 2 (in each patch)

Nicotine, 14mg delivered over 24 hours

Active ingredient Step 3 (in each patch)

Nicotine, 7mg delivered over 24 hours

Purpose

Stop smoking aid

Use

reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking

Warnings

If you are pregnant or breast-feeding, only use this medicine on the advice of your health care provider. Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.

Do not use

- if you continue to smoke, chew tobacco, use snuff, or use a nicotine gum or other nicotine containing products

Ask a doctor before use if you have

- heart disease, recent heart attack, or irregular heartbeat. Nicotine can increase your heart rate.
- high blood pressure not controlled with medication. Nicotine can increase your blood pressure.
- an allergy to adhesive tape or have skin problems because you are more likely to get rashes

Ask a doctor or pharmacist before use if you are

- using a non-nicotine stop smoking drug
- taking a prescription medicine for depression or asthma. Your prescription dose may need to be adjusted.

When using this product

- do not smoke even when not wearing the patch. The nicotine in your skin will still be entering your blood stream for several hours after you take off the patch.
- if you have vivid dreams or other sleep disturbances remove this patch at bedtime

Stop use and ask a doctor if

- skin redness caused by the patch does not go away after four days, or if your skin swells, or you get a rash
- irregular heartbeat or palpitations occur
- you get symptoms of nicotine overdose such as nausea, vomiting, dizziness, weakness and rapid heartbeat

Keep out of reach of children and pets.

Used patches have enough nicotine to poison children and pets. If swallowed, get medical help or contact a Poison Control Center right away. Dispose of the used patches by folding sticky ends together. Replace in pouch and discard.

Directions

- **if you are under 18 years of age, ask a doctor before use**
- before using this product, read the enclosed User’s Guide for complete directions and other information
- stop smoking completely when you begin using the patch
- **if you smoke more than 10 cigarettes per day**, use according to the following 10 week schedule:

STEP 1	STEP 2	STEP 3
Use one 21mg patch/day	Use one 14mg patch/day	Use one 7mg patch/day
Weeks 1-6	Weeks 7-8	Weeks 9-10

- if you smoke **10 or less cigarettes per day**, do not use **STEP 1 (21mg)**. Start with **STEP 2 (14mg)** for 6 weeks, then **STEP 3 (7mg)** for 2 weeks and then stop.
- steps 2 and 3 allow you to gradually reduce your level of nicotine. Completing the full program will increase your chances of quitting successfully.
- apply one new patch every 24 hours on skin that is dry, clean and hairless. Save pouch for disposing of the patch after use.
- remove backing from patch and immediately press onto skin. Hold for 10 seconds.
- wash hands after applying or removing patch. Throw away the patch by folding sticky ends together. Replace in its pouch and discard. See enclosed User’s Guide for safety and handling.
- you may wear the patch for 16 or 24 hours
- if you crave cigarettes when you wake up, wear the patch for 24 hours
- if you have vivid dreams or other sleep disturbances, you may remove the patch at bedtime and apply a new one in the morning
- the used patch should be removed and a new one applied to a different skin site at the same time each day
- do not wear more than one patch at a time
- do not cut patch in half or into smaller pieces
- do not leave patch on for more than 24 hours because it may irritate your skin and loses strength

after 24 hours

- stop using the patch at the end of 10 weeks. If you started with **STEP 2**, stop using the patch at the end of 8 weeks. If you still feel the need to use the patch, talk to your doctor.

Other information

store at 20 – 25°C (68 – 77°F)

Inactive ingredients

ethylene vinyl acetate-copolymer, polyisobutylene and high density polyethylene between clear polyester backings

Questions or comments?

call toll-free **1-877-306-0019**

(English/Spanish) weekdays (9:00 a.m. – 4:30 p.m. ET)

See top panel for lot number and expiration date.

*NICODERM and CQ are trademarks of the GlaxoSmithKline group of companies and other third parties.

Made in Switzerland

Comments/questions:

GCSP 5.4376.4C

Re: Consumer Relations

PO Box 13398

Research Triangle Park, NC 27709-9627

Distributed by:

Walgreen Co.,

200 Wilmot Road

Deerfield, IL 60015-4616

Quality Guaranteed

100% Satisfaction Guaranteed with all Walgreens Products or Your Money Back.

www.walgreens.com

TO INCREASE YOUR SUCCESS IN QUITTING:

1. You must be motivated to quit.
2. Complete the full treatment program, applying a new patch every day.
3. Use with a support program as described in the enclosed User's Guide.

For your family's protection, nicotine patches are supplied in child-resistant pouches. Do not use if individual pouch/packet is damaged or open.

- **Not for sale to persons under 18 years of age.**
- **Proof of age required.**
- **Not for sale in vending machines or from any source where proof of age cannot be verified.**

Principal Display Panel

NDC 0363-9180-02

CLEAR Nicotine Transdermal System Patch

21mg delivered over 24 hours

Walgreens

Compare to NicoDerm® CQ®*

STOP SMOKING AID

with Behavior Support Program

STEP 1

If you smoke more than 10 cigarettes per day: start with Step 1

If you smoke 10 or less cigarettes per day: start with Step 2

14 Clear Patches

2 WEEK KIT

©2011

30818XC

NDC 0363-9180-02

Compare to NicoDerm® CQ®*

Walgreens

CLEAR

Nicotine Transdermal System Patch

21mg delivered over 24 hours

STOP SMOKING AID

with Behavior Support Program

If you smoke more than
10 cigarettes per day: start with Step 1

If you smoke 10 or less cigarettes
per day: start with Step 2



STEP

1

14

Clear Patches
2 WEEK KIT

Principal Display Panel

NDC 0363-0195-02

CLEAR Nicotine Transdermal System Patch

14mg delivered over 24 hours

Walgreens

Compare to NicoDerm® CQ®*

STOP SMOKING AID

with Behavior Support Program

STEP 2

If you smoke more than 10 cigarettes per day: start with Step 1

If you smoke 10 or less cigarettes per day: start with Step 2

14 Clear Patches

2 WEEK KIT

©2009

30819XC

NDC 0363-0195-02

Walgreens

Compare to NicoDerm® CQ®*

CLEAR

Nicotine
Transdermal System
Patch

14mg delivered over 24 hours

STOP SMOKING AID
with Behavior Support Program

If you smoke more than
10 cigarettes per day: start with Step 1
If you smoke 10 or less cigarettes
per day: start with Step 2



STEP
2

14
Clear Patches
2 WEEK KIT

Principal Display Panel

NDC 0363-0196-02

CLEAR Nicotine Transdermal System Patch

Walgreens

Compare to NicoDerm® CQ®*

7mg delivered over 24 hours

STOP SMOKING AID

with Behavior Support Program

STEP 3

For use after completing Step 2

14 Clear Patches

2 WEEK KIT

©2009

30820XA

NDC 0363-0196-02

Compare to NicoDerm® CQ®

Walgreens

CLEAR

Nicotine Transdermal System Patch

7mg delivered over 24 hours

STOP SMOKING AID

with Behavior Support Program

For use after completing Step 2



**STEP
3**

**14
Clear Patches
2 WEEK KIT**

NICOTINE TRANSDERMAL SYSTEM

nicotine patch, extended release

Product Information

Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:0363-9180
Route of Administration	TRANSDERMAL	DEA Schedule	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

NICOTINE (NICOTINE)		NICOTINE	21 mg in 24 h	
Inactive Ingredients				
Ingredient Name				Strength
ETHYLENE-VINYL ACETATE COPOLYMER (40 % VINYL ACETATE)				
HIGH DENSITY POLYETHYLENE				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9180-02	14 in 1 CARTON	02/15/2010	
1		24 h in 1 PATCH; Combination Product Type = C102835		
2	NDC:0363-9180-01	7 in 1 CARTON	02/15/2010	
2		24 h in 1 PATCH; Combination Product Type = C102835		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NDA	NDA020165	02/15/2010		

NICOTINE TRANSDERMAL SYSTEM				
nicotine patch, extended release				
Product Information				
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:0363-0195	
Route of Administration	TRANSDERMAL	DEA Schedule		
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
NICOTINE (NICOTINE)		NICOTINE	14 mg in 24 h	
Inactive Ingredients				
Ingredient Name				Strength
ETHYLENE-VINYL ACETATE COPOLYMER (40 % VINYL ACETATE)				
HIGH DENSITY POLYETHYLENE				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0195-02	14 in 1 CARTON	02/15/2010	
1		24 h in 1 PATCH; Combination Product Type = C102835		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA020165	02/15/2010	

NICOTINE TRANSDERMAL SYSTEM

nicotine patch, extended release

Product Information

Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:0363-0196
Route of Administration	TRANSDERMAL	DEA Schedule	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NICOTINE (NICOTINE)	NICOTINE	7 mg in 24 h

Inactive Ingredients

Ingredient Name	Strength
ETHYLENE-VINYL ACETATE COPOLYMER (40% VINYL ACETATE)	
HIGH DENSITY POLYETHYLENE	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0196-02	14 in 1 CARTON	02/15/2010	
1		24 h in 1 PATCH; Combination Product Type = C102835		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA020165	02/15/2010	

Labeler - Walgreen Company (008965063)