

LICE-NIL LICE AND EGGS ELIMINATOR OIL- azadirachta indica oil
Sujanil Chemo Industries

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Lice-Nil LICE AND EGGS ELIMINATOR OIL

Drug Facts

Active Ingredients

Azadirachta Indica (NEEM) 1X

Purpose

Lice treatment.

Uses:

Treats head lice/nits, pubic lice (crab) and body lice

Warnings

For External Use Only

Do not use:

- Near eyes
- Inside nose, mouth or vagina
- On lice in eyebrows or eyelashes. See a doctor if lice are present in these areas

Ask a Doctor before use if you are:

- Allergic to ragweed. May cause breathing difficulty or an asthmatic attack

When using this product:

- If product gets in eyes, flush with water right away

Stop use and ask a doctor if:

- Breathing difficulty occurs
- Eye irritation occurs
- Skin or scalp irritation or infection occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

- **Important:** Read warnings before use
- For Adults and Children 2 years and older

Directions

Inspect

- Check each household member with a magnifying glass in bright light for lice/nits (eggs)

- Look for tiny nits near scalp, beginning at back of neck and behind ears
- Examine small sections of hair at a time
- Unlike dandruff which moves when touched, nits stick to the roots of hair
- If either lice or nits are found, treat with this product

Treat

- Apply thoroughly to dry hair or other affected area. For head lice, first apply on hair behind ears and back of neck, then continue to apply to the remainder of hair
- Leave product on hair for a minimum of 20 minutes
- Wash area thoroughly with warm water and shampoo or soap after treatment
- For head lice, towel dry hair and comb out tangles

Remove lice and their eggs (nits)

- Using a fine-tooth comb or special lice/nit comb, remove any remaining nits by hand.
- For head lice, part hair into sections and inspect one section at a time, starting at the top of head. Longer hair may take 1-2 hours.
- Lift a 1-2-inch wide strand of hair. Place comb with a firm, even motion away from scalp.
- Pin back each strand of hair after combing
- Clean comb often. Wipe nits away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back
- After combing, thoroughly recheck for lice/nits. Repeat combing if necessary
- Check daily for any lice/nits that may have been missed
- We recommend a second treatment after 7-10 days to kill any newly hatched lice
- **Children under 2 years:** Consult with a Doctor or Physician

Other information

- Shake well before use
- Store in cool and dry place
- Keep carton for important product information
- See package insert for additional information

Inactive ingredients:

Coconut Oil, Sesame Oil, Tea Tree Oil, Sunflower Oil with Herbal Extracts and Perfumes

Questions or comments?

855-KIL-LICE - 855-545-5423

www.licenil.com or e-mail: sales@sujanil.com

'Lice-Nil' Lice & Eggs Eliminator Oil will kill lice completely without leaving a chemical residue. The amount of lice treatment oil needed will vary depending on hair length. See below for guidelines:

Hair Length	Approximate Amount for 1 Adult/Child:	
Short	First Application	: 1 oz - 2 oz
(ear length or shorter)	Second Application	: 1 oz - 2 oz

	Total	: 2 oz - 4 oz
Medium	First Application	: 2 oz - 3 oz
(shoulder length)	Second Application	: 2 oz - 3 oz
	Total	: 4 oz - 6 oz
Long	First Application	: 3 oz - 4 oz
(past shoulder length)	Second Application	: 3 oz - 4 oz
	Total	: 6 oz - 8 oz

The 'Lice-Nil' comb is proven 100% effective as demonstrated in laboratory studies performed by trained testers, individual results may vary.

'Lice-Nil' Lice & Eggs Eliminator Oil

Lice Treatment

- Nothing Proven More Safe & Effective
- Leaves No Chemical Residue Behind
- One-Step, Easy-To-Use, Oil Based Application

Lice-Nil 1-2-3 LICE ELIMINATION SYSTEM

Step 1 Head Lice

- Head lice lay small, white eggs (nits) on the hair shaft near the scalp.
- Nits are most easily found on the back of the neck or behind the ears.
- Disinfect hats, hair ribbons, clothing, scarves, coats, towels and bed linens by machine washing in hot water (above 54°C (130°F)), then dry using the hottest dryer cycle for at least 20 minutes.
- Items that cannot be washed (pillows, stuffed toys, etc.) should be dry-cleaned or sealed in a plastic bag for 4 weeks. After 4 weeks, remove them from the plastic bag outdoors and shake rigorously before using again
- Items that cannot be washed, dry-cleaned or stored may be sprayed with a product designed for purpose
- Soak all combs and brushes in hot water (above 54°C (130°F)) for at least 10 minutes
- Vacuum all carpets, mattresses, upholstered furniture and car seats that may have been used by affected people.

Step 2 Pubic (Crab) Lice

- Pubic lice may be transmitted by sexual contact
- Sexual partners should be treated simultaneously to avoid reinfestation
- Pubic lice usually cause intense itching and lay small white eggs (nits) on the hair shaft, near the skin surface
- Pubic lice may be present on the groin, thighs, trunk, underarms and occasionally on the beard and mustache
- Disinfect underwear by machine washing in hot water (above 54°C (130°F)), then use hottest dryer cycle for at least 20 minutes

Step 3 Body Lice

- Body lice and their eggs (nits) are generally found in the seams of clothing, particularly in the waistline and armpit area
- Body lice feed on skin then return to clothing to lay their eggs
- Disinfect clothing by machine washing in hot water (above 54°C (130°F)), then use hottest dryer cycle for at least 20 minutes
- Do not seal clothing in plastic bag because nits can remain dormant for up to 30 days

ALL NATURAL

SUPER LICE KILLER

CLINICALLY PROVEN

100% NATURAL ACTIVES

WITH NEEM AND TEA TREE OIL

The Power of NEEM Kills Lice & Eggs Completely in Just 20 Minutes

Comb with Magnifier Included

Chemical-Free, Lice-Free, Worry-Free

A PRODUCT OF INDIA

Manufactured By:

sujanil chemo industries

425/27, T.M.V. Colony, Pune 411 037 (INDIA)

Imported by:

Global Tradelinks

4337, Austonway, Palm Harbour,

FL 34685, USA

Tel. : 1-727-359-1173, Fax : 1-813-886-3881,

E-mail : jay@sujanil.com

Packaging



Lice-Nil®

LICE AND EGGS ELIMINATOR OIL

NDC No.: 76441-909-94

ALL NATURAL.

SUPER LICE KILLER

Lice-Nil®

LICE AND EGGS ELIMINATOR OIL

CLINICALLY PROVEN
100% NATURAL ACTIVES
WITH NEEM AND TEA TREE OIL



The Power of NEEM Kills Lice & Eggs Completely in Just 20 Minutes



Chemical-Free, Lice-Free, Worry-Free
NET WT: 4 FL OZ (118 ml)
A PRODUCT OF INDIA

'Lice-Nil' Lice & Eggs Eliminator Oil Lice Treatment

- Nothing Proven More Safe & Effective
- Leaves No Chemical Residue Behind
- One-Step, Easy-To-Use, Oil Based Application

Lice-Nil 1-2-3 LICE ELIMINATION SYSTEM

Step 1 Head Lice

- Head lice lay small, white egg (nits) on the hair shaft near the scalp. Nits are most easily found on the back of the neck or behind the ears.
- Disinfect hats, hair ribbons, clothing, scarves, coats, towels and bed linens by machine washing in hot water (above 54°C (130°F)), then dry using the hottest dryer cycle for at least 20 minutes.
- Items that cannot be washed (pillows, stuffed toys, etc) should be dry-cleaned or sealed in a plastic bag for 4 weeks. After 4 weeks, remove them from the plastic bag outdoors and shake vigorously before using again.
- Items that cannot be washed, dry-cleaned or stored may be sprayed with a product designed for purpose.
- Soak all combs and brushes in hot water (above 54°C (130°F)) for at least 10 minutes.
- Vacuum all carpets, mattresses, upholstered furniture and car seats that may have been used by affected people.

Step 2 Pubic (Crab) Lice

- Pubic lice may be transmitted by sexual contact.
- Sexual partners should be treated simultaneously to avoid reinfection.
- Pubic lice usually cause intense itching and lay small white eggs (nits) on the hair shaft, near the skin surface.
- Pubic lice may be present on the groin, thighs, trunk, underarms and occasionally on the beard or mustache.
- Disinfect underwear by machine washing in hot water (above 54°C (130°F)), then use hottest dryer cycle for at least 20 minutes.

Step 3 Body Lice

- Body lice and their eggs (nits) are generally found in the seams of clothing, particularly in the waistline and armpit area.
- Body lice feed on skin then return to clothing to lay their eggs.
- Disinfect clothing by machine washing in hot water (above 54°C (130°F)), then use hottest dryer cycle for at least 20 minutes.
- Do not seal clothing in plastic bag because nits can remain dormant for up to 30 days.

Manufactured By:

sujanil chem industries

425/27, T.M.V. Colony, Pune 411 037 (INDIA)

Imported by:

Global Tradelinks

4337, Autonomy, Palm Harbor,

FL 34665, USA

Tel.: 1-877-359-1173, Fax: 1-813-886-8881,

E-mail: info@sujanil.com

Drug Facts

Active Ingredients Purpose
Azadirachta Indica (NEEM) 1X.....Lice treatment.

Uses: Treats head lice/nits, pubic lice (crab) and body lice

Warnings For External Use Only

- Do not use:**
- Near eyes
 - Inside nose, mouth or vagina
 - On lice in eyebrows or eyelashes. See a doctor if lice are present in these areas

Ask a Doctor before use if you are:

- Allergic to ragweed, May cause breathing difficulty or an asthmatic attack

When using this product:

- If product gets in eyes, flush with water right away

Stop use and ask a doctor if:

- Breathing difficulty occurs
- Eye irritation occurs
- Skin or scalp irritation or infection occurs

Keep out of reach of children, If swallowed, get medical help or contact a Poison Control Center right away

- Important: Read warnings before use
- For Adults and Children 2 years and older

Directions

Inspect

- Check each household member with a magnifying glass in bright light for lice/nits (eggs)
- Look for tiny nits near scalp, beginning at back of neck and behind ears
- Examine small sections of hair at a time
- Unlike dandruff which moves when touched, nits stick to the roots of hair
- If either lice or nits are found, treat with this product

Treat

- Apply thoroughly to dry hair or other affected area. For head lice, first apply on hair behind ears and back of neck, then continue to apply to the remainder of hair
 - Leave product on hair for a minimum of 20 minutes
 - Wash area thoroughly with warm water and shampoo or soap after treatment
 - For head lice, towel dry hair and comb out tangles
- Remove lice and their eggs (nits)**
- Using a fine-tooth comb or special lice/nit comb, remove any remaining nits by hand.

Contd...

Drug Facts (continued)

- For head lice, part hair into sections and inspect one section at a time, starting at the top of head. Longer hair may take 1-2 hours.
- Lift a 1-2-inch wide strand of hair, Place comb with a firm, even motion away from scalp.
- Pin back each strand of hair after combing
- Clean comb often, Wipe nits away with tissue and discard in a plastic bag, Seal bag and discard to prevent lice from coming back
- After combing, thoroughly recheck for lice/nits. Repeat combing if necessary
- Check daily for any lice/nits that may have been missed
- We recommend a second treatment after 7-10 days to kill any newly hatched lice
- Children under 2 years: Consult with a Doctor or Physician

Other information

- Shake well before use
- Store in cool and dry place
- Keep carton for important product information
- See package insert for additional information

Inactive ingredients:

Coconut Oil, Sesame Oil, Tea Tree Oil, Sunflower Oil and Perfumes

Questions or comments?

855-KIL-LICE - 855-545-5423
www.LiceNil.com or e-mail: sales@sujanil.com

'Lice-Nil' Lice & Eggs Eliminator Oil will kill lice completely without leaving a chemical residue. The amount of lice treatment oil needed will vary depending on hair length. See below for guide lines:

Hair Length	Approximate Amount for 1 Adult/Child:
Short (ear length or shorter)	First Application : 1 oz - 2 oz
	Second Application : 1 oz - 2 oz
	Total : 2 oz - 4 oz
Medium (shoulder length)	First Application : 2 oz - 3 oz
	Second Application : 2 oz - 3 oz
	Total : 4 oz - 6 oz
Long (past shoulder length)	First Application : 3 oz - 4 oz
	Second Application : 3 oz - 4 oz
	Total : 6 oz - 8 oz

The 'Lice-Nil' comb is proven 100% effective as demonstrated in laboratory studies performed by trained testers, individual results may vary.



LOT:
EXP.:

LICE-NIL LICE AND EGGS ELIMINATOR OIL

azadirachta indica oil

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76441-909	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
AZADIRACHTA INDICA SEED OIL (UNII: 4DKJ9B3K2T) (AZADIRACHTA INDICA SEED OIL - UNII:4DKJ9B3K2T)		AZADIRACHTA INDICA SEED OIL	1 [hp_X] in 100 mL	
Inactive Ingredients				
Ingredient Name			Strength	
COCONUT OIL (UNII: Q9L0O73W7L)				
SESAME OIL (UNII: QX10HYY4QV)				
TEA TREE OIL (UNII: VIF565UC2G)				
SUNFLOWER OIL (UNII: 3W1JG795YI)				
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)				
LAVENDER OIL (UNII: ZBP1YXW0H8)				
JUNIPERUS VIRGINIANA OIL (UNII: PAD4FN7P2G)				
LEMON OIL (UNII: I9GRO824LL)				
ROSEMARY OIL (UNII: 8LGU7VM393)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76441-909-94	1 in 1 CARTON	08/01/2017	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		08/01/2017		

Labeler - Sujanil Chemo Industries (650280816)

Revised: 8/2017

Sujanil Chemo Industries