

SALICYLIC ACID- medicated corn removers patch
Harmon Store Inc.

Harmon Ultra Thin Corn Removers

Active ingredient

Salicylic acid

Purpose

Corn Remover

Uses

- for the removal of corns
- relieves pain by removing corns

Warnings

For external use only.

Do not use

- if you are diabetic
- have poor blood circulation
- on irritated skin, or any area that is infected or reddened

Ask your doctor

If discomfort persists see your doctor or podiatrist.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry area thoroughly
- if necessary, cut medicated patch to fit corn
- apply adhesive side down of medicated patch onto corn
- cover medicated patch with pad
- after 48 hours, remove medicated patch
- repeat procedure every 48 hours as needed for up to 14 days (until corn is removed)
- may soak corn in warm water for 5 minutes to assist in removal

Other information

store between 15°C to 30°C (59°F to 86°F)

Inactive ingredients

acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol

Questions?

call 1-866-964-0939

Principal Display Panel

Harmon

FaceValues

Ultra Thin Medicated Corn Removers

Salicylic Acid

- Fast Acting Formula for corn removal
- "Ultra Thin" pads designed for tight shoes

9 Medicated Patches & Pads

HARMON®
FACEVALUES™
Maximum Strength
ULTRA THIN Medicated
CORN REMOVERS
Salicylic Acid

Drug Facts

Active ingredient Purpose
Salicylic acid 40%.....Corn removal

Uses

- for removal of hard corns
- relieves pain by removing corns

Warnings

For external use only.

Do not use

- if you are diabetic
- if you have poor blood circulation
- on irritated skin or any area that is infected or reddened

If discomfort persists see your doctor or podiatrist.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- if necessary, cut medicated patch to fit corn
- apply adhesive side down of medicated patch onto corn
- cover medicated patch with pad
- after 48 hours, remove medicated patch
- repeat procedure every 48 hours as needed for up to 14 days (until corn is removed)
- may soak corn in warm water for 5 minutes to assist in removal of corn

Other information

store between 15° and 30°C (59° and 86°F)

Inactive ingredient

rubber-based adhesive

Questions? Call 1-866-964-0939

LFCNRUTH

HARMON®
FACEVALUES™

Compare Ours to
Dr. Scholl's® Ultra
Thin Corn Removers*

ULTRA THIN Medicated
CORN REMOVERS
Salicylic Acid

- ▶ Fast Acting Formula for corn removal
- ▶ "Ultra Thin" pads designed for tight shoes

**9 MEDICATED
PATCHES & PADS**

Distributed by
Harmon Stores, Inc.
Union, NJ 07083 USA
© Harmon Stores, Inc.
Visit us at:
www.facevalues.com
MADE IN USA



* This product is not
manufactured or
distributed by Schering-
Plough HealthCare
Products, Inc., the owner
of the registered
trademark Dr. Scholl's®.



SALICYLIC ACID

medicated corn removers patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63940-018
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	40 mg in 9

Inactive Ingredients

Ingredient Name	Strength
POLYVINYL ALCOHOL (UNII: 532B59J990)	
VINYL ACETATE (UNII: L9MK238N77)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63940-018-09	9 in 1 PACKAGE; Type 0: Not a Combination Product	01/05/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	01/05/2012	

Labeler - Harmon Store Inc. (804085293)

Revised: 1/2024

Harmon Store Inc.