SALICYLIC ACID- wart remover liquid Chain Drug Consortium, LLC

Premier Value Liquid Wart Remover

Active ingredient

Salicylic acid

Purpose

Wart Remover

Use

• for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. The plantar wart exists only on the bottom of the foot and interrupts footprint pattern.

Warnings

For external use only.

Flammable

- keep away from fire or flame
- cap bottle tightly and store at room temperature away heat

Do not use

- if you are a diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatristirritated, infected or reddened skin
- genital warts and warts on the face
- moles, birthmarks and warts with hair growing from them
- mucous membranes

When using this product

- avoid contact with eyes. If product gets into the eyes, flush with water for 15 minutes
- avoid inhaling vapors

Stop use and ask doctor if

discomfort persists

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area, may soak wart in warm water for 5 minutes
- dry area thoroughly
- apply small amount of wart remover with applicator to sufficiently cover each wart
- let dry and repeat this procedure once or twice daily until wart is removed for up to 12 weeks

Other information

store between 20°C to 30°C (68°F to 86°F)

Inactive ingredients

camphor, castro oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel

Premier Value

Maximum Strength


Liquid Wart Remover with Salicylic acid

60% More than Compound W

Removes common & plantar warts safely

1/2 FL OZ (15mL)





DO NOT USE IF NECKBAND IS BROKEN

əsodund

Drug Facts

Wart removal

Salicylic acid 17% w/w. Active ingredient

of the foot and interrupts the footprint pattern. **USE** • for the removal of common and plantar warte. The common wart has a rough 'cautilllower-like' appearance. The plantar wart exists only on the bottom

sbuimsW

For external use only.

Flammable

Do not use ■ csb pottle tightly and store at room temperature away from heat ■ keep away from fire or flame

Do not use on supervision of a doctor or podiatrist if you are diabetic or have poor blood circulation, except under the advice and

■ mucous membranes ■ moles, birthmarks and warts with hair growing from them ■ genital warts and warts on the face ■ irritated, infected or reddened skin

■ svoid contact with eyes. If product gets into the eye, flush with water for 15 minutes a svoid inhaling vapors When using this product

Stop use and ask a doctor if discomfort persists.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions - wash or soak the affected area and dry thoroughly

■ reapply subsequent applications over existing application apply wart remover liquid, with enclosed applicator, until wart is covered; then let dry

repeat this procedure once or twice daily, until wart is completely removed, for up to 12 weeks

Other information store between 20° to 30°C (68° to 86°F)

Inactive ingredient tlexible collodion containing alcohol and ether

Questions? Call 1-866-964-0939

Jackson, WY 83001 owner of the registered trademark Compound W^e. This product is not manufactured or distributed by Medtech Products, Inc.,

DISTRIBUTED BY CHAIN DRUG CONSORTIUM, 3301 NW BOCA RATON BLYD.,

SUITE 101, BOCA RATON, FL 33431



lf for any reason you are not sadisfied with this product, please return it to the store where purchased for a full retund.







MAXIMUM STRENGTH LIQUID WART REMOVER WITH SALICYLIC ACID



Removes common warts and plantar warts safely and easily



and easily

MAXIMUM STRENGTH

remier

Value





and plantar warts safely





BWRLHRPV-2

NO

VARNISH

appearance. The plantar wart exists only on the bottom subsequent applications over existing application.
Repeat this procedure once or twice daily, until wart is DIRECTIONS: Wash or soak the affected area and dry thoroughly. Apply wart remover liquid with enclosed applicator until wart is covered and let dry. Reapply he common wart has a rough 'cauliflower-like of the foot and interrupts the footprint pattem. completely removed, for up to 12 weeks.

MAXIMUM STRENGTH

and easily

1/2 FL OZ (15mL)

MADE IN USA Control Center right away. Questions? 1-866-964-0939 product if you are diabetic or have poor blood circulation from them, genital warts, warts on the face and mucous membranes. Avoid contact with eyes. If product gets into vapors. Stop use and ask a doctor if discomfort persists the eye, flush with water for 15 minutes. Avoid inhaling podiatrist. Do not use on irritated, infected or reddened skin or on moles, birthmarks, warts with hair growing except under the advice and supervision of a doctor or **NACTIVE INGREDIENT:** Rexible collodion containing WARNINGS: For external use only. Flammable: Keep away from fire or flame. Cap bottle tightly and store at room temperature away from heat. Do not use this MSTRIBUTED BY: CHAIN DRUG CONSORTIUM, LLC. swallowed, get medical help or contact a Poison ACTIVE INGREDIENT: Salicylic acid (17% w/w) (eep out of reach of children. alcohol and ether Removes common warts and plantar warts safely

SALICYLIC ACID

wart remover liquid

JSES: For the removal of common and plantar warts.

DO NOT USE IF NECKBAND IS BROKEN

Product Information	roduct Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68016-611		
Route of Administration	TOPICAL				

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 mg in 15 mL

Inactive Ingredients			
Ingredient Name	Strength		
PYROXYLIN (UNII: KYR8BR2X6O)			
CAMPHOR (NATURAL) (UNII: N20HL7Q941)			
CASTOR OIL (UNII: D5340Y2I9G)			

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016- 611-00	15 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	05/23/2003	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	05/23/2003	

Labeler - Chain Drug Consortium, LLC (101668460)

Revised: 2/2024 Chain Drug Consortium, LLC