

PAIN RELIEF REGULAR STRENGTH- acetaminophen tablet
Rite Aid Corporation

Rite Aid 44-104

Active ingredient (in each tablet)

Acetaminophen 325 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if the user has

liver disease.

Ask a doctor or pharmacist before use if the user is

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days in adults
- redness or swelling is present
- pain gets worse or lasts more than 5 days in children under 12 years
- new symptoms occur
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**

adults and children 12 years and over	<ul style="list-style-type: none">▪ take 2 tablets every 4 to 6 hours while symptoms last▪ do not take more than 10 tablets in 24 hours▪ do not take for more than 10 days unless directed by a doctor
children 6-11 years	<ul style="list-style-type: none">▪ take 1 tablet every 4 to 6 hours while symptoms last▪ do not take more than 5 tablets in 24 hours▪ do not take for more than 5 days unless directed by a doctor
children under 6 years	ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, povidone, sodium starch glycolate, stearic acid

Questions or comments?

1-800-426-9391

Principal Display Panel

NDC 11822-0104-1

Compare to the active ingredient of **Regular Strength Tylenol®***

**REGULAR STRENGTH
PAIN RELIEF
ACETAMINOPHEN**

ACETAMINOPHEN 325 mg

PAIN RELIEVER/FEVER REDUCER

RITE

AID®

PHARMACY

ACTUAL SIZE

100 TABLETS

*This product is not manufactured or distributed by
Johnson & Johnson Corporation, owner of the registered
trademark Regular Strength Tylenol®.

50844 REV0417D10412

DISTRIBUTED BY:

RITE AID, 30 HUNTER LANE,
CAMP HILL, PA 17011

www.riteaid.com

SATISFACTION**GUARANTEE**

If you're not satisfied, we'll
happily refund your money.

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

0 11822 31764 1

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

B-1702-104-12-R2
REV0417D10412

NDC 11822-0104-1

Compare to the active ingredient of **Regular Strength Tylenol®**

REGULAR STRENGTH PAIN RELIEF ACETAMINOPHEN

ACETAMINOPHEN 325 mg

PAIN RELIEVER/FEVER REDUCER

RITE AID PHARMACY

ACTUAL SIZE **100 TABLETS**

REGULAR STRENGTH PAIN RELIEF ACETAMINOPHEN

ACETAMINOPHEN 325 mg

PAIN RELIEVER/FEVER REDUCER

RITE AID PHARMACY

100 TABLETS

Drug Facts (continued)

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients corn starch, povidone, sodium starch glycolate, stearic acid

Questions or comments? 1-800-426-9391

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Regular Strength Tylenol®.

50844 REV0417D10412

DISTRIBUTED BY:
RITE AID, 30 HUNTER LANE,
CAMP HILL, PA 17011
www.riteaid.com

SATISFACTION GUARANTEE
If you're not satisfied, we'll happily refund your money.

Drug Facts

Ask a doctor before use if the user has liver disease. Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days in adults
- redness or swelling is present
- pain gets worse or lasts more than 5 days in children under 12 years
- new symptoms occur
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

adults and children 12 years and over	<ul style="list-style-type: none"> ■ do not take more than directed ■ take 2 tablets every 4 to 6 hours while symptoms last ■ do not take more than 10 tablets in 24 hours ■ do not take for more than 10 days unless directed by a doctor
children 6-11 years	<ul style="list-style-type: none"> ■ take 1 tablet every 4 to 6 hours while symptoms last ■ do not take more than 5 tablets in 24 hours ■ do not take for more than 5 days unless directed by a doctor
children under 6 years	ask a doctor

Drug Facts

Active ingredient (in each tablet)

Acetaminophen 325 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- rash
- skin redness
- blisters

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Rite Aid 44-104

PAIN RELIEF REGULAR STRENGTH

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0104
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)			ACETAMINOPHEN	325 mg
Inactive Ingredients				
Ingredient Name				Strength
STARCH, CORN (UNII: O8232NY3SJ)				
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)				
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)				
STEARIC ACID (UNII: 4ELV7Z 65AP)				
Product Characteristics				
Color	white	Score	2 pieces	
Shape	ROUND	Size	10mm	
Flavor		Imprint Code	44;104	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0104-1	1 in 1 CARTON	07/13/1990	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:11822-0104-7	1 in 1 CARTON	07/13/1990	09/06/2021
2		125 in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013		07/13/1990	

Labeler - Rite Aid Corporation (014578892)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(11822-0104)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(11822-0104)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(11822-0104)

Revised: 8/2023

Rite Aid Corporation