

ASPIRIN ENTERIC SAFETY COATED- aspirin tablet
CVS Pharmacy

Drug Facts

Active ingredient (in each tablet)

Aspirin 81 mg (NSAID)*

***nonsteroidal anti-inflammatory drug**

Purpose

Pain reliever

Uses

- for the temporary relief of minor aches and pains or as recommended by your doctor. **Because of its delayed action, this product will not provide fast relief of headaches or other symptoms needing immediate relief.**
- ask your doctor about other uses for safety coated 81 mg aspirin

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction, which may include:

- hives
- facial swelling
- shock
- asthma (wheezing)

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis or kidney disease
- you are taking a diuretic
- you have asthma

Ask a doctor or pharmacist before use if you are

taking a prescription drug for

- gout
- diabetes
- arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away
- you experience any of the following signs of stomach bleeding:
 - feel faint
 - vomit blood
 - have bloody or black stools
 - have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- ringing in the ears or loss of hearing occurs
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use. **It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- drink a full glass of water with each dose
- adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor
- children under 12 years: consult a doctor

Other information

- store between 15-30°C (59-86°F)

Inactive ingredients

anhydrous lactose**, black iron oxide**, brown iron oxide**, carnauba wax**, corn starch**, croscarmellose sodium**, D&C yellow #10, FD&C yellow #6**, hypromellose**, methacrylic acid copolymer, microcrystalline cellulose, mineral oil**, pharmaceutical ink**, polysorbate 80**, potassium hydroxide**, propylene glycol**, purified water**, shellac**, silicon dioxide, simethicone**, sodium bicarbonate**, sodium hydroxide**, sodium lauryl sulfate**, stearic acid**, talc, titanium dioxide, triethyl citrate, yellow iron oxide**

**contains one or more of these ingredients

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredient in Bayer® Low Dose Aspirin†

Coated Tablets

Low Dose

Aspirin 81 mg

Pain reliever (**NSAID**)

- Safety coated±
- Aspirin regimen≠

TABLETS

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

±Talk to your doctor or other healthcare provider before using this product for your heart.

±Coating helps protect against stomach upset

†This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Bayer® Low Dose Aspirin.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

CVS.com®

Product Label

CVS Health. Compare to the active ingredient in Bayer® Low Dose Aspirin!
Coated Tablets NDC 69842-826-30

Low Dose Aspirin 81 mg
Pain reliever (NSAID)

- Safety coated†
- Aspirin regimen‡

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

†Talk to your doctor or other healthcare provider before using this product for your heart.

81 mg Actual Size

300 TABLETS



TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts

Active Ingredient (in each tablet)
 Aspirin 81 mg (NSAID)*

Purpose
 Pain reliever

Uses
 ■ for the temporary relief of minor aches and pains or as recommended by your doctor.
 ■ Because of its delayed action, this product will not provide fast relief of headaches or other symptoms needing immediate relief.
 ■ ask your doctor about other uses for safety coated 81 mg aspirin

Warnings
Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.
Allergy alert: Aspirin may cause a severe allergic reaction, which may include:
 ■ hives ■ facial swelling ■ shock ■ asthma (wheezing)
Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:
 ■ are age 60 or older ■ have had stomach ulcers or bleeding problems ■ take a blood thinning (anticoagulant) or steroid drug ■ take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ■ have 3 or more alcoholic drinks every day while using this product
Do not use ■ if you are allergic to aspirin or any other pain reliever/fever reducer ■ if you have ever had an allergic reaction to this product or any of its ingredients
Ask a doctor before use if ■ stomach bleeding warning applies to you ■ you have a history of stomach problems, such as heartburn

Drug Facts (continued under label)
 #126623
 Distributed by: CVS Pharmacy, Inc.
 One CVS Drive, Woonsocket, RI 02895
 © 2019 CVS/Pharmacy
 CVS.com® 1-800-SHOP CVS
 Y-16402
 Lot No.: 0 50428 33301 3
 Exp. Date: 150908

CVS Quality
 Money Back Guarantee

PLD-R188F
 150908

Drug Facts (continued)

■ you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
 ■ you are taking a diuretic ■ you have asthma
Ask a doctor or pharmacist before use if you are taking a prescription drug for ■ gout ■ diabetes ■ arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
 ■ feel faint ■ vomit blood ■ have bloody or black stools
- pain stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- ringing in the ears or loss of hearing occurs ■ redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222), right away.

Directions
 ■ drink a full glass of water with each dose
 ■ adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor
 ■ children under 12 years: consult a doctor

Other information
 ■ store between 15-30°C (59-86°F)

Inactive ingredients amygdross lactase**, black iron oxide**, brown iron oxide**, camphor wax**, corn starch**, croscarmellose sodium**, D&C yellow #10, FD&C yellow #6, hypromellose, methacrylic acid copolymer, microcrystalline cellulose, mineral oil, pharmaceutical ink**, polysorbate 80**, potassium hydroxide**, propylene glycol, purified water**, shellac**, silicon dioxide, simethicone, sodium bicarbonate, sodium hydroxide, sodium lauryl sulfate, stearic acid**, talc, titanium dioxide, triethyl citrate, yellow iron oxide**

**contains one or more of these ingredients

Questions or comments?
 Call 1-877-753-8855 Monday-Friday 9AM-5PM EST

†This product is not manufactured or distributed by Bayer Healthcare LLC, distributor of Bayer® Low Dose Aspirin.
 ‡Coating helps protect against stomach upset.

CVS HEALTH Low Dose Aspirin 81 mg

ASPIRIN ENTERIC SAFETY COATED

aspirin tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-826
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
BROWN IRON OXIDE (UNII: 1N032N7MFO)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	

STARCH, CORN (UNII: O8232NY3SJ)
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)
HYPROMELLOSES (UNII: 3NXW29V3WO)
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)
MINERAL OIL (UNII: T5L8T28FGP)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
WATER (UNII: 059QF0KO0R)
SHELLAC (UNII: 46N107B71O)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
DIMETHICONE (UNII: 92RU3N3Y1O)
SODIUM BICARBONATE (UNII: 8MDF5V39QO)
SODIUM HYDROXIDE (UNII: 55X04QC32I)
SODIUM LAURYL SULFATE (UNII: 368GB5141J)
STEARIC ACID (UNII: 4ELV7Z65AP)
TALC (UNII: 7SEV7J4R1U)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)

Product Characteristics

Color	yellow	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	E;T81;1;Heart
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-826-50	500 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/31/2018	08/31/2025
2	NDC:69842-826-30	300 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/31/2018	08/31/2025

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	08/31/2018	08/31/2025

Labeler - CVS Pharmacy (062312574)

