

**HEALTH MART PAIN RELIEF- acetaminophen tablet**  
**McKesson**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**McKesson Pain Relief Drug Facts**

**Active ingredient (in each caplet)**

Acetaminophen 500 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
- headache
- the common cold
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

liver disease

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul style="list-style-type: none"><li>• take 2 caplets every 6 hours while symptoms last</li><li>• do not take more than 6 caplets in 24 hours, unless directed by a doctor</li><li>• do not use for more than 10 days unless directed by a doctor</li></ul>
children under 12 years	ask a doctor

**Other information**

- store at 20-25°C (68-77°F)

**Inactive ingredients**

carnauba wax, corn starch\*, croscarmellose sodium\*, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate\*, stearic acid

\*may contain one or more of these ingredients

**Questions or comments?**

1-800-719-9260

**Principal Display Panel**

compare to Extra Strength Tylenol® active ingredient

extra strength

pain relief

pain reliever / fever reducer

acetaminophen

adults

ACTUAL SIZE

gluten free

50 caplets – 500 mg each

SEE NEW WARNINGS

**Drug Facts****Active ingredient**  
*(in each caplet)***Purpose**

Acetaminophen 500 mg...Pain reliever/fever reducer

**Uses** ■ Temporarily relieves minor aches and pains due to:

- the common cold
- minor pain of arthritis
- muscle aches
- menstrual aches
- toothache
- temporally reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have liver disease**

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin**



0 52569 13515 0

LOT NO.

EXP.

: 46473, W 5

**Drug Facts (continued)**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children. Overdose warning:** In cases of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions** ■ do not take more than directed (see overdose warning)

adults and children

- take 2 caplets every 6 hours while symptoms last
- do not take more than 6 caplets in 24 hours, and over

unless directed by a doctor

do not use for more than 10 days unless directed by a doctor

children under 12 years ask a doctor

**Other information**

■ store at 20-25°C (68-77°F)

**Inactive ingredients:** carnauba wax, corn starch, croscarmellose sodium, hypromellose, polyethylene glycol, polydioxane, pregelatinized starch, sodium starch glycolate\*, stearic acid

\*may contain one or more of these ingredients

**MEKESON**

Directed by McKesson  
Overseer Street, San Francisco, CA 94104  
www.hellfireatc.org/hellfireatc

**DO NOT USE IF PRINTED SEAL UNDER CAPS IS BROKEN OR MISSING**

Ext a Strength Tylenol®.  
by McNeil Consumer Healthcare, distributed by

**Questions or comments?**  
1-800-71-9-9260

**Drug Facts (continued)**

NDC 62011-0023-2

compare to Extra Strength Tylenol® active ingredient\*\*

**extra strength pain relief**pain reliever/fever reducer  
**acetaminophen**  
adults

gluten free

50 caplets - 500 mg each

SEE NEW WARNINGS



ACTUAL SIZE

NDC 62011-0023-2


compare to Extra Strength Tylenol® active ingredient\*\*

**extra strength pain relief**pain reliever/fever reducer  
**acetaminophen**  
adults


gluten free

50 caplets - 500 mg each

SEE NEW WARNINGS



ACTUAL SIZE

**HEALTH MART PAIN RELIEF**

acetaminophen tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG LABEL	<b>Item Code (Source)</b>	NDC:62011-0023
<b>Route of Administration</b>	ORAL	<b>DEA Schedule</b>	

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (ACETAMINOPHEN)	ACETAMINOPHEN	500 mg

**Inactive Ingredients**

Ingredient Name	Strength
CARNAUBA WAX	
STARCH, CORN	
HYPROMELLOSES	
POLYETHYLENE GLYCOLS	
POVIDONES	
STEARIC ACID	
CROSCARMELLOSE SODIUM	

**Product Characteristics**

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	CAPSULE (caplet)	<b>Size</b>	16mm
<b>Flavor</b>		<b>Imprint Code</b>	L484
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:620 11-0023-1	1 in 1 CARTON		
1		100 in 1 BOTTLE		
2	NDC:620 11-0023-3	500 in 1 BOTTLE		
3	NDC:620 11-0023-2	1 in 1 CARTON		
3		50 in 1 BOTTLE		
4	NDC:620 11-0023-4	550 in 1 BOTTLE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	11/21/2011	

**Labeler** - McKesson (177667227)

Revised: 1/2015

McKesson