

## **MILK OF MAGNESIA- magnesium hydroxide liquid**

### **CVS**

-----

### **CVS milk of mag original**

#### **Active ingredient (in each 15 mL)**

Magnesium hydroxide 1200 mg

#### **Purpose**

Saline laxative

#### **Uses**

- relieves occasional constipation (irregularity)
- usually produces bowel movement in 1/2 to 6 hours

#### **Warnings**

##### **Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

**Ask a doctor or pharmacist before use if you are** taking a prescription drug. This product may interact with certain prescription drugs.

##### **Stop use and ask a doctor if**

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### **Directions**

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose

age	dose
adults and children 12 years and over	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

**Other information**

- each 15 mL tablespoonful contains: **magnesium 500 mg**
- avoid freezing
- store at room temperature tightly closed

**Inactive ingredients**

purified water, sodium hypochlorite

**Questions or Comments?**

**1-800-540-3765**

**package label**



Compare to the active ingredient  
in Phillips'® Milk of Magnesia\*

# Milk of Magnesia

MAGNESIUM HYDROXIDE  
Saline Laxative

**STIMULANT FREE**

- Comfortable, cramp free relief
- Sugar free

Original Flavor

12 FL OZ (355 mL)

205-19112-2 REV 0920



## Drug Facts

**TAMPER EVIDENT: Do not use if imprinted neckband is missing or broken.**

### Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg ..... Saline laxative

### Purpose

### Use

- relieves occasional constipation (irregularity)
- generally produces bowel movement in ½ to 6 hours

### Warnings

- Ask a doctor before use if you have**
- a magnesium-restricted diet
  - a sudden change in bowel habits that lasts over 14 days
  - kidney disease
  - stomach pain, nausea or vomiting

**Ask a doctor or pharmacist before use if you are taking a prescription drug.**  
This product may interact with certain prescription drugs.

### Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose

age	dose
adults and children 12 years and over	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

### Other information

- each 15 mL contains: **magnesium 500 mg**
- avoid freezing
- store at room temperature tightly closed

### Inactive ingredients

purified water, sodium hypochlorite

### Questions or comments? 1-800-540-3765

\*This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Phillips'® brand Milk of Magnesia.

**Distributed by: CVS Pharmacy, Inc.**  
One CVS Drive, Woonsocket, RI 02895  
© 2020 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS  
V-13966



## MILK OF MAGNESIA

magnesium hydroxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69842-278
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MAGNESIUM HYDROXIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

## Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-278-81	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/18/2016	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	07/01/2015	

**Labeler** - CVS (062312574)

**Registrant** - GCP Laboratories (965480861)

## Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(69842-278)

Revised: 10/2023

CVS