

**GLYCERIN- glycerin suppository**  
**H E B**

-----  
**H E B Adult Glycerin Suppositories**

**Active ingredient (in each suppository)**

Glycerin 2g

**Purpose**

Laxative

**Uses**

- for relief of occasional constipation
- this product generally produces bowel movement in 1/4 to 1 hour

**Warnings**

**For rectal use only**

May cause rectal discomfort or a burning sensation.

**Ask a doctor before using any laxative if you have**

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

**Stop use and consult a doctor if you have**

- rectal bleeding
- no bowel movement after using this product

These symptoms may indicate a serious condition.

**Keep out of reach of children**

**If swallowed, get medical help or contact a Poison Control Center right away.**

**Directions - single daily dose**

adult and children 6 years and over - 1 suppository, or as directed by a doctor

children 2 to under 6 years - use Child Suppositories

Insert suppository well up into rectum. Suppository need not melt completely to produce laxative action.

**Other information**

- Store container tightly closed.
- Keep away from excessive heat.

**Inactive ingredients**

purified water, sodium hydroxide, stearic acid

**Questions or comments?**

1-800-492-5988

**Label**

**Compare to Fleet® Glycerin  
Suppositories active ingredient\***

**NDC 37808-398-50**



# **Glycerin Suppositories**

Glycerin 2g

**Laxative**

**For Relief of Occassional  
Constipation**

**50 ADULT SUPPOSITORIES**

**TAMPER EVIDENT: DO NOT USE IF PRINTED  
INNER SEAL IS DAMAGED OR MISSING.**

The product package shown above represents a sample of that currently in use.  
Additional packaging may also be available.

Adult Glycerin Suppositories, 50 count

Distributed by H-E-B, San Antonio, TX 78204 1002

**GLYCERIN**

glycerin suppository

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37808-398
<b>Route of Administration</b>	RECTAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>GLYCERIN</b> (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	2 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-398-50	50 in 1 JAR; Type 0: Not a Combination Product	09/23/2016	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	09/23/2016	

**Labeler** - H E B (007924756)**Registrant** - DSC Laboratories Inc. (097807374)**Establishment**

Name	Address	ID/FEI	Business Operations
DSC Laboratories Inc.		097807374	manufacture(37808-398)