

TRI-SOFT SOFTENING- benzalkonium chloride solution
Clinical Therapeutic Solutions

TRI-SOFT SOFTENING SOLUTION

TRI-SOFT SOFTENING SOLUTION

Active Ingredient

BENZALKONIUM CHLORIDE (0.13 %)

Purpose

Antiseptic

Uses:

For antiseptic cleansing that will decrease bacteria on the skin without soap and water.

Warnings

For external use only.

Do not use in the eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and consult a physician if irritation or redness develops and persists for more than 72 hours.

Do not bandage tightly.

If pregnant or breast feeding, contact physician prior to use.

Keep out of reach of children

if swallowed, consult physician or poison control immediately

Directions

Mix 1 part Tri-Soft Concentrate with water q. s. to 16 parts. Saturate cotton and place over hyperkeratotic tissues for 3 minutes before reduction or debridement.

Other Ingredients

Aqua (Deionized Water), Benzyl Alcohol, Phenylmercuric Nitrate, Polysorbate-20, SD-

Alcohol 40B.

Tri-Soft Softening Solution is a rapid-acting emulsifying agent combined with antiseptic properties.

It is specifically formulated for use on the skin prior to instrument reduction of hyperkeratotic lesions.

TRI-SOFT SOFTENING SOLUTION 8oz (44577-711-08)



Wetting

Emulsifying

Antiseptic

Concentrate Makes
One Gallon of Solution

For External Use Only
8 FL OUNCES

Tri-Soft Softening Solution is a rapid-acting emulsifying agent combined with antiseptic properties. It is specifically formulated for use on the skin prior to instrument reduction of hyperkeratotic lesions.

Contains: Benzalkonium Chloride in a Phenylmercuric Nitrate Solution

Directions: Mix 1 part Tri-Soft Concentrate with water q. s. to 16 parts. Saturate cotton and place over hyperkeratotic tissues for 3 minutes before reduction or debridement.

For External Use Only

Drug Facts	Purpose
Active ingredient Benzalkonium Chloride (0.13%)	Antiseptic
Uses: For Antiseptic cleansing that will decrease bacteria on the skin without soap and water.	
Warnings: For external use only. • Do not use in the eyes. If eye contact occurs, rinse thoroughly with water. • Stop use and consult a physician if irritation or redness develops and persists for more than 72 hours. • Keep out of reach of children. If swallowed, consult physician or poison control immediately. • Do not bandage tightly. • If pregnant or breast feeding, contact physician prior to use.	
Directions: Mix 1 part Tri-Soft Concentrate with water q. s. to 16 parts. Saturate cotton and place over hyperkeratotic tissues for 3 minutes before reduction or debridement.	
Other ingredients: Aqua (Distilled Water), Benzyl Alcohol, Phenylmercuric Nitrate, Polysorbate-20, SD-Alcohol 40B.	

Distributed by:
 **CLINICAL THERAPEUTIC SOLUTIONS**
PO Box 1257, Wall, NJ 07719
732.894.9450 • www.CTSRX.com



PROFESSIONAL

TRI-SOFT SOFTENING

benzalkonium chloride solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:44577-711
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

BENZYL ALCOHOL (UNII: LKG8494WBH)	
PHENYLMERCURIC NITRATE (UNII: CG8692ZN14)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:44577-711-08	236.59 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/22/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	12/06/2012	

Labeler - Clinical Therapeutic Solutions (078402750)

Revised: 11/2023

Clinical Therapeutic Solutions