

**ANTACID ANTIGAS MAXIMUM STRENGTH- aluminum hydroxide, magnesium hydroxide, simethicone liquid**

**Family Dollar (FAMILY WELLNESS)**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredient (in each 10 mL)**

Aluminum hydroxide (equiv. to dried gel USP) 800 mg

Magnesium Hydroxide 800 mg

Simethicone 80 mg

**Purpose**

Antacid

Antacid

Antigas

**Uses**

- for the relief of
  - acid indigestion
  - heartburn
  - sour stomach
  - upset stomach associated with these symptoms
  - pressure and bloating commonly referred to as gas
  - overindulgence in food and drink

**Warnings**

**Do not take**

more than 60 mL in a 24-hour period or use the maximum dosage for more than 2 weeks except under the advice and supervision of a physician

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet

**ask a doctor or pharmacist before use if you are**

presently taking a prescription drug. Antacids may interact with certain prescription

drugs.

**Stop use and ask a doctor if**

symptoms last more than 2 weeks.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- shake well before using
- mL = milliliter
- do not take more than 60 mL in 24 hours or use the maximum dosage for more than 2 weeks
- measure only with dosing cup provided. Do not use any other dosing device
- keep dosing cup with product
- adults and children 12 years and older: take 10-20 mL as needed, between or after meals, at bedtime, or as directed by a doctor
- children under 12 years of age: do not use

**Other information**

- **each 10 mL contains:** magnesium 335 mg, sodium 10 mg
- store between 20-25°C (68-77°F). Avoid freezing

**Inactive ingredients**

benzyl alcohol, carboxymethylcellulose sodium, flavor, glycerin, microcrystalline cellulose, purified water, sodium carbonate, sorbitol, sucralose, xanthan gum

**Questions or comments?**

**Call 1-877-753-3935 Monday-Friday 9AM-5PM EST**

**Principal Display Panel**

COMPARE TO THE ACTIVE INGREDIENTS IN MYLANTA® MAXIMUM STRENGTH\*

MAXIMUM STRENGTH

Antacid & Anti-gas Relief

Multi-Symptom Relief

Aluminum Hydroxide - Antacid

Magnesium Hydroxide - Antacid

Simethicone - Antigas

For Fast Relief of:

- Heartburn
- Acid Indigestion
- Pressure
- Bloating

Alcohol-Free

Sugar-Free

Paraben-Free

ORIGINAL FLAVOR

\*This product is not manufactured or distributed by McNeil Consumer Pharmaceuticals Co., distributor of Mylanta® Maximum Strength.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND OR UNDER CAP IS BROKEN OR MISSING.**

**DISTRIBUTED BY: MIDWOOD BRANDS, LLC**

10611 MONROE RD.MATTHEWS, NC 28105

**Product Label**

COMPARE TO THE ACTIVE INGREDIENTS IN MYLANTA® MAXIMUM STRENGTH\*

**FAMILY wellness™**

NDC 55319-528-12

**100% SATISFACTION OR YOUR MONEY BACK GUARANTEED**

**MAXIMUM STRENGTH**

# Antacid & Antigas Relief

Multi-Symptom Relief

Aluminum Hydroxide - Antacid  
Magnesium Hydroxide - Antacid  
Simethicone - Antigas

For Fast Relief of:

- Heartburn
- Acid Indigestion
- Pressure
- Bloating

Alcohol-Free  
Sugar-Free  
Paraben-Free

12 FL OZ (355 mL)

ORIGINAL FLAVOR

PLD-A460B LB005927

**OTC network**

**Drug Facts**

Active ingredients (in each 10 mL)	Purposes
Aluminum hydroxide (equiv. to dried gel USP) 800 mg.....	Antacid
Magnesium hydroxide 800 mg.....	Antacid
Simethicone 80 mg.....	Antigas

**Uses** ■ for the relief of

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms
- pressure and bloating commonly referred to as gas
- overindulgence in food and drink

**Warnings**

**Do not take** more than 60 mL in a 24-hour period or use the maximum dosage for more than 2 weeks except under the advice and supervision of a physician.

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet

\*This product is not manufactured or distributed by McNeil Consumer Pharmaceuticals Co., distributor of Mylanta® Maximum Strength.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND OR UNDER CAP IS BROKEN OR MISSING.**

**DISTRIBUTED BY: MIDWOOD BRANDS, LLC**  
10611 MONROE RD. MATTHEWS, NC 28105

**NOT 100% SATISFIED?** Return package and unused product within 30 days to any Family Dollar store for a refund (with receipt) or exchange.

SKU 0914108



PLD-A460B  
LB005928

PEEL CORNER FOR MORE DRUG FACTS

**Drug Facts (continued)**

**Ask a doctor or pharmacist before use if you are presently taking a prescription drug.** Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if symptoms last more than 2 weeks.**

**If pregnant or breast-feeding,** ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- shake well before using
- mL = milliliter
- do not take more than 60 mL in 24 hours or use the maximum dosage for more than 2 weeks
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- adults and children 12 years of age and older: take 10-20 mL as needed, between or after meals, at bedtime, or as directed by a doctor
- children under 12 years of age: do not use

**Other information**

- each 10 mL contains: magnesium 335 mg, sodium 10 mg
- store between 20-25°C (68-77°F). Avoid freezing.

**Inactive ingredients** benzyl alcohol, carboxymethylcellulose sodium, flavor, glycerin, microcrystalline cellulose, purified water, sodium carbonate, sorbitol, sucralose, xanthan gum

**Questions or comments?**  
Call 1-877-753-3935 Monday-Friday  
9AM-5PM EST

## FAMILY WELLNESS Maximum Strength Antacid & Antigas Relief

### ANTACID ANTIGAS MAXIMUM STRENGTH

aluminum hydroxide, magnesium hydroxide, simethicone liquid

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55319-528
<b>Route of Administration</b>	ORAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	800 mg in 10 mL
<b>MAGNESIUM HYDROXIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM HYDROXIDE	800 mg in 10 mL
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	80 mg in 10 mL

#### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CARBONATE</b> (UNII: 45P3261C7T)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-528-12	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/30/2018	06/30/2025

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	06/30/2018	06/30/2025

**Labeler** - Family Dollar (FAMILY WELLNESS) (024472631)

Revised: 10/2022

Family Dollar (FAMILY WELLNESS)