

**SORE THROAT CHERRY- phenol spray**  
**MEIJER, INC.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredient**

Phenol 1.4%

**Purpose**

Oral anesthetic/analgesic

**Uses**

temporarily relieves sore throat pain, sore mouth, pain associated with canker sores, minor mouth irritation

**Warnings**

**Sore throat warning:** Severe or persistent sore throat or sore throat that occurs with high fever, headache, nausea, and vomiting may be serious. Ask a doctor right away. Do not use more than 2 days or give to children under 3 years of age.

**When using this product,**

do not exceed recommended dose

**Stop use and ask a doctor if**

- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens
- swelling, rash or fever develops

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- adults and children 6 years of age and older
  - apply to affected area (one spray)
  - allow to remain in place for at least 15 seconds, then spit out
  - use every 2 hours as directed by a doctor or dentist
- children under 12 years of age should be supervised in the use of this product
- children under 6 years of age, consult a doctor or dentist

**Other information**

- store between 20-25°C (68-77°F). Do not refrigerate.

**Inactive ingredients**

alcohol, FD&C red #40, flavor, glycerin, purified water, saccharin sodium

**Questions or comments?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

**Principal Display Panel**

Compare to Chloraseptic® active ingredient†

Sore Throat Spray

Phenol 1.4% | Oral Anesthetic

INSTANT ACTING

Relieves Sore Throat

ALCOHOL 0.10%

ASPIRIN FREE, SUGAR FREE

Cherry Flavor

FL OZ (mL)

†This product is not manufactured or distributed by Prestige Brands, Inc., distributor of Chloraseptic®.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND CAP IS BROKEN OR MISSING.**

DIST. BY MEIJER

DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

[www.meijer.com](http://www.meijer.com)

Package Label

\*This product is not manufactured or distributed by Prestige Brands, Inc., distributor of Chloraseptic®.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND CAP IS BROKEN OR MISSING.

DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI 49544 www.meijer.com

NDC 41250-164-06

Compare to Chloraseptic® active ingredient?

sore throat spray

Phenol 1.4% | Oral Anesthetic

INSTANT ACTING  
Relieves Sore Throat

ALCOHOL 0.10%  
ASPIRIN FREE, SUGAR FREE

Cherry Flavor

6 fl oz (177 mL)

**Drug Facts**

<b>Active ingredient</b> Phenol 1.4%	<b>Purpose</b> Oral anesthetic/Analgesic
<b>Uses</b> temporarily relieves sore throat, pain, sore mouth, pain associated with canker sores, minor mouth irritation	
<b>Warnings</b> <b>Sore throat warning:</b> Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days or administer to children under 3 years of age unless directed by a doctor. <b>When using this product, do not exceed recommended dose.</b>	
<b>Stop use and ask a dentist or doctor if</b> <ul style="list-style-type: none"><li>■ sore mouth symptoms do not improve in 7 days</li><li>■ irritation, pain or redness persists or worsens</li><li>■ swelling, rash or fever develops</li></ul>	
<b>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
<b>Directions</b> <ul style="list-style-type: none"><li>■ adults and children 6 years of age and older</li><li>■ apply to affected area (one spray)</li><li>■ allow to remain in place for at least 15 seconds, then spit out</li><li>■ use every 2 hours as directed by a doctor or dentist</li><li>■ children under 12 years of age should be supervised in the use of this product</li><li>■ children under 6 years of age, consult a doctor or dentist</li></ul>	
<b>Other information</b> ■ store between 20-25°C (68-77°F). Do not refrigerate.	
<b>Inactive ingredients</b> alcohol, FD&C red #40, flavor, glycerin, purified water, saccharin sodium anhydrous	
<b>Questions or comments?</b> Call 1-877-753-3935 Monday-Friday 9AM-5PM EST	

MEIJER Sore Throat Spray Cherry

SORE THROAT CHERRY

phenol spray

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-164
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
PHENOL (UNII: 339NCG44TV) (PHENOL - UNII:339NCG44TV)		PHENOL	1.4 g in 100 mL
Inactive Ingredients			
Ingredient Name			Strength
ALCOHOL (UNII: 3K9958V90M)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
GLYCERIN (UNII: PDC6A3C0OX)			
WATER (UNII: 059QF0KO0R)			
SACCHARIN SODIUM (UNII: SB8ZUX40TY)			
Product Characteristics			

<b>Color</b>	red (clear)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-164-06	177 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	05/01/2014	12/31/2024

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part356	05/01/2014	12/31/2024

**Labeler -** MEIJER, INC. (006959555)

Revised: 1/2023

MEIJER, INC.