

SALICYLIC ACID- liquid wart remover liquid
Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)

Dollar General - Rexall - Liquid Wart Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Wart Remover

Uses

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. Plantar wart is recognized by the location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings

For external use only.

Flammable

- keep away from fire or flame
- cap bottle tightly and store at room temperature away from heat

Do not use

- if you are a diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist
- on genital warts and warts on the face
- on moles, birthmarks and warts with hair growing from them
- on mucous membranes
- on irritated, infected or reddened skin

When using this product

- avoid contact with eyes. If product gets into the eyes, flush with water for 15 minutes
- avoid inhaling vapors

Stop use and ask doctor if

discomfort persists.

Keep out of reach of children.

if swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area, may soak wart in warm water for 5 minutes
- dry area thoroughly
- apply small amount of wart remover with applicator to sufficiently cover each wart
- let dry and repeat this procedure once or twice daily until wart is removed for up to 12 weeks

Other information

store between 20° to 30°C (68° to 86°F)

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel

Rexall

Maximum Strength

Wart Remover Liquid

with Salicylic Acid 17%

- Removes Common and plantar warts
- Convenient applicator
- Safe and effective

NET 0.31 FL. OZ. (9 mL)



Liquid

with Salicylic Acid 17%

- Removes common and plantar warts
- Convenient applicator
- Safe and effective

NET 0.31 FL OZ (9 mL)



MAXIMUM STRENGTH

Wart Remover Liquid

with Salicylic Acid 17%



MAXIMUM STRENGTH

Wart Remover Liquid

with Salicylic Acid 17%

NET 0.31 FL OZ (9 mL)



53-012DG-01

NO VARNISH

Drug Facts

Active ingredient Salicylic acid 17% w/w.....Wart remover

Purpose

Use ■ for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings

For external use only.

Flammable ■ keep away from fire or flame

■ cap bottle tightly and store at room temperature away from heat

Do not use

■ if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

■ on genital warts and warts on the face

■ on moles, birthmarks and warts with hair growing from them

■ on mucous membranes

■ on irritated, infected or reddened skin

When using this product

■ avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes

■ avoid inhaling vapors

Stop use and ask a doctor if discomfort persists.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ wash affected area, may soak wart in warm water for 5 minutes

■ dry area thoroughly

■ apply small amount of wart remover with applicator to sufficiently cover each wart

■ let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks

Other information store between 20° to 30°C (68° to 86°F)

Inactive ingredients camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions ? Call 1-866-964-0939

Visit us at: Rexall.com
or call 1-866-4-REXALL
PACKAGED FOR DOLGENCORP, LLC
100 MISSION RIDGE
GOODLETTSVILLE, TN 37072 USA
MADE IN USA



SALICYLIC ACID

liquid wart remover liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-404
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 g in 9 mL

Inactive Ingredients

Ingredient Name	Strength
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y2I9G)	
PYROXYLIN (UNII: KYR8BR2X6O)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-404-31	9 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	06/29/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	06/29/2015	

Labeler - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)

Revised: 1/2024

Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)