PAIN RELIEVER- acetaminophen tablet, extended release STRATEGIC SOURCING SERVICES LLC

1201A-SMK-2022-0923

Drug Facts

Active ingredient (in each caplet)

Acetaminophen 650 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - muscular aches
 - backache
 - minor pain of arthritis
 - toothache
 - premenstrual and menstrual cramps
 - headache
 - the common cold
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

 with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

• if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

| adults and children 12 years and over | take 2 caplets every 8 hours with water swallow whole; do not crush, chew, split or dissolve do not take more than 6 caplets in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor |
|---|---|
| children under 12 years | do not use |

Other information

- store between 20-25°C (68-77°F)
- retain carton for complete product information and warnings

Inactive ingredients

hydroxyethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose,

polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid

Questions or comments?

833-358-6431 Monday to friday 9:00am to 7:00pm EST

PRINCIPAL DISPLAY PANEL

sunmark® COMPARE TO TYLENOL® 8HR ACTIVE INGREDIENT† NDC 70677-0168-1 8 hour pain reliever Acetaminophen Extended-Release Tablets, 650 mg Pain Reliever / Fever Reducer • For up to 8 Hours Relief of Minor Muscle Aches and Pain 100 CAPLETS** - 650 MG EACH ** Capsule-Shaped Bi-Layer Tablets

ACTUAL SIZE



| PAIN RELIEVER acetaminophen tablet, extended release | | | | | | | | | |
|---|----------------|--------------------|----------------|--|--|--|--|--|--|
| Product Information | | | | | | | | | |
| Product Type | HUMAN OTC DRUG | ltem Code (Source) | NDC:70677-0168 | | | | | | |
| Route of Administration | ORAL | | | | | | | | |

| Active ingred | dient/Ac | tive Moiety | / | | | | | | |
|---|--|--|-----------------------------------|--------------|--------------------------|-------|-----------------------|-------------------|--|
| | Basi | Basis of Strength | | | | | | | |
| ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPH | | | IEN - UNII:362O9ITL9D) ACETAMINOP | | MINOPH | IEN | 650 mg | | |
| Inactive Ingr | edients | | | | | | | | |
| Ingredient Name | | | | | | | Strength | | |
| HYDROXYETHYL CELLULOSE (140 MPA.S AT 5%) (UNII: 8136Y38GY5) | | | | | | | | | |
| HYPROMELLOSE | 2910 (6 N | 1PA.S) (UNII: 0' | WZ8WG20 | P6) | | | | | |
| MAGNESIUM STE | ARATE (UN | NII: 70097M6I30 |)) | | | | | | |
| CELLULOSE, MIC | ROCRYST | ALLINE (UNII: C | OP1R32D6 | 1U) | | | | | |
| POLYETHYLENE | GLYCOL 4 | 00 (UNII: B6978 | 894SGQ) | | | | | | |
| POVIDONE K30 (| UNII: U7250 | QWY32X) | | | | | | | |
| STARCH, CORN (UNII: 08232NY3SJ) | | | | | | | | | |
| SODIUM STARCH | | ТЕ ТҮРЕ А СС | ORN (UNII: | AG9B65PV6B) | | | | | |
| STEARIC ACID (U | NII: 4ELV7Z | (65AP) | | | | | | | |
| | | | | | | | | | |
| Product Cha | racteris | tics | | | | | | | |
| Color | | white | | Score no sc | | | no score | | |
| Shape | | CAPSULE | | Size | | | 19mm | | |
| Flavor | | | | Imprint Code | | | G650 | | |
| Contains | | | | | | | | | |
| | | | | | | | | | |
| Dackaging | | | | | | | | | |
| Packaging | | | | | | C++ | Marilaa | ting Find | |
| # Item Code | | Package Descrip | | otion | n Marketing Star Date | | Marketing End Date | | |
| 1 NDC:70677- | 1 in 1 CARTON | | | | 09/23/2022 | | 11/30/202 | 25 | |
| • 0168-1 | 100 in 1 BOTTLE, PLASTIC; Type 0: N Combination Product | | | Ni-t - | | | | | |
| | | | ic, Type o | : NOT A | | | | | |
| | | | ie, type o | : NOT a | | | | | |
| 1 | Combinat | ion Product | | : NOT A | | | | | |
| 1 Marketing Category | Combinat | ion Product mation plication Nu | | | Marketing S | Start | | eting End Date | |

Labeler - STRATEGIC SOURCING SERVICES LLC (116956644)

Revised: 10/2023

STRATEGIC SOURCING SERVICES LLC