

**CRAMP TABS- acetaminophen, pamabrom tablet**  
**ADVANCED FIRST AID, INC.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

ACTIVE INGREDIENT IN EACH TABLET- ACETAMINOPHEN 250 MG, pamabrom 25 MG  
PAIN RELIEVER/FEVER REDUCER WITH Diuretic

Uses: For the relief of:

- cramps
- headache
- bloating
- backaches
- water-weight gain
- muscular aches and pains

Warnings:

Liver Warning:

This product contains Acetaminophen. Severe liver damage may occur if:

- you take more than 8 tablets in 24 hours
- you take with other drugs containing acetaminophen (prescription or non-prescription)
- you have 3 or more alcoholic drinks every day while using this product

Precaution: If a rare sensitivity reaction occurs, the drug should be discontinued.

Do not use:

- with any other product containing acetaminophen this will provide more than the recommended dose (overdose) of acetaminophen and could cause serious health concerns.
- for more than 10 days for pain unless directed by a doctor
  - than 3 days unless directed by a doctor
  - when using this product do not exceed recommended dose

Stop use and ask a doctor if:

- symptoms do not improve
- new symptoms occur
- pain gets worse or lasts for more than 10 days
- redness or swelling is present

**If pregnant or breast-feeding baby, ask a health professional before use.**

**KEEP OUT OF REACH OF CHILDREN.** In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Adults and children 12 years of age and older: Take 2 tablets every 4-6 hours as needed. Do not exceed 8 tablets in any 24 hour period, or as directed by a doctor.

Children under 12 years: Consult a doctor.

Inactive Ingredients: corn starch, microcrystalline cellulose, povidone, sodium starch glycolate, and stearic acid.

**Cramp Tabs**  
Product #1282

**100 Tablets · 2 Tablets Per Packet**

**Drug Facts**

**Active Ingredients (in each tablet)**  
Acetaminophen 325 mg ..... pain reliever/fever reducer  
Pamabrom 25 mg ..... diuretic

**Purpose**  
Pain relief

**Uses:** For the relief of: • cramps • headache • bloating  
• backache • water weight gain • muscular aches and pains

**Warnings:**  
**Liver Warning:** This product contains Acetaminophen. Severe liver damage may occur if:  
• you take more than 8 tablets in 24 hours • you take with other drugs containing acetaminophen (prescription or non-prescription) • you have 3 or more alcoholic drinks every day while using this product

**Do not use:**  
• with any other product containing acetaminophen this will provide more than the recommended dose (overdose) of acetaminophen and could cause serious health concerns.  
• for more than 10 days for pain unless directed by a doctor  
• for more than 3 days for fever unless directed by a doctor  
• when using this product do not exceed recommended dose

**Stop use and ask a doctor if:**  
• symptoms do not improve • pain gets worse or lasts for more than 10 days  
• new symptoms occur • redness or swelling is present

**If pregnant or breast-feeding baby, ask a health professional before use.**  
**KEEP OUT OF REACH OF CHILDREN.** In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions:**  
Adults and children: Take 2 tablets every 4 to 6 hours as needed, do not exceed 8 tablets in 24 hours, or as directed by a doctor.  
Children under 12 years: Consult a doctor.

**Cramp Tabs**  
Pastillas para Dolor Menstrual

**Cramp Tabs**  
• Helps relieve minor aches, pains and water retention associated with the menstrual period.

**Drug Facts (continued)**  
**Other Information:**  
• Tamper Evident: Do not use if packet is torn, out or opened  
• Store at controlled room temperature 15° to 30°C (59° to 86°F)  
• Avoid excessive heat and humidity

**Inactive Ingredients:** corn starch, microcrystalline cellulose, povidone, sodium starch glycolate, and stearic acid.

**Manufactured for:**  
Advanced First Aid, Baltimore, MD 21237

**PULL TO OPEN**

Do not use if individual packet is open or torn.

**100 Tablets · 2 Tablets Per Packet**

## CRAMP TABS

acetaminophen, pamabrom tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:67060-700
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325
pamabrom (UNII: UA8U0KJM72) (BROMOTHEOPHYLLINE - UNII:FZG87K1MQ6)	pamabrom	25

### Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POVIDONE K30 (UNII: U725QWY32X)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
sodium starch glycolate type a corn (UNII: AG9B65PV6B)	

**Product Characteristics**

<b>Color</b>	white (SNOW WHITE)	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	FEM
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67060-700-68	100 in 1 CARTON	08/10/2015	
1		2 in 1 PACKET; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	08/10/2015	

**Labeler** - ADVANCED FIRST AID, INC. (114477180)**Registrant** - ADVANCED FIRST AID, INC. (114477180)**Establishment**

Name	Address	ID/FEI	Business Operations
ULTRA SEAL CORPORATION		085752004	pack(67060-700)

**Establishment**

Name	Address	ID/FEI	Business Operations
ULTRA TAB LABORATORIES, INC.		151051757	manufacture(67060-700)

Revised: 8/2015

ADVANCED FIRST AID, INC.