

**PREMJACT MALE DESENSITIZER POUND INTERNATIONAL- lidocaine spray, metered
Pound International**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Premjact Male Genital Desensitizer Spray

Active Ingredient

Purpose

Lidocaine Base USP 9.6% w/w (approximately 10 mg per spray) Topical Analgesic

Use temporarily reduces sensitivity of the penis, which helps to delay ejaculation in cases of over-rapid or premature ejaculation (coming to a climax too quickly)

Keep out of reach of children

Stop use and consult a doctor

- if you or your partner develop a rash or irritation, such as burning or itching
- If you do feel unwell or have any unpleasant effects after using the spray
- if this product, used as directed, does not provide relief. Premature ejaculation may be due to a condition requiring medical supervision.

Warnings

For external use only

Allergy alert: do not use this product if you or your partner are allergic (sensitive) to local anesthetics

Do not use

- on broken or inflamed skin
- if your partner is pregnant

Ask a doctor before use if you have, or ever had, liver or kidney problems

Ask a doctor or pharmacist before use if you are already taking prescribed drugs

When using this product

- do not get into eyes
- do not inhale
- do not exceed a maximum of 24 sprays in 24 hours

directions

- Apply 3 or more sprays, not to exceed 10, to the head and shaft of the penis before intercourse or use as directed by a doctor
- Wash product off after intercourse
- correct quantity and time of application will be determined by individual requirements and you should always use the minimum effective quantity

There are no inactive ingredients

DOE: **DELAY SPRAY FOR MEN**

BN: **Premjact®**

Premjact®

♀

Male Genital Desensitizer Spray

Premjact®

♀

Male Genital Desensitizer Spray

Premjact®

♀

Male Genital Desensitizer Spray

Premjact® Male Genital Desensitizer

Drug Facts	
Active Ingredient Lidocaine Base USP 9.6% w/w (approximately 10 mg per spray)	Purpose Topical Anesthetic
Use temporarily reduces sensitivity of the penis, which helps to delay ejaculation in cases of over-rapid or premature ejaculation (coming to a climax too quickly)	
Warnings For external use only. Allergy alert: do not use this product if you or your partner are allergic (sensitive) to local anesthetics	
Do not use • on broken or inflamed skin • if your partner is pregnant	
Ask a doctor before use if you have, or have had, liver or kidney problems	
Ask a doctor or pharmacist before use if you are already taking prescribed drugs	
When using this product	
• do not get into eyes • do not inhale	
• do not exceed a maximum of 24 sprays in 24 hours.	
Stop use and consult a doctor	
• if you or your partner develop a rash or irritation, such as burning or itching	
• if you do feel unwell or have any unpleasant effects after using the spray	
• if this product, used as directed, does not provide relief. Premature ejaculation may be due to a condition requiring medical supervision	
Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away	
Directions	
• apply 3 or more sprays, not to exceed 10, to the head and shaft of the penis before intercourse, or use as directed by a doctor	
• wash product off after intercourse	
• correct quantity and time of application will be determined by individual requirements and you should always use the minimum effective quantity	
Other information • this product is fitted with a Child Resistant Cap - insert key or coin, twist it to flip top open. • Store below 25°C (77°F).	
Inactive ingredients Fragrance, isopropyl myristate, solvent, stearic acid	
Questions? +1 305 530 8702 Monday to Friday, 9am to 5pm.	

Premjact®

♀

Male Genital Desensitizer Spray

- US Distributor:
Pound Int'l. Corp.,
800 Brickell Ave.,
Miami, FL 33131,
U.S.A.
- Made in the UK for:
Pound Int'l. Ltd.,
109 Baker St.,
London W1U 6RP
England

Helps to Delay Ejaculation

www.premjact.com

Active Ingredient:

Lidocaine Base USP

9.6% w/w

7/16 FLOZ.

Helps to Delay Ejaculation



- Helps in cases of over-rapid or premature ejaculation
- Pre-measured metered pump spray for topical application - contains NO CFC's

Active Ingredient:

Lidocaine Base USP 9.6% w/w

4073E



3 48132 80024 3

Manufactured in the U.K.

1 2345
6 789

Premjact
Male Genital Desensitizer Spray
7/16 Fl.Oz.

PREMJACT MALE DESENSITIZER POUND INTERNATIONAL

lidocaine spray, metered

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57707-058
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	9.6 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57707-058-02	1 in 1 CARTON	05/09/2013	
1	NDC:57707-058-01	12 mL in 1 CAN; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	05/09/2013	

Labeler - Pound International (802685065)**Establishment**

Name	Address	ID/FEI	Business Operations
FLEET LABORATORIES LTD		217269489	manufacture(57707-058)

Revised: 1/2019

Pound International