VERSION X SCALP TONIC- allantoin liquid CHRISTLTD

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACTIVE INGREDIENT

Active ingredient: Allantoin 0.5%

INACTIVE INGREDIENT

Inactive ingredients:

Water, SD Alcohol 40-B, Butylene Glycol, Nonoxynol-12, Propylene

Glycol, Panthenol, Fragrance, 0.3H0.1ydrolyzed Soy Protein, DMDM Hydantoin, Menthol, Peg-60 Almond Glycerides, Hair Keratin, Amino Acids, Sodium Chondroitin Sulfate, 3-Aminopropane Sulfonic Acid, Chlorphenesin, Xantham Gum, PG-Propyl Silanetriol, Hydrolyzed Wheat Protein, Ethyl Nicotinate, Benzophenone-4, Sodium PCA, Yellow 6 (CI 15985), Red 40 (CI 16035), Blue 1 (CI 42090), Sodium Chloride, Disodium EDTA, Alcohol, Cetyl Triethylmonium Dimethicone PEG-8phthalate, Ginkgo Biloba Leaf Extract, Swertia Japonica Extract, Laminaria Digitata Extract, Pelvetia Canaliculata Extract, Anacyclus Pyrethrum, Root Extract, Beta Vulgaris (Beet) Root Extract, Adiantum Pedatum Extract, Flower Extract, Eugenia Caryophyllus (Clove), Hedychium Coronarium Root Extract, Arnica Montana Flower Extract, Urtica Dioica (Nettle) Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract, Shell Extract, Juglans Nigra (Black Walnut), Salvia Officinalis (Sage) Leaf Extract, Hamamelis Virginiana, Quillaja Saponaria Bark Extract, Algae Extract, Phytantriol, Biotin, Niacin, Retinyl Palmitate, Tocopheryl Nicotinate

PURPOSE

Purpose: Skin Protectant

WARNINGS

CAUTION:

For external use only.

Avoid eye contact.

Keep out of reach children.

In case of accidental ingestion, seek professional attention immediately.

Some redness and iffitation of the scalp is nomal

KEEP OUT OF REACH OF CHILDREN

KEEP OUT OF REACH OF CHILDREN

INDICATIONS AND USAGE

DIRECTIONS

Apply directly to clean, towel-dried scalp.

Spray the stimulant to the affected and surrounding areas of the scalp once daily.

Gently massage the stimulant into the scalp for 10-20 seconds.

Do not wash or rinse hair for at least three hours. For best results continue use on a daily basis.

DOSAGE AND ADMINISTRATION

DIRECTIONS

Apply directly to clean, towel-dried scalp.

Spray the stimulant to the affected and surrounding areas of the scalp once daily.

Gently massage the stimulant into the scalp for 10-20 seconds.

Do not wash or rinse hair for at least three hours. For best results continue use on a daily basis.

PACKAGE LABEL. PRINCIPAL DISPLAY PANEL



VELSIONAL HAIR SOLUTIONS

Version-X Scalp Tonic

Street, Wallind, Sarra Vintentians Sager Leaf Culact, Witch Hazel Extract, Plannandis Virginiana, Quillaja Saponaria Bark Extract, Algae Extract, Phythatricia, Slotin, Naicin, Retirný Palmitate, Tocopheryl Nicotinate

Purpose: Skin Protectant

Warnings

Keep out of reach of children Indications and usage Dosage and administration

Formulated in USA

4.4 fl. az. e 125ml







4.4 fl. az. **e** 125ml

allantoin liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:58069-010

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength
	Allantoin (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)	Allantoin	0.625 mg in 125 mL

Inactive Ingredients

mactive ingredients			
Ingredient Name	Strength		
Water (UNII: 059QF0KO0R)			
Butylene Glycol (UNII: 3XUS85K0RA)			
Panthenol (UNII: WV9CM00677)			

Packaging

ı	- ······· 6 ··· 6			
ı	# Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1 NDC:58069-010-01	125 mL in 1 CARTON		

Marketing Information

 				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part347	0 2/0 1/20 13		

Labeler - CHRISTLTD (557806035)

Registrant - CHRISTLTD (557806035)

Establishment				
Name	Address	ID/FEI	Business Operations	
CHRISTLTD		557806035	manufacture(58069-010)	

Revised: 5/2013 CHRISTLTD