

**LICEFREEE- sodium chloride**  
**Tec Laboratories, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Licefreee Shampoo Everyday!**

**Active Ingredient**

Natrum muriaticum 1X 10% HPUS (Sodium chloride)

**Purpose**

Pediculosis remedy

**Uses**

- Use daily to help avoid head lice reinfestation.

**Warnings**

For external use only.

**Ask a doctor before use if you**

- have infestation of eyebrows or eyelashes
- are pregnant

**When using this product**

- do not use in or near the eyes; close eyes while product is being applied
- do not permit contact with mucous membranes, such as inside the nose as irritation or stinging may occur

**Stop use and ask a doctor if**

- skin irritation or infection is present or develops

**Keep out of reach of children**

- if swallowed, get medical help or contact a Poison Control Center right away

**Directions**

- Adults and children 6 months and older:
- for best results on a head lice infestation, use Licefreee Spray!® or Licefreee!® Gel treatment before using this shampoo.
- apply a generous amount of shampoo to wet hair, work into a lather while massaging into scalp; rinse
- repeat, this time leaving the shampoo on the hair for 3 minutes; rinse
- use daily for at least 7-10 days to treat any lice that have hatched.
- Children under 6 months:
- do not use; consult a doctor

**Other information**

store at 59-86°F (15-30°C)

### **Inactive ingredients**

benzyl alcohol, cocamidopropyl betaine, disodium EDTA, fragrances, polyquaternium 10, purified water, sodium lauryl sulfate, tea tree oil

### **Questions?**

Call 1-800-482-4464. Serious side effects may be reported to this number.

## **Licefree! Gel Lice Treatment**

### **Active Ingredient**

Natrum muriaticum 1X 10% HPUS (Sodium chloride)

### **Purpose**

Pediculosis remedy

### **Uses**

■ For the treatment of ■ head lice ■ pubic (crab) lice ■ body lice

### **Warnings**

For external use only

### **Ask a doctor before use if you have**

- infestation of eyebrows or eyelashes

### **When using this product**

- do not use in or near the eyes
- do not permit contact with mucous membranes, such as inside the nose, mouth, or vagina, as irritation or stinging may occur
- close eyes tightly while hair is being rinsed; do not open eyes until product is rinsed out
- tingling may occur during the first 10 minutes of application; this is normal and should go away; if it doesn't, rinse hair immediately and discontinue use

### **Stop use and ask a doctor if**

- skin irritation or infection is present or develops

### **Keep out of reach of children**

- if swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- adults and children 6 months of age and older:
- shake well
- remove cap and tamper evident seal; replace with enclosed root applicator
- apply to DRY hair and entire scalp, starting at the nape of the neck and behind ears (where lice congregate) and work forward
- thoroughly saturate all hair and scalp; to be effective, all lice and nits must come in full contact with the product

- put plastic cap on head and leave on for at least 60 minutes; for best results stay in a warm room
- never leave child unattended with plastic cap on
- with product still in hair, remove plastic cap and comb out all dead lice and nits with enclosed fine toothed comb; rinse comb out under running water
- once all lice and nits are combed out, rinse hair thoroughly with warm running water
- thoroughly inspect and comb hair and scalp a second time to ensure complete removal of all lice and nits
- Licefreee! may be used as often as necessary; a second treatment in 7-10 days is recommended to kill any newly hatched lice
- children under 6 months of age:
- do not use, consult a doctor

### **Other Information**

Store at 59 - 86°F (15 - 30°C)

### **Inactive Ingredients**

aminomethyl propanol, anise oil, carbomer, cocamidopropyl betaine, fragrance, PEG-6 caprylic/capric glycerides, purified water

### **Questions?**

Call 1-800-482-4464. Serious side effects can be reported to this number.



NDC 51879-122-88

Original Non-Toxic

Licefreee! Kit

Includes:

Licefreee!® Gel Head Lice Treatment

Licefreee® Everyday! Shampoo

KILLS SUPER LICE and EGGS

MATA PIOJOS Y LIENDRES

Shampoo helps Avoid Lice Reinfestation with daily use

Ayuda y evitar infestación de piojos al usarse diariamente

Homeopathic

Homeopática

CONTENTS:

Homeopathic

Homeopática

CONTENTS:

Licefreee Gel NET WT 8 OZ (227g)

Licefreee Shampoo NET 8 FL OZ (236.6 mL)

Professional Nit Comb

Piene Profesional para Liendres

## LICEFREEE

sodium chloride kit

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51879-122
---------------------	----------------	---------------------------	---------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51879-122-88	1 in 1 KIT; Type 1: Convenience Kit of Co-Package	07/13/2016	

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	0 BOTTLE, PLASTIC	1 g
Part 2	0 BOTTLE, PLASTIC	1 mL

## Part 1 of 2

### LICEFREEE

sodium chloride gel

### Product Information

<b>Item Code (Source)</b>	NDC:51879-121
---------------------------	---------------

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM CHLORIDE	1 [hp_X] in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>COCAMIDOPROPYL BETAINE</b> (UNII: 5OCF3O11KX)	
<b>AMINOMETHYL PROPANEDIOL</b> (UNII: CZ7BU4QZJZ)	
<b>PEG-6 CAPRYLIC/CAPRIC GLYCERIDES</b> (UNII: GO50W2HW08)	
<b>CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED)</b> (UNII: 4Q93RCW27E)	
<b>ANISE OIL</b> (UNII: 6Y89129C8H)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51879-121-80	227 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		07/30/2016	

## Part 2 of 2

### LICEFREEE EVERYDAY

sodium chloride shampoo

## Product Information

Item Code (Source)	NDC:51879-191
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM CHLORIDE	1 [hp_X] in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>WATER</b> (UNII: 059QF0KO0R)	

<b>COCAMIDOPROPYL BETAINE</b> (UNII: 5OCF3O11KX)	
<b>TEA TREE OIL</b> (UNII: VIF565UC2G)	
<b>POLYQUATERNIUM-10 (125 MPAS AT 2%)</b> (UNII: L45WU8S981)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51879-191-08	236.6 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		07/13/2016	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		07/13/2016	

**Labeler** - Tec Laboratories, Inc. (083647792)

### Establishment

Name	Address	ID/FEI	Business Operations
Tec Laboratories, Inc.		083647792	manufacture(51879-122)

Revised: 10/2023

Tec Laboratories, Inc.