RITE AID ZINC OXIDE- zinc oxide ointment RITE AID

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Rite Aid Zinc Oxide Ointment

Drug Facts

Active Ingredient

Zinc oxide 20%

Purpose

Skin Protectant

Uses

- helps treat and prevent diaper rash. Protects chafed skin due to diaper rash and helps seal out wetness.
- dries the oozing and weeping of poison ivy, poison oak and poison sumac.

Warnings

For external use only

When using this product, avoid contact with the eyes

Stop use and ask a doctor if

- condition worsens
- symptoms last more than 7 days to clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

Directions

apply liberally as often as necessary

For Diaper Rash

- change wet or soiled diapers promptly
- cleanse the diaper area and allow to dry
- apply ointment liberally, as often as necessary, with each diaper change and especially at bedtime or anytime when exposure to wet diapers may be prolonged

For Poison Ivy, poison oak and poison sumac;

- cleanse the affect area and pat dry
- apply ointment liberally, as often as necessary, using a cotton ball, sterile swab or gauze
- wash hands after use.

Inactive ingredients

mineral oil, petrolatum

Questions or comments?

Call

Store at room temperature 20 - 25°C (68° - 77°F).

Principal Display Panel - Tube

RITE AID NDC 11822-3138-7

Zinc Oxide Ointment

Zinc Oxide 20%

Skin Protectant

Soothing relief from minor skin irritations, diaper rash and chafing

Net Wt 2 OZ (57g)

ZINC OXIDE OINTMENT



SKIN PROTECTANT

Soothing relief from minor skin irritations,
diaper rash & chafing

NET WT 2 OZ (57 g)

Drug Facts

Active ingredient: Zinc Oxide 20% Purpose: Skin protectant

Uses

- dries the oozing and weeping of poison:
 - ■ivy ■oak ■sumac
- helps treat and prevent diaper rash
- protects chafed skin associated with diaper rash and helps protect from wetness.

Warnings:

For external use only

When using this product do not get into eyes.

Stop use and ask a doctor if

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days.

Drug Facts (continued)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: apply as needed. For diaper rash: change wet and soiled diapers promptly. Cleanse the diaper area, and allow to dry. Apply liberally as often as necessary, with each diaper change, especially at bedtime or anytime when exposure to wet diapers may be prolonged.

Other information store at 20°- 25°C (68°-77°F)

Inactive ingredients mineral oil, petrolatum

DISTRIBUTED BY: RITE AID, 30 HUNTER LANE, CAMP HILL, PA 17011

CAMP HILL, PA 17011 www.riteaid.com

SATISFACTION GUARANTEE:

If you're not satisfied, we'll happily refund your money.

MADE IN USA

Principal Display Panel - Carton

Rite Aid NDC 11822-3138-7

Zinc Oxide Ointment

Zinc Oxide 20%

Skin Protectant

Soothing Relief from minor skin irritations, diaper rash and chafing



RITE AID ZINC OXIDE

zinc oxide ointment

Product Information				
	Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-3138
	Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	200 mg in 1 g

Inactive Ingredients				
Ingredient Name	Strength			
MINERAL OIL (UNII: T5L8T28FGP)				
PETROLATUM (UNII: 4T6H12BN9U)				

Packaging						
# Item Code	Package Description	Marketing Start Date	Marketing End Date			
1 NDC:11822- 3138-7	1 in 1 CARTON	09/15/2021				
1	57 g in 1 TUBE; Type 0: Not a Combination Product					

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph final	part347	09/15/2021			

Labeler - RITE AID (014578892)

Revised: 8/2021 RITE AID