

**VICHY LABORATORIES LIFTACTIV PEPTIDE-C SPF 30 PHYTO PEPTIDES
VITAMIN C- avobenzene, homosalate, octisalate and octocrylene lotion
L'Oreal USA Products Inc**

Drug Facts

Active ingredients

Avobenzene 3%

Homosalate 5%

Octisalate 5%

Octocrylene 7%

Purpose

Sunscreen

Uses

- help prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, glycerin, dimethicone, silica, PEG-100 stearate, glyceryl stearate, glycolic acid, stearic acid, dicaprylyl carbonate, steareth-100, dimethicone/vinyl dimethicone crosspolymer, sodium hydroxide, sodium hyaluronate, myristic acid, cyclodextrin, palmitic acid, phenoxyethanol, henylethyl resorcinol, guanosine, ammonium polyacryloyldimethyl taurate, ascorbyl glucoside, tocopherol, caprylyl glycol, trisodium ethylenediamine disuccinate, xanthan gum, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, pisum sativum (pea) extract, fragrance

Questions or comments?

Call toll free 1-877-378-4249

Monday – Friday (9 a.m. to 5 p.m. EST)

VICHY

LABORATOIRES



NEW

Suitable for sensitive skin
Allergy-tested
Vichy Mineralizing Thermal Water

SUNSCREEN

LIFTACTIV PEPTIDE-C

BROAD SPECTRUM
SPF 30

Phyto Peptides
+ Vitamin C

Visibly reduced wrinkles.
Firmer & brighter look.
Diminished appearance of dark spots.
24-hr hydration.

50 ml

ALL SKIN TYPES
PARABEN-FREE

1.69 FL.OZ

INNOVATION: Daily advanced anti-aging* care with broad spectrum UVA and UVB protection helps improve the look of multiple aging signs, including wrinkles, dark spots, dull and uneven skin tone, loss of definition and firmness.
*When used as directed with other sun protection measures.

EXPERTISE: Formulated with Phyto Peptides of plant origin and Vitamin C. This formula helps correct the signs of skin aging and visibly brighten skin while also providing broad spectrum protection.

EFFICACY:

AFTER 1st USE:
☒ Smooths the look of skin
☒ 24-hr Hydration

AFTER 4 WEEKS:
☒ Brighter looking skin
☒ Facial features look more defined

AFTER 8 WEEKS:
☒ Visibly reduced wrinkles
☒ Diminished appearance of dark spots
☒ Skin feels firmer

LIGHTWEIGHT TEXTURE:
Fresh texture easily glides and is absorbed quickly into the skin's surface. Feels comfortable and nurturing.

APPLICATION:
Apply morning alone on clean skin or after a serum. Avoid eye area. In case of contact with eyes, rinse them immediately and thoroughly.

PARABEN-FREE
SUITABLE FOR
SENSITIVE SKIN
ALLERGY-TESTED
FOR ALL SKIN TYPES
DERMATOLOGIST TESTED
FOR SAFETY

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 5%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 7%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
- apply liberally 15 minutes before sun exposure
 - reapply at least every 2 hours
 - use a water resistant sunscreen if swimming or sweating
 - **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients water, glycerin, dimethicone, silica, PEG-100 stearate, glyceryl stearate, glycolic acid, stearic acid, dicaprylyl carbonate, steareth-100, dimethicone/vinyl dimethicone crosspolymer, sodium hydroxide, sodium hyaluronate, myristic acid, cyclodextrin, palmitic acid, phenoxyethanol, phenylethyl resorcinol, guanosine, ammonium polyacryloyldimethyl taurate, ascorbyl glucoside, tocopherol, caprylyl glycol, trisodium ethylenediamine disuccinate, xanthan gum, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, pisum sativum (pea) extract, fragrance

Questions or comments?

Call toll free 1-877-378-4249
Monday – Friday (9 a.m. to 5 p.m. EST)

689003 16
U.S. Pat. Pending

8233944/1

VICHY STATEMENT

We formulate our products with pure Vichy Mineralizing Thermal Water, born in the region of French Volcanoes. Rich in 15 minerals, it helps strengthen the skin's barrier to protect against daily aggressors. Our formulas are composed with NATURALLY INSPIRED and rigorously selected ingredients. TESTED ON SENSITIVE SKIN under dermatological control.



DERMATOLOGIST RECOMMENDED MORNING REGIMEN:


Step 1: After cleansing, apply LiftActiv Peptide-C Anti-Aging Ampoules, a concentrated formula targeting wrinkles and lack of radiance. Wait 30 seconds until fully absorbed.

Step 2: Apply LiftActiv Sunscreen Peptide-C for anti-aging* benefits with broad spectrum SPF 30 sunscreen protection against the sun's UVA and UVB rays.

*When used as directed with other sun protection measures.



Distribution reserved to agreed VICHY suppliers.
Vichy LLC, New York, NY 10001
www.vichyusa.com
VICHY CAI/CAF 03 Vichy France
ISA 75000 93584 ST OUBIN CEDEX FR
Made in France



VICHY
LABORATOIRES

NEW

Suitable for sensitive skin
Allergy-tested
Vichy Mineralizing Thermal Water

SUNSCREEN

**LIFTACTIV
PEPTIDE-C**

**BROAD SPECTRUM
SPF 30**

Phyto Peptides
+ Vitamin C

Visibly reduced wrinkles.
Firm & brighter look.
Diminished appearance of dark spots.
24-hr hydration.

50 ml ALL SKIN TYPES 1.69 FL.OZ
PARABEN-FREE

INNOVATION: Daily advanced anti-aging* care with broad spectrum UVA and UVB protection helps improve the look of multiple aging signs, including wrinkles, dark spots, dull and uneven skin tone, loss of definition and firmness.
*When used as directed with other sun protection measures.

EXPERTISE: Formulated with Phyto Peptides of plant origin and Vitamin C. This formula helps correct the signs of skin aging and visibly brighten skin while also providing broad spectrum protection.

EFFICACY:
AFTER 1st USE:
☒ Smooths the look of skin
☒ 24-hr Hydration
AFTER 4 WEEKS:
☒ Brighter looking skin
☒ Facial features look more defined
AFTER 8 WEEKS:
☒ Visibly reduced wrinkles
☒ Diminished appearance of dark spots
☒ Skin feels firmer

LIGHTWEIGHT TEXTURE: Fresh texture easily glides and is absorbed quickly into the skin's surface. Feels comfortable and nurturing.

APPLICATION: Apply morning alone on clean skin or after a serum. Avoid eye area. In case of contact with eyes, rinse them immediately and thoroughly.

**PARABEN-FREE
SUITABLE FOR
SENSITIVE SKIN
ALLERGY-TESTED
FOR ALL SKIN TYPES
DERMATOLOGIST TESTED
FOR SAFETY**

Drug Facts

Active ingredients	Purpose
Avobenzone 3%.....	Sunscreen
Homosalate 5%.....	Sunscreen
Octisalate 5%.....	Sunscreen
Octocrylene 7%.....	Sunscreen

Uses **RECTO**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
For sunscreen use:
 • apply liberally 15 minutes before sun exposure
 • reapply at least every 2 hours
 • use a water resistant sunscreen if swimming or sweating
Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 • limit time in the sun, especially from 10 a.m. – 2 p.m.
 • wear long-sleeved shirts, pants, hats, and sunglasses
 • children under 6 months of age: Ask a doctor

Other information
• protect the product in this container from excessive heat and direct sun


Inactive ingredients water, glycerin, dimethicone, silica, PEG-100 stearate, glyceryl stearate, glycolic acid, stearic acid, dicaprylyl carbonate, steareth-100, dimethicone/vinyl dimethicone crosspolymer, sodium hydroxide, sodium hyaluronate, myristic acid, cyclodextrin, palmitic acid, phenoxyethanol, phenylethyl resorcinol, guanosine, ammonium polyacryloyldimethyl taurate, ascorbyl glucoside, tocopherol, caprylyl glycol, trisodium ethylenediamine disuccinate, xanthan gum, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, pisum sativum (pea) extract, fragrance

Questions or comments?
Call toll free 1-877-378-4249
Monday – Friday (9 a.m. to 5 p.m. EST)

689003 16 823944/1
U.S. Pat. Pending

VICHY STATEMENT

We formulate our products with pure Vichy Mineralizing Thermal Water, born in the region of French Volcanoes. Rich in 15 minerals, it helps strengthen the skin's barrier to protect against daily aggressors. Our formulas are composed with **NATURALLY INSPIRED** and rigorously selected ingredients. **TESTED ON SENSITIVE SKIN** under dermatological control.




DERMATOLOGIST RECOMMENDED MORNING REGIMEN:

Step 1: After cleansing, apply LiftActiv Peptide-C Anti-Aging Ampoules, a concentrated formula targeting wrinkles and lack of radiance. Wait 30 seconds until fully absorbed.

Step 2: Apply LiftActiv Sunscreen Peptide-C for anti-aging* benefits with broad spectrum SPF 30 sunscreen protection against the sun's UVA and UVB rays.

*When used as directed with other sun protection measures.

Distribution reserved to agreed VICHY suppliers.
Vichy LLC, New York, NY 10001
www.vichyusa.com
VICHY CAI/CAF 03 Vichy France
TSA 75000 93584 ST OUBN CEDEX FR
Made in France

VICHY LABORATORIES LIFTACTIV PEPTIDE-C SPF 30 PHYTO PEPTIDES VITAMIN C

avobenzone, homosalate, octisalate and octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-684
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	50 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL

OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)		OCTOCRYLENE	70 mg in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
WATER (UNII: 059QF0KO0R)				
GLYCERIN (UNII: PDC6A3C0OX)				
DIMETHICONE (UNII: 92RU3N3Y1O)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
PEG-100 STEARATE (UNII: YD01N1999R)				
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)				
GLYCOLIC ACID (UNII: 0WT12SX38S)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)				
STEARETH-100 (UNII: 4OH5W9UM87)				
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
HYALURONATE SODIUM (UNII: YSE9PPT4TH)				
MYRISTIC ACID (UNII: 0I3V7S25AW)				
BETADEX (UNII: JV039JZZ3A)				
PALMITIC ACID (UNII: 2V16EO95H1)				
PHENOXYETHANOL (UNII: HIE492ZZ3T)				
PHENYLETHYL RESORCINOL (UNII: G37UFG162O)				
GUANOSINE (UNII: 12133JR80S)				
AMMONIUM POLYACRYLOYLDIMETHYL TAURATE (55000 MPA.S) (UNII: F01RIY4371)				
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)				
TOCOPHEROL (UNII: R0ZB2556P8)				
caprylyl glycol (UNII: 00YIU5438U)				
TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q)				
XANTHAN GUM (UNII: TTV12P4NEE)				
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)				
PEA (UNII: W4X7H8GYFM)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-684-01	1 in 1 CARTON	12/27/2019	12/27/2019
1		50 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
2	NDC:49967-684-02	1 mL in 1 PACKET; Type 0: Not a Combination Product	12/27/2019	12/27/2022
3	NDC:49967-684-03	1 in 1 CARTON	12/27/2019	
3		50 mL in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/27/2019	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment

Name	Address	ID/FEI	Business Operations
Cosmetique Active Products		282658798	manufacture(49967-684) , pack(49967-684)

Revised: 12/2023

L'Oreal USA Products Inc