TIOCONAZOLE 1 DAY- tioconazole ointment Insight Pharmaceuticals LLC

1-DAY Tioconazole Ointment 6.5%

Drug Facts

Active ingredient (in each applicator)

Tioconazole 300 mg (6.5%)

Purpose

Vaginal antifungal

Use

treats vaginal yeast infections

Warnings

For vaginal use only

Do not use if you have never had a vaginal yeast infection diagnosed by a doctor

Ask a doctor before use if you have

- vaginal itching and discomfort for the first time
- lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.
- vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
- been exposed to human immunodeficiency virus (HIV) that causes AIDS

When using this product

- do not use tampons, douches, spermicides, or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted disease (STDs).
- do not have vaginal intercourse
- mild increase in vaginal burning, itching or irritation may occur

Stop use and ask a doctor if

- symptoms do not get better after 3 days
- symptoms last more than 7 days
- you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

before using this product read the enclosed brochure and instructions on foil packet for complete

directions and information

- adults and children 12 years and over:
 - open the foil packet just before use and remove purple cap
 - insert entire contents of applicator into the vagina at bedtime. Throw applicator away after use.
- children under 12 years of age: ask a doctor

Other information

- this product is a 1-dose treatment, most women do not experience complete relief of their symptoms in just one day. Most women experience some relief within one day and complete relief of symptoms within 7 days.
- if you have questions about vaginal yeast infections, consult your doctor
- store at 20° 25°C (68° 77°F)
- see end flap of carton for lot number and expiration date

Inactive ingredients

butylated hydroxyanisole, magnesium aluminum silicate, white petrolatum

Questions?

call toll-free 877-666-4782 or 215-273-8755 (collect)

Distributed by: INSIGHT Pharmaceuticals, LLC.

Langhorne, PA 19047-1749

PRINCIPAL DISPLAY PANEL - 4.6g Applicator Carton 1 DAY TREATMENT • PREFILLED APPLICATOR

1-DAY


Tioconazole Ointment 6.5%

VAGINAL ANTIFUNGAL

CURES MOST VAGINAL YEAST INFECTIONS

CLINICALLY PROVEN 1 DAY TREATMENT

Net Wt. 4.6g (0.16oz) filled applicator



LOT # **EXPIRATION DATE**

1DAY TREATMENT • PREFILLED APPLICATOR

Tioconazole Ointment 6.5% VAGINAL ANTIFUNGAL

CURES MOST VAGINAL YEAST INFECTIONS




Distributedby: IN SIGHT Pharmace utilicals LLC.
Langhorne, Par 1-040-04749
Active Made in Italy
SIOS ®

NCOMPLETELY SEALED

Call foll-free 677-866-4782 of 215-273-8755 (collect)

10144 98789 or visit our website at www.monistat.com or 215-273-8755 (collect) TATZINOM-TT8 00 11-11 of 1160 If you have questions or comments,



(Questions?)



Stop uses and sets a doctor it suggested to the state of minators may occur as a suggested of the state of days a supplyment less more than 7 days a sugginal discharge. addominal palin, fever, chillie, nausea, vomiting, or foul-emelling voginal discharge. addominal palin, fever, chillie, nausea, vomiting, or foul-emelling voginal discharge. addominal palin protectional before use. Weep out or breast-feeding, ask a health protectional before use. Weep out or children, it swallowed, get madical help or contact a Poison Control Center ingrates and contact ask poison Control Center ingrates.

Do frot user you make retermine the property of the property o

Do not use if you have never had a vaginal yeast infection diagnosed by a doctor

Warnings For veginal use only

Active ingredient (in each applicator)
(%c.8) pm 005 elozenosoff

Drug Facts

Drug Facts (continued)



madulis and children 12 yeats and over; mopen on be to backe, lets before use and remove purple cap minest anties contents of applicator into the vegina at beditine. Throw applicator away after use mortildren under 12 years of age; sex a doctor

Inactive ingredients but/isted hydroxyanicole, magnesium siuminum silicate, white petrolatum see end flap of carton for lot number and expiration date

Directions

complete directions and information

INFORMATION

SCAN FOR MORE

CURES MOST VAGINAL YEAST INFECTIONS

VAGINAL ANTIFUNGAL Tioconazole Cintment 6.5%







15 CI

ARE

tioconazole ointment

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63736-410
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Tioconazole (UNII: S57Y5X1117) (Tioconazole - UNII:S57Y5X1117)	Tioconazole	300 mg in 1 g	

Inactive Ingredients		
Ingredient Name	Strength	
butylated hydroxyanisole (UNII: REK4960K2U)		
magnesium aluminum silicate (UNII: 6M3P64V0NC)		
petrolatum (UNII: 4T6H12BN9U)		

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63736-410-01	1 in 1 CARTON		
1		1 in 1 POUCH		
1		4.6 g in 1 APPLICATOR		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075915	11/21/2001	

Labeler - Insight Pharmaceuticals LLC (176792315)

Establishment				
Name	Address	ID/FEI	Business Operations	
Perrigo		006013346	MANUFACTURE(63736-410)	

Revised: 7/2012 Insight Pharmaceuticals LLC