MEDIC BOOSTER PEROXIDE DIP- hydrogen peroxide teat dip liquid Animal Medic Incorporated

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Medic Booster Peroxide Dip

Sanitizing Teat Dip/Spray

Medic Booster® Peroxide Dip/Spray is an aid in the prevention of organisms which may cause mastitis.

Active Ingredient:

Active Hydrogen Peroxide 1.00%

Other Ingredients:

Lactic acid, emollients, surfactants and FD&C color ... 99.00%

CAUTION

KEEP OUT OF REACH OF CHILDREN

ICAN CAUSE EYE DAMAGE

PROTECT EYES WHEN HANDLING

DO NOT GET IN EYES OR ON CLOTHING

NOT FOR HUMAN USE

HARMFUL IF SWALLOWED

AVOID CONTAMINATION OF FOOD

Avoid freezing.

If frozen, discard.

FIRST AID

IF IN EYES:

In case of contact with eyes, flush immediately with plenty of water for at least 15 minutes.

Call a physician.

IIF SWALLOWED:

DO NOT TAKE INTERNALLY.

Do not induce vomiting.

Give large quantities of water and call a physician immediately.

IFor 24-hour emergency treatment or transportation information, call CHEMTREC 800-424-9300.

IDIRECTIONS FOR USE

Pre-Milking: Fill teat cup with Medic Booster[®] Peroxide Dip. Do not dilute. Before each cow is milked, dip the teats as far as possible into the teat cup containing Medic Booster[®] Peroxide Dip. Wipe teats dry after dipping/spraying using single-service towels to avoid contamination of milk.

Udders and teats which are heavily soiled should be washed before using a premilking teat dip/spray. Teats should then be dried with a single-service towels and dipped/sprayed in Medic Booster®

Peroxide Dip, wiping teats before milking.

Post-Milking: Immediately after milking, use Medic Booster[®] Peroxide Dip at full strength. Submerge entire teat in Medic Booster[®] Peroxide Dip. Allow to air dry. Do not wipe.

Always use full strength Medic Booster[®] Peroxide Dip. If product becomes visibly dirty, discard contents and replenish with undiluted Medic Booster[®] Peroxide Dip. Do not reuse or return to original container.

Do not allow cows out in freezing weather until dip is completely dry. Use proper procedures for udder washing or pre-milking teat dipping/spraying just prior to next milking to avoid contamination of milk.

Important: Do not mix Medic Booster[®] Dip with water, any other teat dip/spray or other products

Note: Medic Booster[®] Peroxide Dip is not intended to cure or help the healing of chapped or irritated teats.

Teats should be thoroughly washed and dried before milking, using potable water, a suitable cleanser and individual paper towels to removed soil and prevent contamination of milk.

Drug Facts



MEDIC BOOSTER PEROXIDE DIP

hydrogen peroxide teat dip liquid

Product Information					
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:12994-002		
Route of Administration	TOPICAL				

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
HYDRO GEN PERO XIDE (UNII: BBX060AN9V) (HYDRO GEN PERO XIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	10000.0000 mg in 1 L			

Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:12994-002-01	3.78 L in 1 JUG				
2	NDC:12994-002-02	18.9 L in 1 DRUM				
3	NDC:12994-002-03	56.7 L in 1 DRUM				
4	NDC:12994-002-04	113.4 L in 1 DRUM				
5	NDC:12994-002-05	207.9 L in 1 DRUM				
6	NDC:12994-002-06	1039.5 L in 1 CONTAINER				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved drug other		11/01/2005			

Labeler - Animal Medic Incorporated (052917119)

Revised: 8/2016 Animal Medic Incorporated