

CHILDRENS ALLERGY RELIEF- loratadine solution
Rite Aid Corporation

Childrens Allergy Relief

Drug Facts

Active ingredient (in each 5 mL teaspoonful)

Loratadine 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- side effects occur. You may report side effects to FDA at **1-800-FDA-1088**.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years and over	2 teaspoonfuls (TSP) daily; do not take more than 2 teaspoonfuls (TSP) in 24 hours
children 2 to under 6 years of age	1 teaspoonful (TSP) daily; do not take more than 1 teaspoonful (TSP) in 24 hours
children under 2 years	ask a doctor

of age	
consumers	
with liver or	
kidney	ask a doctor
disease	

Other information

- **safety sealed: do not use if imprinted safety seal is torn or missing**
- store between 20° and 25°C (68° and 77°F)

Inactive ingredients

artificial peach flavor, citric acid monohydrate, glycerin, propylene glycol, purified water, sodium benzoate, sodium metabisulfite, sucrose

DISTRIBUTED BY:

RITE AID, 30 HUNTER LANE
CAMP HILL, PA 17011

PRINCIPAL DISPLAY PANEL - 120 mL Bottle Carton

RITE

AID®

PHARMACY

**Compare to the
active ingredient in
Children's Claritin®***

ORIGINAL
PRESCRIPTION
STRENGTH

**children's
allergy
relief**

loratadine oral solution
5 mg/5 mL antihistamine

fruit flavored oral solution

INDOOR &
OUTDOOR ALLERGIES

NON-DROWSY†

DYE FREE

24 hour relief of:

sneezing & runny nose
itchy, watery eyes
itchy throat or nose

2 years & older

4 FL OZ (120 mL)

† When taken as directed. See Drug Facts Panel.



CHILDRENS ALLERGY RELIEF

loratadine solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0098
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
Loratadine (UNII: 7AJ03BO7QN) (Loratadine - UNII:7AJ03BO7QN)			Loratadine	5 mg in 5 mL
Inactive Ingredients				
Ingredient Name			Strength	
citric acid monohydrate (UNII: 2968PHW8QP)				
glycerin (UNII: PDC6A3C0OX)				
propylene glycol (UNII: 6DC9Q167V3)				
water (UNII: 059QF0K00R)				
sodium benzoate (UNII: OJ245FE5EU)				
sodium metabisulfite (UNII: 4VON5FNS3C)				
sucrose (UNII: C151H8M554)				
Product Characteristics				
Color	YELLOW (colorless to slightly yellow)		Score	
Shape			Size	
Flavor	FRUIT (peach)		Imprint Code	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0098-3	1 in 1 CARTON		
1		120 mL in 1 BOTTLE		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
ANDA	ANDA076805		08/20/2004	

Labeler - Rite Aid Corporation (014578892)

Registrant - Taro Pharmaceuticals U.S.A., Inc (145186370)

Establishment

Name	Address	ID/FEI	Business Operations
Taro Pharmaceutical Industries Ltd.		600072078	MANUFACTURE(11822-0098)