

**EXTRA STRENGTH PAIN RELIEVER- acetaminophen tablet**  
**BIG LOTS STORES, INC.**

-----  
**SOUNDBODY EXTRA STRENGTH PAIN RELIEVER**

***Drug Facts***

**Active ingredient (in each caplet)**

Acetaminophen 500 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - the common cold
  - headache
  - backache
  - minor pain of arthritis
  - toothache
  - muscular aches
  - premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have** liver disease

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

### **Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"><li>▪ take 2 caplets every 6 hours while symptoms last</li><li>▪ do not take more than 6 caplets in 24 hours, unless directed by a doctor</li><li>▪ do not use for more than 10 days unless directed by a doctor</li></ul>
children under 12 years	ask a doctor

### **Other information**

- store between 20-25°C (68-77°F)
- **do not use if carton is opened or inner Safety Seal is broken or missing**

### **Inactive ingredients**

hypermellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinylpyrrolidone, pregelatinized starch, stearic acid, talc, titanium dioxide

Questions or comments?

1-888-333-9792

PRINCIPAL DISPLAY PANEL

SOUND BODY

EXTRA STRANGTH PAIN RELIEVER

ACETAMINOPHEN 500 MG CAPLETS



\*Compare to the active ingredient in Extra Strength Tylenol®

NDC 50594-877-25

EXTRA STRENGTH

Pain Reliever

Acetaminophen 500 mg

Pain Reliever/Fever Reducer

Contains no aspirin

225 CAPLETS

Actual Size

Drug Facts

Active ingredient (in each caplet)  
Acetaminophen 500 mg

Purpose  
Pain reliever/fever reducer

Uses

temporarily relieves minor aches and pains due to:

- the common cold
- headache
- minor pain of arthritis
- backache
- muscular aches
- premenstrual and menstrual cramps
- toothache
- reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin redness
- hives
- itching
- swelling
- skin rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use:

- with any other drug containing acetaminophen (prescription or nonprescription), or
- if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Drug Facts (continued under label)

This product is not manufactured or distributed by Johnson & Johnson Consumer, owner of the registered trademark Extra Strength Tylenol®.

REGISTERED BY: J&J LUIS STANLEY, INC.  
P.O. BOX 28323  
COLUMBUS, OH 43228-0323  
MADE IN CHINA  
NDC 50594-877-25 01/12/25  
LOT: 15821

EXP: 15821

Drug Facts (continued)

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if:

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- itchiness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

adults and children 12 years and over

- take 2 caplets every 6 hours while symptoms last.
- do not take more than 6 caplets in 24 hours, unless directed by a doctor
- do not take for more than 10 days unless directed by a doctor

children under 12 years

- ask a doctor

Other information

store between 20-25°C (68-77°F)

Inactive ingredients

hydrocodone, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinylpyrrolidone, pregelatinized starch, stearic acid, talc, titanium dioxide

Questions or comments?

Call 1-888-333-9792

EXTRA STRENGTH PAIN RELIEVER

acetaminophen tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50594-877

Route of Administration	ORAL
-------------------------	------

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

**Inactive Ingredients**

Ingredient Name	Strength
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I3O)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

**Product Characteristics**

Color	white	Score	no score
Shape	OVAL (CAPSULE SHAPED)	Size	18mm
Flavor		Imprint Code	S500
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50594-877-25	225 in 1 BOTTLE; Type 0: Not a Combination Product	08/19/2021	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	08/19/2021	

**Labeler** - BIG LOTS STORES, INC. (017885351)

Revised: 12/2023

BIG LOTS STORES, INC.