

BANANA BOAT- avobenzone, homosalate, octisalate, octocrylene aerosol, spray

Edgewell Personal Care Brands, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredients

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 6.0%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and earl skin aging caused by the sun.

Warnings

For external use only

Do not use

on damaged or broken skin

when using this product

- Keep away from face to avoid breathing it.
- keep out of eyes. Rinse with water to remove.

Stop use and ask a dcotor

if rash occurs

Keep out of reach of children

If product is swallowed, get medical help or contact a Poison Control Center right away.

May stain some fabrics

flammable

Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. **Intentional misuse** by deliberately concentrating and inhaling the contents can be harmful or fatal.

Directions

- Shake well.
- Hold container 4 to 6 inches from the skin to apply
- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- **Do not spray directly into face.** Spray on hands and then apply to face.
- Do not apply in windy conditions •Use in a well-ventilated area •Reapply: •after 80 minutes of swimming or sweating •immediately after towel drying •at least every 2 hours
- Children under 6 months: Ask a doctor
- **Sun Protection Measures** •Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. - 2 p.m., wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients

Water, Isobutane, Isohexadecane, Ethylhexyl Benzoate, Cetyl PEG/PPG-10/1 Dimethicone,Lauryl PEG-8 Dimethicone, Dibutyl Adipate, Ethylhexyl Methoxycrylene, Sodium Chloride,PEG-8, Phenoxyethanol, Caprylyl Glycol, Glycerin, Sodium Citrate, Methylparaben,Butylparaben, Ethylparaben, Isobutylparaben, Propylparaben, Methyl Dihydroabietate,Phenylisopropyl Dimethicone, Polyglyceryl-3 Stearate/Isostearate/Dimer Dilinoleate Crosspolymer, PEG-8 Dimethicone, Aloe Barbadensis Leaf Juice, Octyldodecanol, Retinyl Palmitate, Silica, Tocopheryl Acetate, Ascorbic Acid, Sodium Propoxyhydroxypropyl Thiosulfate Silica.

Other Information

protect this product from excessive heat and direct sun

Questions or Comments?

Call 1-800-Safesun, Mon-Fri

Front Label

WITH

POWERSTAY

TECHNOLOGY

BANANA

BOAT

KIDS

SPORT

SUNSCREEN LOTION SPRAY

50+

UVA/UVB PROTECTION

BROAD SPECTRUM SPF 50+

tear free • sting free

WATER RESISTANT

(80 MINUTES)



New!

WITH POWERSTAY TECHNOLOGY™



UVA/UVB PROTECTION
BROAD SPECTRUM SPF 50+

Tear-Free • Sting-Free



WATER RESISTANT
(80 MINUTES)
NET WT 1.8 OZ. (51 g)

Banana Boat® Kids Sport Continuous Lotion Spray Sunscreen SPF 50+
When your kids are active outdoors, they need powerful sun protection that's mild and gentle enough for their sensitive skin. Banana Boat® Kids Sport Sunscreen Lotion spray SPF 50+ provides broad spectrum UVA/UVB protection with Powerstay Technology™, so it stays on during active play. Tear-free and sting-free, this non-irritating formula is gentle enough to apply and reapply throughout the day.

Drug Facts

| Active Ingredients | Purpose |
|----------------------------------------------------------------------|-----------|
| Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 6.0% | Sunscreen |

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Flammable: Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. **Intentional misuse** by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use on damaged or broken skin.

When using this product • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
May stain some fabrics.

Directions

- Shake well ■ Hold container 4 to 6 inches from the skin to apply
- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- **Do not spray directly into face.** Spray on hands then apply to face
- Do not apply in windy conditions ■ Use in well-ventilated area
- Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor.

Inactive Ingredients Water, Isobutane, Isohexadecane, Ethylhexyl Benzate, Cetyl PEG/PPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, Dilauryl Adipate, Ethylhexyl Methoxycrylate, Sodium Chloride, PEG-8, Phenoxylethanol, Caprylyl Glycol, Glycerin, Sodium Citrate, Methylparaben, Butylparaben, Ethylparaben, Isobutylparaben, Propylparaben, Methyl Dihydroxyacetate, Phenylisopropyl Dimethicone, Polyglyceryl-3 Stearate/Isostearate/Dimer Dilinoleate Crosspolymer, PEG-8 Dimethicone, Aloe Barbadensis Leaf Juice, Octyldodecanol, Retinyl Palmitate, Silica, Tocopheryl Acetate, Ascorbic Acid, Sodium Propoxyhydroxypropyl Thio sulfate Silica.


Other information

■ protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-SafeSun, Mon-Fri


Distributed by:
EDGEWELL PERSONAL CARE BRANDS, LLC
Shelton, CT 06484
www.bananaboat.com
© 2016 Edgewell.
93018350 DOT 20 M5655





New!

WITH POWERSTAY TECHNOLOGY™



UVA/UVB PROTECTION BROAD SPECTRUM SPF 50+

Tear-Free • Sting-Free



RECOMMENDED WATER RESISTANT (80 MINUTES) NET WT 6 OZ. (170 g)

Approved as an effective broad spectrum sunscreen.

Banana Boat® Kids Sport Continuous Lotion Spray Sunscreen SPF 50+ When your kids are active outdoors, they need powerful sun protection that's mild and gentle enough for their sensitive skin. Banana Boat® Kids Sport Sunscreen lotion spray SPF 50+ provides broad spectrum UVA/UVB protection with Powerstay Technology™, so it stays on during active play. Tear-free and sting-free, this non-irritating formula is gentle enough to apply and reapply throughout the day.

Drug Facts

Table with 2 columns: Active Ingredients, Purpose. Includes Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 6.0% Sunscreen.

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only. Flammable: Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. Do not use on damaged or broken skin. When using this product - Keep away from face to avoid breathing it - keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions

- Shake well ■ Hold container 4 to 6 inches from the skin to apply ■ Spray liberally and spread evenly by hand 15 minutes before sun exposure ■ Do not spray directly into face. Spray on hands then apply to face ■ Do not apply in windy conditions ■ Use in well-ventilated area ■ Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ Children under 6 months: Ask a doctor

Inactive Ingredients Water, Isobutane, Isobutadecane, Ethylhexyl Benzoin, Cetyl PEGPPG-10 Dimethicone, Lauryl PEG-8 Dimethicone, Dibutyl Adipate, Ethylhexyl Methoxycrylate, Sodium Chloride, PEG-8, Phenoxethanol, Cetyl Glycol, Glycerin, Sodium Citrate, Methylparaben, Butylparaben, Ethylparaben, Isobutylparaben, Propylparaben, Methyl Dihydroxyethylol, Phenylisopropyl Dimethicone, Polyglyceryl-3 Stearate/Isostearyl Dimethyl Siloxane Crosspolymer, PEG-8 Dimethicone, Aloe Barbardensis Leaf Juice, Octyldodecanol, Retinyl Palmitate, Silica, Tocopheryl Acetate, Ascorbic Acid, Sodium Propoxyhydroxypropyl Thioethylate Silica.


Other information

protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

Distributed by: EDGEWELL PERSONAL CARE BRANDS, LLC Shelton, CT 06484 www.bananaboat.com © 2016 Edgewell. 630118023 DOT 20 616666





BONUS
33% MORE

WITH
**POWERSTAY
TECHNOLOGY®**



KIDS
SPORT
SUNSCREEN LOTION SPRAY



UVA/UVB PROTECTION
BROAD SPECTRUM SPF 50+

Tear-Free • Sting-Free



RECOMMENDED
WATER RESISTANT
(80 MINUTES)
NET WT 8 OZ. (227 g)



BONUS
33% MORE

Banana Boat® Kids Sport Continuous Lotion Spray Sunscreen SPF 50+
When your kids are active outdoors, they need powerful sun protection that's mild and gentle enough for their sensitive skin. Banana Boat® Kids Sport Sunscreen lotion spray SPF 50+ provides broad spectrum UVA/UVB protection with Powerstay Technology®, so it stays on during active play. Tear-free and sting-free, this non-irritating formula is gentle enough to apply and reapply throughout the day.

Drug Facts

| Active Ingredients | Purpose |
|----------------------------------------------------------------------|-----------|
| Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 6.0% | Sunscreen |

Uses ■ helps prevent sunburn ■ If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Flammable: Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use on damaged or broken skin.

When using this product • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions

- Shake well ■ Hold container 4 to 6 inches from the skin to apply
- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Do not spray directly into face. Spray on hands then apply to face
- Do not apply in windy conditions ■ Use in well-ventilated area
- Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

Inactive Ingredients: Water, Isobutane, Isohexadecane, Ethylhexyl Benzate, Cetyl PEGPPG-101 Dimethicone, Lauryl PEG-8 Dimethicone, Dibutyl Adipate, Ethylhexyl Methoxyethylene, Sodium Chloride, PEG-8, Phenoxyethanol, Caprylyl Glycol, Glycerin, Sodium Citrate, Methylparaben, Butylparaben, Ethylparaben, Isobutylparaben, Propylparaben, Methyl Dihydroxyacetate, Phenylisopropyl Dimethicone, Polyglyceryl-3 Stearate/Sebacate/Dimer Dilinoleate Crosspolymer, PEG-8 Dimethicone, Aloe Barbadensis Leaf Juice, Octyldecanol, Retinyl Palmitate, Silica, Tocopheryl Acetate, Ascorbic Acid, Sodium Propoxyhydroxypropyl Thioisulfate Silica.

Other information

■ protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

Distributed by:
EDGEWELL PERSONAL CARE BRANDS, LLC
Shelton, CT 06484
www.bananaboat.com
© 2016 Edgewell
93019365 DOT 20 MS965





over 55% more
FAMILY SIZE!

over 55% more
FAMILY SIZE!



KiDS
SPORT
SUNSCREEN LOTION SPRAY



UVA/UVB PROTECTION
BROAD SPECTRUM SPF 50+
Tear-Free • Sting-Free



WATER RESISTANT
(80 MINUTES)

NET WT 9.5 OZ. (269 g)

Banana Boat® Kids Sport Sunscreen Lotion Spray SPF 50+
When your kids are active outdoors, they need powerful sun protection that's mild and gentle enough for their sensitive skin. Banana Boat® Kids Sport Sunscreen Lotion Spray SPF 50+ provides broad spectrum UVA/UVB protection with Powerstay Technology™, so it stays on during active play. Tear-free and sting-free, this non-irritating formula is gentle enough to apply and reapply throughout the day.

Drug Facts

| Active Ingredients | Purpose |
|----------------------------------------------------------------------|-----------|
| Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 6.0% | Sunscreen |

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Flammable: Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. **Intentional misuse** by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use on damaged or broken skin.

When using this product • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions

- Shake well ■ Hold container 4 to 6 inches from the skin to apply
- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Do not spray directly into face. Spray on hands then apply to face
- Do not apply in windy conditions
- Use in well-ventilated area
- Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

Inactive Ingredients Water, Isobutane, Isohexadecane, Ethylhexyl Benzoate, Cetyl PEGPPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, Dibutyl Adipate, Ethylhexyl Methoxycrylate, Sodium Chloride, PEG-8, Phenoxypethanol, Caprylyl Glycol, Glycerin, Sodium Citrate, Methylparaben, Butylparaben, Ethylparaben, Isobutylparaben, Propylparaben, Methyl Dihydroxyacetate, Phenylisopropyl Dimethicone, Polyglyceryl-3 Stearate/Isostearate/Dimer Dilinoleate Croscopolymer, PEG-8 Dimethicone, Aloe Barbadensis Leaf Juice, Octyldodecanol, Retinyl Palmitate, Silica, Tocopheryl Acetate, Ascorbic Acid, Sodium Propoxyhydroxypropyl Thioacetate Silica.

Other information

■ protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

Distributed by:
EDGEWELL PERSONAL CARE BRANDS, LLC
Shelton, CT 06484
www.bananaboat.com
© 2017 Edgewell.

DOT 20 MS655
93023656



BANANA BOAT

avobenzone, homosalate, octisalate, octocrylene aerosol, spray

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:63354-788

Route of Administration TOPICAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-----------------------------------------------------------------------|-------------------|---------------|
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE | 3 g in 100 g |
| OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 6 g in 100 g |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 5 g in 100 g |
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) | HOMOSALATE | 10 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--------------------------------------------------------------------------|----------|
| ALOE VERA LEAF (UNII: ZY81Z83H0X) | |
| WATER (UNII: 059QF0KO0R) | |
| ISOBUTANE (UNII: BXR49TP611) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| DIBUTYL ADIPATE (UNII: F4K100DXP3) | |
| ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| SODIUM CITRATE (UNII: 1Q73Q2JULR) | |
| METHYLPARABEN (UNII: A2I8C7HI9T) | |
| BUTYLPARABEN (UNII: 3QPI1U3FV8) | |
| ETHYLPARABEN (UNII: 14255EXE39) | |
| ISOBUTYLPARABEN (UNII: 0QQJ25X58G) | |
| PROPYLPARABEN (UNII: Z8IX2SC1OH) | |
| METHYL DIHYDROABIETATE (UNII: 7666FJ0J9F) | |
| PEG-8 DIMETHICONE (UNII: GIA7T764OD) | |
| OCTYLDODECANOL (UNII: 461N1O614Y) | |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| .ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8) | |
| ASCORBIC ACID (UNII: PQ6CK8PD0R) | |
| SODIUM PROPOXYHYDROXYPROPYL THIOSULFATE SILICA (UNII: 208G222332) | |
| ETHYL BENZOATE (UNII: J115BRJ15H) | |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------------------------------------|----------------------|--------------------|
| 1 | NDC:63354-788-31 | 51 g in 1 CAN; Type 0: Not a Combination Product | 01/02/2017 | |
| 2 | NDC:63354-788-34 | 170 g in 1 CAN; Type 0: Not a Combination Product | 01/02/2017 | |
| 3 | NDC:63354-788-36 | 227 g in 1 CAN; Type 0: Not a Combination Product | 01/02/2017 | |

| | | | |
|----------|------------------|---------------------------------------------------|------------|
| 4 | NDC:63354-788-37 | 269 g in 1 CAN; Type 0: Not a Combination Product | 11/01/2017 |
|----------|------------------|---------------------------------------------------|------------|

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|------------------------------------------|----------------------|--------------------|
| OTC monograph not final | part352 | 01/02/2017 | |

Labeler - Edgewell Personal Care Brands, LLC (151179769)

Revised: 11/2022

Edgewell Personal Care Brands, LLC