

**ANTACID ANTIGAS REGULAR STRENGTH- aluminum hydroxide, magnesium hydroxide, simethicone liquid
Family Dollar (FAMILY WELLNESS)**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each 10 mL)

Aluminum hydroxide (equiv. to dried gel USP) 400 mg

Magnesium Hydroxide 400 mg

Simethicone 40 mg

Purpose

Antacid

Antacid

Antigas

Uses

- for the relief of
 - acid indigestion
 - heartburn
 - sour stomach
 - upset stomach associated with these symptoms
 - pressure and bloating commonly referred to as gas
 - overindulgence in food and drink

Warnings

Do not take

more than 120 mL in a 24-hour period or use the maximum dosage for more than 2 weeks except under the advice and supervision of a physician

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

ask a doctor or pharmacist before use if you are

presently taking a prescription drug. Antacids may interact with certain prescription

drugs.

Stop use and ask a doctor if

symptoms last more than 2 weeks.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- shake well before using
- mL = milliliter
- do not take more than 60 mL in 24 hours or use the maximum dosage for more than 2 weeks
- measure only with dosing cup provided. Do not use any other dosing device
- keep dosing cup with product
- adults and children 12 years and older: take 10-20 mL as needed, between or after meals, at bedtime, or as directed by a doctor
- children under 12 years of age: do not use

Other information

- **each 10 mL contains:** magnesium 180 mg, potassium 5 mg sodium 4 mg
- store between 20-25°C (68-77°F). Avoid freezing

Inactive ingredients

benzyl alcohol, carboxymethylcellulose sodium, flavor, FD&C red #40, glycerin, microcrystalline cellulose, potassium citrate, propylene glycol, purified water, sodium saccharin,, sorbitol, xanthan gum

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

COMPARE TO THE ACTIVE INGREDIENTS IN MYLANTA® REGULAR STRENGTH*

REGULAR STRENGTH

Antacid & Anti-Gas Relief

Multi-Symptom Relief

Aluminum Hydroxide - Antacid

Magnesium Hydroxide -Antacid

Simethicone - Antigas

For Fast Relief of:

- Heartburn
- Acid Indigestion
- Pressure
- Bloating

Oral Suspension

Alcohol-Free

CHERRY FLAVOR

FL OZ (mL)

††This product is not manufactured or distributed by McNeil Consumer Pharmaceuticals Co., distributor of Mylanta® Regular Strength.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND OR UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY: MIDWOOD BRANDS, LLC

10611 MONROE RD., MATTHEWS, NC 28105

Product Label

COMPARE TO THE ACTIVE INGREDIENTS IN MYLANTA® REGULAR STRENGTH*

FAMILY wellness™

NDC 55319-755-12

REGULAR STRENGTH

Antacid & Antigas Relief

Multi-Symptom Relief

Aluminum Hydroxide - Antacid
Magnesium Hydroxide - Antacid
Simethicone - Antigas

For Fast Relief of:

- Heartburn
- Acid Indigestion
- Pressure
- Bloating

Oral Suspension
Alcohol-Free

12 FL OZ (355 mL)

OTC network

CHERRY FLAVOR

PLD-A533A LB005925

100% SATISFIED OR YOUR MONEY BACK GUARANTEED

Drug Facts

Active ingredients (in each 10 mL) **Purposes**

Aluminum hydroxide (equiv. to dried gel USP) 400 mg.....Antacid
Magnesium hydroxide 400 mg.....Antacid
Simethicone 40 mg.....Antigas

Uses

- relieves
 - acid indigestion
 - heartburn
 - sour stomach
 - upset stomach associated with these symptoms
 - pressure and bloating commonly referred to as gas
 - overindulgence in food and drink

Warnings

Do not take more than 120 mL in a 24-hour period or use the maximum dosage for more than 2 weeks except under the advice and supervision of a physician.

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

*This product is not manufactured or distributed by McNeil Consumer Pharmaceuticals Co., distributor of Mylanta® Regular Strength.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND OR UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY: MIDWOOD BRANDS, LLC
10611 MONROE RD. MATTHEWS, NC 28105

NOT 100% SATISFIED? Return package and unused product within 30 days to any Family Dollar store for a refund (with receipt) or exchange.



PLD-A533A
LB005926

PEEL CORNER FOR MORE DRUG FACTS

Drug Facts (continued)

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- shake well before using
- mL = milliliter
- do not take more than 120 mL in 24 hours or use the maximum dosage for more than 2 weeks
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- adults and children 12 years of age and older: take 10-20 mL as needed, between or after meals, at bedtime, or as directed by a doctor
- children under 12 years of age: do not use

Other information

- each 10 mL contains: magnesium 180 mg, potassium 5 mg, and sodium 4 mg
- store between 20-25°C (68-77°F). Avoid freezing.

Inactive ingredients benzyl alcohol, carboxymethylcellulose sodium, FD&C red #40, flavor, glycerin, microcrystalline cellulose, potassium citrate, propylene glycol, purified water, sodium saccharin, sorbitol, xanthan gum

Questions or comments?
Call 1-877-753-3935 Monday-Friday
9AM-5PM EST

FAMILY WELLNESS Regular Strength Antacid & Antigas Relief

ANTACID ANTIGAS REGULAR STRENGTH

aluminum hydroxide, magnesium hydroxide, simethicone liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55319-755
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	400 mg in 10 mL
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM HYDROXIDE	400 mg in 10 mL
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	40 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	

CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
GLYCERIN (UNII: PDC6A3C0OX)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
WATER (UNII: 059QF0KO0R)	
POTASSIUM CITRATE (UNII: EE90ONI6FF)	
SORBITOL (UNII: 506T60A25R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
XANTHAN GUM (UNII: TTV12P4NEE)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-755-12	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/30/2018	06/30/2025

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	06/30/2018	06/30/2025

Labeler - Family Dollar (FAMILY WELLNESS) (024472631)

Revised: 10/2022

Family Dollar (FAMILY WELLNESS)