

SEVERE CONGESTION NASAL NO DRIP WALGREENS- oxymetazoline hydrochloride

0.05% liquid

Walgreens

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Oxymetazoline Hydrochloride 0.05%

Purpose

Nasal decongestant

Uses

- for the temporary relief of nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- shrinks swollen membranes so you can breathe more freely

Warnings

Ask a doctor before use if you have

- heart disease • high blood pressure • thyroid disease
- diabetes • trouble urinating due to enlarged prostate gland

When using this product

- do not exceed recommended dosage • do not use for more than 3 days. Use only as directed. • may cause temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge • the use of this container by more than one person may spread infection • frequent or prolonged use may cause nasal congestion to recur or worsen

Stop use and ask a doctor if symptoms persist

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Before using the first time, remove the protective cap from the tip and prime pump by depressing pump firmly several times.

To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use. • adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses within any 24-hour period • children under 6 years of age: consult a doctor

Inactive ingredients

Benzalkonium Chloride, Benzyl Alcohol, Camphor, Edetate Disodium, Eucalyptol, Menthol,

Microcrystalline Cellulose, Polyethylene Glycol, Povidone, Propylene Glycol, Purified Water, Sodium Carboxymethyl Cellulose, Sodium Phosphate Dibasic, Sodium Phosphate Monobasic.

Well at Walgreens

SEVERE CONGESTION
Anefrin Nasal Spray
No Drip
Oxymetazoline HCl 0.05%
Nasal Decongestant

Well at Walgreens

WALGREENS PHARMACIST RECOMMENDED*

SEVERE CONGESTION
Anefrin Nasal Spray
No Drip
Oxymetazoline HCl 0.05%
Nasal Decongestant

- Won't drip from nose or down throat
- Helps relieve congestion
- Helps relieve sinus pressure

12 HOUR PUMP MIST

0.5 FL OZ (15 mL)

Compare to Afrin® No Drip Severe Congestion Pump Mist active ingredient**

Well at Walgreens

SEVERE CONGESTION
Anefrin Nasal Spray
No Drip
Oxymetazoline HCl 0.05%
Nasal Decongestant

- 12 hour pump mist

0.5 FL OZ (15 mL)

Actual Size

WLG-NSSVR-25

NDC 0363-7001-01

DO NOT USE IF PRINTED SEAL OVER CAP IS TORN OR MISSING

Drug Facts

Active ingredient Oxymetazoline hydrochloride 0.05%....**Purpose** Nasal decongestant

Uses • for the temporary relief of nasal congestion due to: the common cold, hay fever or other upper respiratory allergies • shrinks swollen membranes so you can breathe more freely

Warnings

Do not use if you have
 • heart disease • high blood pressure • thyroid disease
 • diabetes • trouble urinating due to enlarged prostate gland

When using this product

- do not exceed recommended dosage
- do not use for more than 3 days. Use only as directed.
- may cause temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge
- the use of this container by more than one person may spread infection
- frequent or prolonged use may cause nasal congestion to recur or worsen

Stop use and ask a doctor if symptoms persist.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Before using the first time, remove the protective cap from the tip and prime pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use.

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses within any 24-hour period
- children under 6 years of age: consult a doctor ▶

†Walgreens Pharmacist Survey Study, November 2014.

‡ This product is not manufactured or distributed by Bayer HealthCare LLC, the distributor of Afrin® No Drip Severe Congestion Pump Mist.

Drug Facts (continued)

Other information

- Store between 15°-30° C (59°- 86° F)

Inactive ingredients

Benzalkonium Chloride, Benzyl Alcohol, Camphor, Edetate Disodium, Eucalyptol, Menthol, Microcrystalline Cellulose, Polyethylene Glycol, Povidone, Propylene Glycol, Purified Water, Sodium Carboxymethyl Cellulose, Sodium Phosphate Dibasic, Sodium Phosphate Monobasic.

IMPORTANT:
KEEP OUTER CARTON FOR FUTURE REFERENCE ON FULL LABELING

CAP REMOVAL INSTRUCTIONS:

To remove cap squeeze cap at base on opposite sides on the two smooth impressions with fingers. While squeezing, twist cap counterclockwise to remove. Remove clip and press down to use. Refer to directions on top of cap.

To reapply cap turn cap on pump clockwise until it locks.

Questions or comments?
1-866-483-2846

DISTRIBUTED BY: WALGREEN CO.
 200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
 walgreens.com ©2016 Walgreen Co.

SEVERE CONGESTION NASAL NO DRIP WALGREENS

oxymetazoline hydrochloride 0.05% liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-7001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Oxymetazoline Hydrochloride (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8 VLN5B44ZY)	Oxymetazoline Hydrochloride	0.05 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
Benzalkonium Chloride (UNII: F5UM2KM3W7)	
Benzyl Alcohol (UNII: LKG8494WBH)	
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)	
Edetate Disodium (UNII: 7FLD91C86K)	
Eucalyptol (UNII: RV6J6604TK)	
Menthol (UNII: L7T10EIP3A)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
Povidone (UNII: FZ989GH94E)	
Propylene Glycol (UNII: 6DC9Q167V3)	
Water (UNII: 059QF0K00R)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
SODIUM PHOSPHATE, MONOBASIC, ANHYDROUS (UNII: KH7I04HPUU)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-7001-01	1 in 1 CARTON	07/01/2016	
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	07/01/2016	

Labeler - Walgreens (008965063)

Registrant - Product Quest Mfg, LLC (927768135)

Establishment

Name	Address	ID/FEI	Business Operations
Product Quest Mfg, LLC		927768135	manufacture(0363-7001) , label(0363-7001)