### IMG - phellinus linteus mycelium tablet Yein Trading & Global Co., Ltd

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

### **Drug Facts**

phellinus linteus mycelium

Zinc gluconate 3% (14.34% as Zinc), Vitamin C 10% (100% as vitamin C), Lactose 41%, Cordyceps militaris extract powder (mycelium culture) 6%, Chaga mushroom extract powder (mycelium culture) 6%, Ganoderma lucidum extract powder (mycelium culture) 6%, Trametes versicolor extract powder (mycelium culture) 6%, Hydroxypropylmethyl-cellulose 4%, Cultured Wild ginseng root powder 3%, Carboxymethylcellulose calcium 2%, Magnesium stearate 1%

antitumor effect prophylactic effect immunostimulating effect synergistic effect

keep out of reach of the children

- 1. ulterine hemorrhage and hysterorrhea, dysmenorrhea, intestinal hemorrhage, activation of five organs and stomach function, detoxication
- 2. reinforcement of immune function by administration in parallel with any chemical therapy after any excising operation form the patient with cancer in digestive system or liver
- digestive system: occasionally, vomiturition, vomiting, loss of appetite and diarrhea might occur, and infrequently malaise in stomach might take place
- the others: dizziness (1 case), headache (1 case), constipation (3 cases) were reported in clinical test of this medicine
- uterine hemorrhage and hysterorrhea, dysmenorrhea, intestinal hemorrhage, activation of five organs and stomach function, detoxication: as a phellinus linteus mycelia extracts, administer 550~1100mg 2 times per a day before having a meal by mouth
- reinforcement of immune function by administration in parallel with any chemical therapy after any excising operation for the patient with cancer in digestive system or liver: as a phellinus linteus mycelia extracts, administer 1100mg 3 times per a day after having a meal by mouth



### **IMG**

phellinus linteus mycelium tablet

### **Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53144-3001
--------------	----------------	--------------------	----------------

Route of Administration ORAL

### **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
PHELLINUS LINTEUS MYCELIUM (UNII: 40 K19 XJV3C) (PHELLINUS LINTEUS	PHELLINUS LINTEUS	0.022
MYCELIUM - UNII:40 K19 XJV3C)	MYCELIUM	0.022

# Inactive Ingredients Ingredient Name Strength ZINC GLUCONATE (UNII: U6WSN5SQ1Z) ASCORBIC ACID (UNII: PQ6CK8PD0R) LACTOSE (UNII: J2B2A4N98G) REISHI (UNII: TKD8LH0X2Z) TRAMETES VERSICOLOR FRUITING BODY (UNII: 4C900477MT) GRIFOLA FRONDOSA WHOLE (UNII: O238UC53ET) HYPROMELLOSES (UNII: 3NXW29V3WO)

### CARBO XYMETHYLCELLULO SE CALCIUM (UNII: UTY7PDF93L)

MAGNESIUM STEARATE (UNII: 70097M6I30)

Product Cl	naracteristics
------------	----------------

1 Toutet Characteristics				
Color	brown (light brown)	Score	no score	
Shape	OVAL (pill)	Size	15mm	
Flavor		Imprint Code	3;hp;x	
Contains				

## **Packaging**

	ucing mg			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53144-3001-1	60 in 1 BOTTLE		

# **Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		02/16/2013	

# Labeler - Yein Trading & Global Co., Ltd (557803795)

# **Registrant -** Yein Trading & Global Co., Ltd (557803795)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Han Kook Sin Yak Pharmaceutical Co., Ltd.		689277536	manufacture(53144-3001)	

Revised: 2/2013 Yein Trading & Global Co., Ltd