## OXYGEN- oxygen gas Mercy Home Medical Equipment Inc dba MercyOne Clinton Home Medical Equipment

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

### Oxygen, USP

## **Principal for Oxygen Product**



Representative Labeling pursuant to 21 CFR 207.3 (10)
Company name and contact information are printed in this box

OXYGEN
COMPRESSED
USP
UN 1072

### PRODUCED BY AIR LIQUIFICATION

WARNING: HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

WARNING: Federal law prohibits dispensing without prescription. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjuction with resuscitative equipment.

WARNING: Keep oil and grease away. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve after each use and when empty.

USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET.

DO NOT REMOVE THIS PRODUCT LABEL.



Do not handle until all safety precautions have been read and understood. Keep and store away from do thing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force

fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

## FIRST AID:

IF ON SKIN: <u>Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention</u>.

### DO NOT REMOVE THIS PRODUCT LABEL.

Warning: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

Supplied Home Healthcare Equipment 2014

Representative Labeling pursuant to 21 CFR 207.3 (10) Company name and contact information are printed in this area

OXYGEN,	
REFRIGERATED	
LIQUID USP	
UN 1073	
CONTENTS	_LITERS
CAS NO: 7782-44-7	
DANGER:	
REFRIGERATED LIQUEFIED	OXIDIZING GAS. ALWAYS
KEEP CONTAINER IN UPRICE	HT POSITION. DO NOT

CHANGE OR FORCE FIT CONNECTIONS. MAY CAUSE OR INTENSIFY FIRE; OXIDIZER, CONTAINS REFRIGERATED GAS: MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not get in eyes, on skin, or on clothing. Keep reduction valves free from grease and oil. In case of fire, stop leak if safe to do so. Avoid spills. Do not walk or roll equipment over spills. Store and use in a well ventilated place. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Wear cold insulating gloves/face sheild/eye protection. Protect from sunlight when ambient temperature exceeds 52 F. Container temperature should not exceed 52 F. Close valve after each use and when empty. Use a back flow preventative device in the piping. Do not handle until all safety precautions have been read and understood. Use only with equipment cleaned for oxygen service. Keep/store away from combustible materials. Do not drop. Use suitable hand truck for container movement.

#### FIRST AID:

IN CASE OF FROSTBITE: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. DO NOT REMOVE THIS PRODUCT LABEL.

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.



Representative Labeling pursuant to 21 CFR 207.3 (10)

# **OXYGEN**

oxygen gas

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:65868-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65868- 001-01	180 L in 1 DEWAR; Type 0: Not a Combination Product	01/25/2012	
2	NDC:65868- 001-04	170 L in 1 CYLINDER; Type 0: Not a Combination Product	01/25/2012	
3	NDC:65868- 001-07	679 L in 1 CYLINDER; Type 0: Not a Combination Product	01/25/2012	
4	NDC:65868- 001-08	425 L in 1 CYLINDER; Type 0: Not a Combination Product	01/25/2012	
5	NDC:65868- 001-10	7080 L in 1 CYLINDER; Type 0: Not a Combination Product	01/25/2012	

Marketing Information			
Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date

unapproved medical gas	01/25/2012	

**Labeler -** Mercy Home Medical Equipment Inc dba MercyOne Clinton Home Medical Equipment (928606466)

Establishment			
Name	Address	ID/FEI	Business Operations
Mercy Home Medical Equipment Inc dba MercyOne Clinton Home Medical Equipment		928606466	manufacture(65868-001)

Revised: 1/2024 Mercy Home Medical Equipment Inc dba MercyOne Clinton Home Medical Equipment