

**DG HEALTH COLD AND ALLERGY- chlorpheniramine maleate, phenylephrine hcl tablet, film coated**

**Dolgencorp Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Dolgencorp, LLC Cold & Allergy Drug Facts**

**Active ingredient (in each tablet)**

Chlorpheniramine maleate 4 mg

Phenylephrine HCl 10 mg

**Purpose**

Antihistamine

Nasal decongestant

**Uses**

- temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- nasal congestion
- itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
- runny nose
- sneezing
- nasal congestion

**Warnings**

**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleepy

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers

**When using this product**

- do not use more than directed
- excitability may occur, especially in children
- drowsiness may occur
- alcohol, sedatives and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- you get nervous, dizzy or sleepless
- symptoms do not get better within 7 days or occur with fever

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

adults and children 12 years and over	<ul style="list-style-type: none"><li>• take 1 tablet every 4 to 6 hours</li><li>• do not take more than 6 tablets in 24 hours</li></ul>
children under 12 years	do not use this product in children under 12 years of age

**Inactive ingredients**

carnauba wax, dibasic calcium phosphate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

**Questions or comments?**

1-888-309-9030

**Principal Display Panel**

Compare to active ingredients of Actifed® Cold & Allergy

Cold & Allergy

Chlorpheniramine Maleate, Antihistamine

Phenylephrine HCl, Nasal Decongestant

Nasal Congestion

Runny Nose

Sneezing

Itchy, Watery Eyes

See New Dosing Directions

One Tablet Dose

**Drug Facts**

**Active Ingredients**  
(in each tablet)  
Chlorpheniramine maleate 4 mg.....Antihistamine  
Phenylephrine HCl 10 mg.....Nasal decongestant

**Purpose**

**Uses**  
Temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:  
■ runny nose ■ sneezing ■ itchy, watery eyes  
■ itching of the nose or throat ■ nasal congestion  
Temporarily relieves these symptoms due to the common cold:  
■ runny nose ■ sneezing ■ nasal congestion

**Warnings**  
Do not use ■ If you are now taking a prescription MAOI drug, or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. ■ to make a child sleepy  
Ask a doctor before use if you have  
■ high blood pressure ■ diabetes  
■ trouble urinating due to an enlarged prostate gland  
■ heart disease  
■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma  
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

**Drug Facts (continued)**

**When using this product**  
■ do not use more than directed  
■ excitability may occur, especially in children  
■ drowsiness may occur ■ avoid alcoholic drinks  
■ alcohol, sedatives and tranquilizers may increase drowsiness  
■ be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if** ■ you get nervous, dizzy or sleepless ■ symptoms do not get better within 7 days or occur with fever  
If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**  
adults and children ■ take 1 tablet every 4 to 6 hours  
■ do not take more than 6 tablets in 24 hours  
do not use this product in children under 12 years of age

**Inactive ingredients**  
calcium phosphate, magnesium stearate, polyvinyl alcohol, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

100% Quality Guaranteed

(888) 309-9030

DO NOT USE IF BLISTER UNIT IS BROKEN OR TORN

DISTRIBUTED BY DOLGEN CORP., LLC  
100 MISSION RD. GE  
GOODLETTSVILLE, TN 37072 USA

70030 16683

**DG**  
health

Compare to active ingredients of Actifed® Cold & Allergy\*

# Cold & Allergy

Chlorpheniramine Maleate, Antihistamine  
Phenylephrine HCl, Nasal Decongestant

- Nasal Congestion • Runny Nose
- Sneezing • Itchy, Watery Eyes

SEE NEW DOSING DIRECTIONS

**24** Tablets

One Tablet Dose

**Drug Facts (continued)**  
(Questions or comments? 1-888-309-9030)

This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Actifed® Cold & Allergy.

Cold & Allergy Carton

# DG HEALTH COLD AND ALLERGY

chlorpheniramine maleate, phenylephrine hcl tablet, film coated

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:559 10-139
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

## Product Characteristics

Color	WHITE	Score	2 pieces
Shape	ROUND	Size	8mm
Flavor		Imprint Code	L358
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:559 10-139-62	1 in 1 CARTON		
1		24 in 1 BLISTER PACK		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	02/26/2010	

**Labeler** - Dolgencorp Inc (068331990)

Revised: 11/2009

Dolgencorp Inc