# WALGREENS SUNSCREENSPF 45 SPF 45 SPF 45- octocrylene, zinc oxide and octinoxate lotion WALGREEN CO.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

# **Drug Facts**

## **Active ingredients**

Octinoxate 7.5% Octocrylene 8.0% Zinc Oxide 6.86%

#### **Purpose**

Sunscreen

#### Uses

- helps prevent sunburn
- higher SPF gives more sunburn protection
- retains SPF after 80 minutes of activity in the water

# Warnings

#### For external use only

#### When using this product

• keep out of eyes.Rinse with water to remove.

#### stop use and ask a doctor if

• rash or irritation develops and lasts.

#### Keep out of the reach of children.

If swallowed get medical help or contact a Poison Control Center right away.

#### **Directions**

- apply generously and evenly before sun exposure and as needed
- Children under 6 months of age:ask a doctor
- reapply frequently and after towel drying, swimming or perspiring


# **Inactive Ingredients**

Water, Ethylhexyl Stearate, Cetyl Dimethicone, Polyglyceryl-4 Isostearate, Cetyl PEG/PPG-10/1 Dimethicone, Hexyl Laurate, Beeswax, Aloe Barbadensis Leaf Juice, Cyclopentasiloxane, Cyclohexasiloxane, Sodium Chloride, Hydrogenated Castor Oil, Propylene Glycol, Diazolidnyl Urea, Triethoxycaprylylsilane, Methylparaben, Tocopheryl Acetate, Disodium EDTA, Propylparaben.

## **Principal Display Panel**

Walgreens
Sunscreen
with ZINC OXIDE
SPF
45
GOES ON
CLEAR
GREASLESS
UVA/UVB
PROTECTION
Dermatologist Tested
NET WT
5 FL OZ (14.2 g)







Active ingredients: Octinoxate 7.5%, Octocrylene 8.0%, Zinc Oxide 6.86% Warnings: For external use only. Keep out of eyes. Rinse with water to remove. Children under 6 months of age, ask a doctor. Directions: apply generously before sun exposure. Reapply frequently.

# WALGREENS SUNSCREENSPF 45 SPF 45 SPF 45

zinc oxide lotion

Product Type

Product Information

Item Code (Source)

NDC:0363-4008

Route of Administration

TOPICAL

HUMAN OTC DRUG LABEL

**DEA Schedule** 

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
OCTOCRYLENE (OCTOCRYLENE)	OCTOCRYLENE	8 g in 100 g			
ZINC OXIDE (ZINC OXIDE)	ZINC OXIDE	6.86 g in 100 g			
OCTINOXATE (OCTINOXATE)	OCTINOXATE	7.5 g in 100 g			

Inactive Ingredients				
Ingredient Name	Strength			
WATER				
ETHYLHEXYL STEARATE				
POLYGLYCERYL-4 ISOSTEARATE				
HEXYL LAURATE				
YELLOW WAX				
ALOE VERA LEAF				
CYCLOMETHICONE 5				
SO DIUM CHLO RIDE				
HYDRO GENATED CASTOR OIL				
METHYLPARABEN				
EDETATE DISO DIUM				
PROPYLENE GLYCOL				
DIAZOLIDINYL UREA				
TRIETHO XYCAPRYLYLSILANE				
.ALPHATO COPHEROL ACETATE				
PROPYLPARABEN				
CYCLOMETHICONE 6				

Packaging						
#	Item Code	Package Description	Marketing Start Date M.		Marketing End Date	
1 N	DC:0363-4008-81	14.2 g in 1 BOTTLE, PLASTIC				
Marketing Information						
M	arketing Category	Application Number or Monograp	h Citation	Marketing Start Da	te Marketing End Date	
ОТО	C monograph not final	part352		12/04/2012		

# Labeler - WALGREEN CO. (008965063)

Revised: 12/2012 WALGREEN CO.