

**GLYCERIN - glycerin suppository**  
**Chain Drug Consortium LLC**

-----  
**Premier Value Glycerin Supp**

**Active ingredient (in each suppository)**

Glycerin 2 g

**Purpose**

Hyperosmotic laxative

**Uses**

- for relief of occasional constipation
- this product generally produces a bowel movement in 1/4 to 1 hour

**Warnings**

For rectal use only

May cause rectal discomfort of burning sensation

**Ask a Doctor before using any laxative if you have**

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

**Stop use and consult a doctor if you have**

- rectal bleeding
- no bowel movement after using this product

These symptoms may indicate a serious condition.

**Keep out of reach of children.**

**If swallowed, get medical help or contact a Poison Control Center right away.**

**Directions**

Single daily dosage

adults and children 6 years and over 1 suppository, or as directed by a doctor

children 2 to under 6 years use Child Suppositories

Insert suppository well up into rectum.

Suppository need not melt completely to produce laxative action.

- Store container tightly closed.
- Keep away from excessive heat.

purified water, sodium hydroxide, stearic acid

1-800-492-5988

## PremVal720.jpg


Glycerin Suppositories, 50 count

Distributed by

Pharmacy Value Alliance, LLC

407 East Lancaster Avenue

Wayne, PA 19087



**ADULT**  
**Glycerin**  
**Suppositories**

**LAXATIVE**

**50** Suppositories

COMPARE TO THE ACTIVE  
INGREDIENT IN FLEET®\*

**Drug Facts**

**Active ingredient**  
(in each suppository) *Purpose*  
Glycerin 2 g.....Hyposmotic laxative

**Uses**

- for relief of occasional constipation
- this product generally produces bowel movement in 1/4 to 1 hour

**Warnings**

For rectal use only  
May cause rectal discomfort or a burning sensation.

Ask a doctor before using any laxative if you have

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

**Stop use and consult a doctor if you have**

- rectal bleeding
- no bowel movement after using product

These symptoms may indicate a serious condition.

**Keep out of reach of children.**  
If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**     *Single daily dosage*

adults and children 6 years and over	1 suppository, or as directed by a doctor
children 2 to under 6 years	use Child Suppositories


Insert suppository well up into rectum.  
Suppository need not melt completely to produce laxative action.

**Other Information**

- Store container tightly closed.
- Keep away from excessive heat.

**Inactive ingredients**  
purified water, sodium hydroxide, stearic acid


**Questions or comments? 1-800-492-5988**



**MOUTH OF JAR SEALED FOR SAFETY.**  
**IF FOIL IS BROKEN OR MISSING, DO NOT USE.**

**NO VARNISH AREA**

\*This product is not  
manufactured or  
distributed by C.B.  
Fleet Co., owner of  
the registered  
trademark Fleet®



19-10151PRE1C

8 409861015801 9

Distributed By:  
Pharmacy Value Alliance, LLC  
407 East Lancaster Avenue,  
Wayne, PA 19087

## glycerin suppository

### Product Type

HUMAN OTC DRUG

**Item Code (Source)**

NDC:68016-015

Route of Administration	RECTAL
-------------------------	--------

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	2 g

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-015-81	100 in 1 JAR; Type 0: Not a Combination Product	03/15/2012	
2	NDC:68016-015-80	50 in 1 JAR; Type 0: Not a Combination Product	03/15/2012	
3	NDC:68016-015-79	25 in 1 JAR; Type 0: Not a Combination Product	03/15/2012	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	03/15/2012	

**Labeler** - Chain Drug Consortium LLC (101668460)**Registrant** - DSC Laboratories, Inc. (097807374)**Establishment**

Name	Address	ID/FEI	Business Operations
DSC Laboratories, Inc.		097807374	manufacture(68016-015)

Revised: 12/2023

Chain Drug Consortium LLC