

**DECONEX IR- guaifenesin and phenylephrine hcl tablet**  
**Poly Pharmaceuticals, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Deconex IR Tablets**

**Deconex IR**

***Drug Facts***

***Active ingredients***

Guaifenesin 385 mg

***Purpose***

Expectorant

***Active ingredients***

Phenylephrine HCl 10 mg

***Purpose***

Nasal Decongestant

***Uses***

Temporarily relieves these symptoms due to the common cold, hay fever (allergic rhinitis) or other respiratory allergies:

- helps loosen phlegm and thin bronchial secretions to make coughs more productive
- nasal congestion
- runny nose
- sneezing
- itching of the nose or throat
- itchy, watery eyes

***Warnings***

**Do not exceed recommended dosage.**

A persistent cough may be a sign of a serious condition. If cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache,

consult a doctor.

**Ask a doctor before use if you have**

- a persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema, or if cough is accompanied by excessive phlegm
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor before use if you are taking sedatives or tranquilizers.**

**Stop use and ask a doctor if**

- nervousness, dizziness or sleeplessness occur

**Ask a doctor or pharmacist before use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**If pregnant or breast feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions:***

Adults and children 12 years of age and older: 1 tablet every 4 hours, not to exceed 6 tablets in 24 hours.

Children age 6 to 12 years of age: 1/2 tablet every 4 hours, not to exceed 3 tablets in 24 hours or as directed by a doctor.

Children 6 years of age and younger: Consult a physician.

***Other information***

Tamper evident: do not use if tamper evident seal is broken or missing. Store at 15°-30°C (59°-86°F).

Deconex IR Tablets are a green, oval, scored tablet debossed POLY 716 on one side, plain on the other.

***Inactive ingredients***

FD&C Yellow No. 5, FD&C Blue No. 1, magnesium stearate, microcrystalline cellulose,


sodium starch glycolate.

**Manufactured for:**

Poly Pharmaceuticals  
Huntsville, AL 35763  
(800) 882-1041  
Rev. 06/16

**PRINCIPAL DISPLAY PANEL**

NDC 50991-736-90  
Deconex IR  
Tablets  
90 Tablets



<b>DECONEX IR</b>			
guaifenesin and phenylephrine hcl tablet			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50991-736
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	385 mg
	<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1W5297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg
<b>Inactive Ingredients</b>			
	<b>Ingredient Name</b>		<b>Strength</b>
	<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)		
	<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)		
	<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)		
	<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)		

**SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)**

### Product Characteristics

<b>Color</b>	green	<b>Score</b>	2 pieces
<b>Shape</b>	OVAL	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	POLY;716
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50991-736-02	12 in 1 CARTON	08/08/2016	
1		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:50991-736-90	1 in 1 CARTON	08/08/2016	
2		90 in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/08/2016	

**Labeler** - Poly Pharmaceuticals, Inc. (198449894)

Revised: 1/2024

Poly Pharmaceuticals, Inc.