# CHERRY SORE THROAT LOZENGE- benzocaine lozenge Walgreens Co.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Benzocaine 15 mg Menthol 3.6 mg

Active Ingredients (in each lozenge)

Benzocaine 15 mg

Menthol 3.6 mg

Purpose

Oral anesthetic

Oral anesthetic

Uses temporarily relieves these symptoms:

occasional minor irritation, pain, sore mouth and sore throat

Warnings

Methemoglobinemia warning:

Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attension if you or a child in your care develops:

- pale, gray, or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

Sore throat warning: If sore throat is severe, persistent for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, or if irritation, pain, or redness persists or worsens, see your dentist or doctor promptly.

Allergy alert: Do not use this product if you have a history of allergy to local anesthethics such as procaine, butacine, benzocaine, or other "caine" anesthetics.

#### Do not use

- for teething
- in children under 2 years of age

Stop use and ask doctor if

sore throat is severe or irritation, pain or redness persists or worsens sore mouth symptoms do not improve in 7 days

if pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

in case of overdose, get medical help or contact Poison Control Center right away.

#### Directions

adults and children 5 years and older - allow 1 lozenge to dissolve slowly in mouth. May be repeated every two hours as necessary or as directed by a doctor.

children under 5 years - do not use

Other information

store at room temperature

protect from moisture

Inactive ingredients: Corn starch, FD&C Red #40, glucose syrup, glycerin, medium chain triglycerides, natural & artificail flavors, propylene glycol, soybean oil, sucrose and water.

Questions? Call 1-800-245-2898, Monday through Friday, 9AM - 4PM EST



### benzocaine lozenge

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-1079
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	15 mg	
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	3.6 mg	

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			

Product Characteristics			
Color	red	Score	score with uneven pieces
Shape	ROUND	Size	17mm
Flavor	CHERRY	Imprint Code	В
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363- 1079-18	18 in 1 BLISTER PACK; Type 0: Not a Combination Product	04/15/2016	



Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part356	04/15/2016	
	part356	04/15/2016	

## Labeler - Walgreens Co. (008965063)

## Registrant - BestCo Inc. (002149136)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
BestCo Inc.		002149136	manufacture(0363-1079)	

Revised: 10/2023 Walgreens Co.