

THRIVITE 19- .beta.-carotene, ascorbic acid, cholecalciferol, .alpha.-tocopherol acetate, dl-, thiamine mononitrate, riboflavin, niacinamide, pyridoxine hydrochloride, folic acid, cyanocobalamin, calcium pantothenate, calcium carbonate, ferrous fumarate, zinc oxide and docusate sodium tablet, coated
Method Pharmaceuticals, LLC

Thrivite 19 Tablets

STATEMENT OF IDENTITY:

Thrivite 19 is an orally administered prescription dietary supplement and should be administered under the supervision of a licensed medical practitioner.

WARNING:

Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

DOSAGE AND ADMINISTRATION:

One or two tablets daily, in divided doses, or as directed by a physician.

Each tablet contains:

Vitamin A (as beta carotene)	1000 IU
Vitamin C (ascorbic acid)	100 mg
Vitamin D (as cholecalciferol)	400 IU
Vitamin E (as dl-alpha tocopheryl acetate)	30 IU
Thiamine (Vitamin B1)	3 mg
Riboflavin (Vitamin B2)	3 mg
Niacin (as niacinamide)	15 mg
Vitamin B6 (as pyridoxine HCl)	20 mg
Folate (folic acid)	1 mg
Vitamin B12 (as cyanocobalamin)	12 mcg
Pantothenic Acid (as calcium pantothenate)	7 mg
Calcium (as calcium carbonate)	200 mg
Iron (as ferrous fumarate)	29 mg
Zinc (as zinc oxide)	20 mg
Docusate Sodium	25 mg

ALSO CONTAINS: Microcrystalline Cellulose, Pregelatinized Starch, Coating (Hypromellose, Titanium Dioxide, Polyvinyl Alcohol, Polyethylene Glycol, Talc), Croscarmellose Sodium, Magnesium Stearate, Stearic Acid, Fumed Silica.

HOW SUPPLIED:

Thrivite 19 tablets for oral administration are supplied as white, coated, oblong tablets debossed

"M136", packaged in bottles of 100 tablets.

PRECAUTIONS/WARNING:

Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B12 is deficient. Folic acid in doses above 1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

STORAGE: Store at 20°-25° C (68°-77° F). Excursions permitted to 15°-30° C (59°-86° F). [See USP Controlled

Room Temperature]. Protect from light and moisture. Dispense in a tight, light-resistant container.

HEALTH CLAIMS:

Prescription Vitamin B9 Containing Dietary Supplement

PRINCIPAL DISPLAY PANEL


NDC 58657-136-01

Thrivite 19

Tablets

Rx

100 Tablets



THRIVITE 19

.beta.-carotene, ascorbic acid, cholecalciferol, .alpha.-tocopherol acetate, dl-, thiamine mononitrate, riboflavin, niacinamide, pyridoxine hydrochloride, folic acid, cyanocobalamin, calcium pantothenate, calcium carbonate, ferrous fumarate, zinc oxide and docusate sodium tablet, coated

Product Information

Product Type	DIETARY SUPPLEMENT	Item Code (Source)	NHRIC:58657-136
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

.BETA.-CAROTENE (UNII: 01YAE03M7J) (.BETA.-CAROTENE - UNII:01YAE03M7J)	.BETA.-CAROTENE	1000 [iU]
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	100 mg
CHOLECALCIFEROL (UNII: 1C6V77QF41) (CHOLECALCIFEROL - UNII:1C6V77QF41)	CHOLECALCIFEROL	400 [iU]
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8) (.ALPHA.-TOCOPHEROL, DL- - UNII:7QWA1RIO01)	.ALPHA.-TOCOPHEROL, DL-	30 [iU]
THIAMINE (UNII: X66NSO3N35) (Thiamine ION - UNII:4ABT0J945J)	THIAMINE	3 mg
RIBOFLAVIN (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	3 mg
NIACINAMIDE (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)	NIACINAMIDE	15 mg
PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1BI6Z)	PYRIDOXINE	20 mg
FOLIC ACID (UNII: 935E97BOY8) (FOLIC ACID - UNII:935E97BOY8)	FOLIC ACID	1 mg
CYANOCOBALAMIN (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204)	CYANOCOBALAMIN	12 ug
CALCIUM PANTOTHENATE (UNII: 568ET80C3D) (PANTOTHENIC ACID - UNII:19F5HK2737)	PANTOTHENIC ACID	7 mg
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CATION	200 mg
FERROUS FUMARATE (UNII: R5L488RY0Q) (FERROUS CATION - UNII:GW89581OWR)	FERROUS CATION	29 mg
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	20 mg
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	25 mg

Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYVINYL ALCOHOL (UNII: 532B59J990)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
TALC (UNII: 7SEV7J4R1U)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
ACACIA (UNII: 5C5403N26O)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:58657-136-01	100 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
DIETARY SUPPLEMENT		06/15/2015	

Supplement Facts

Serving Size : Serving per Container :

Amount Per Serving % Daily Value

color

imprint	
scoring	1
shape	
size (solid drugs)	19 mm

Labeler - Method Pharmaceuticals, LLC (060216698)

Revised: 8/2015

Method Pharmaceuticals, LLC