

CHILDRENS ALLERGY RELIEF- diphenhydramine hcl tablet, chewable
Walgreen Company

Walgreens 44-481-Childrens Allergy Relief

Active ingredient (in each chewable tablet)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - itchy, watery eyes
 - sneezing
 - itching of the nose or throat

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- avoid alcoholic beverages
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- find right dose on chart below
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

| Age (yr) | Dose (chewable tablets) |
|---------------------------------------|--|
| children under 2 years | do not use |
| children 2 to 5 years | do not use unless directed by a doctor |
| children 6 to 11 years | 1 to 2 chewable tablets (12.5 mg to 25 mg) |
| adults and children 12 years and over | 2 to 4 chewable tablets (25 mg to 50 mg) |

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid high humidity

Inactive ingredients

dextrates hydrated, ethylcellulose, flavor, hydroxypropyl cellulose, magnesium stearate, mannitol, stearic acid, sucralose, sucrose

Questions or comments?

1-800-426-9391

Principal display panel

NDC 0363-4808-09

Walgreens

Compare to the active ingredient in Children's Benadryl® Chewables^{††}

WALGREENS PHARMACIST RECOMMENDED[†]

Children's

Allergy Relief

DIPHENHYDRAMINE HCl, 12.5 mg /
CHEWABLE TABLETS / ANTIHISTAMINE

Dye Free 4-6 Hour Dose

- Relieves itchy or runny nose, sneezing, itchy throat & itchy, watery eyes

AGES

6
YEARS &
OLDER

ACTUAL SIZE

Cherry
flavor

20 CHEWABLE
TABLETS

**CHEW OR CRUSH TABLETS COMPLETELY BEFORE SWALLOWING.
DO NOT SWALLOW TABLETS WHOLE.**

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

†Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

††This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Children's Benadryl® Chewables.

DISTRIBUTED BY: **WALGREEN CO.**
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com

©2021 Walgreen Co.

50844 ORG121848009

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
Walgreens.com
©2021 Walgreen Co.

ITEM 880386 W00000-0000-6
11917200866 3

NDC 0363-4808-09

Compare to the active ingredient in
Children's Benadryl® Chewables*

Children's Allergy Relief

DIPHENHYDRAMINE HCl, 12.5 mg /
CHEWABLE TABLETS / ANTIHISTAMINE

Dye Free **4-6 Hour Dose**

- Relieves itchy or runny nose, sneezing, itchy throat & itchy, watery eyes

AGES
6
YEARS &
OLDER

ACTUAL SIZE Cherry flavor

20 CHEWABLE TABLETS CHEW OR CRUSH TABLETS COMPLETELY BEFORE SWALLOWING. DO NOT SWALLOW TABLETS WHOLE.

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Drug Facts

Active ingredient (in each chewable tablet)
Diphenhydramine HCl 12.5 mg Antihistamine

Purpose

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- sneezing
- itching of the nose or throat

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if you have

- glaucoma
- breathing problems such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- avoid alcoholic beverages
- excitability may occur, especially in children

Drug Facts (continued)

Directions

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Take right dose on chart below
- do not crush tablets completely before swallowing; do not swallow tablets whole
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

Age (yr) **Dose (chewable tablets)**

| | |
|---------------------------------------|--|
| children under 2 years | do not use |
| children 2 to 5 years | do not use unless directed by a doctor |
| children 6 to 11 years | 1 to 2 chewable tablets (12.5 mg to 25 mg) |
| adults and children 12 years and over | 2 to 4 chewable tablets (25 mg to 50 mg) |

Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- see and flip for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid high humidity

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Take right dose on chart below
- do not crush tablets completely before swallowing; do not swallow tablets whole
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

Age (yr) **Dose (chewable tablets)**

| | |
|---------------------------------------|--|
| children under 2 years | do not use |
| children 2 to 5 years | do not use unless directed by a doctor |
| children 6 to 11 years | 1 to 2 chewable tablets (12.5 mg to 25 mg) |
| adults and children 12 years and over | 2 to 4 chewable tablets (25 mg to 50 mg) |

Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- see and flip for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid high humidity

50844 ORG121848109

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. *This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Children's Benadryl® Chewables.

W3ORG0222-F

Do not print
Lot & Exp

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

B-2201-481-09-HR
ORG121848109

Walgreens 44-481

CHILDRENS ALLERGY RELIEF

diphenhydramine hcl tablet, chewable

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0363-4808 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------------------|----------|
| DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M) | DIPHENHYDRAMINE HYDROCHLORIDE | 12.5 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| DEXTROSE MONOHYDRATE (UNII: LX22YL083G) | |
| ETHYLCELLULOSE, UNSPECIFIED (UNII: 7Z8S9VYZ4B) | |

| | |
|--|--|
| HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH) | |
| MAGNESIUM STEARATE (UNII: 70097M6I3O) | |
| MANNITOL (UNII: 3OWL53L36A) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | |
| SUCROSE (UNII: C151H8M554) | |

Product Characteristics

| | | | |
|-----------------|--------|---------------------|----------|
| Color | white | Score | no score |
| Shape | ROUND | Size | 12mm |
| Flavor | CHERRY | Imprint Code | 44;481 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0363-4808-09 | 4 in 1 CARTON | 05/13/2022 | |
| 1 | | 5 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012 | 05/13/2022 | |

Labeler - Walgreen Company (008965063)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|--|
| LNK International, Inc. | | 832867837 | manufacture(0363-4808) , pack(0363-4808) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|------------------------|
| LNK International, Inc. | | 117025878 | manufacture(0363-4808) |

Revised: 5/2024

Walgreen Company