KIRKLAND SIGNATURE OMEPRAZOLE- omeprazole tablet, delayed release Costco Wholesale Company

Costco Wholesale Corp. Omeprazole Delayed Release Tablets 20 mg Drug Facts

Active ingredient (in each tablet)

Omeprazole 20 mg

Purpose

Acid reducer

Use

- treats frequent heartburn (occurs <u>2 or more</u> days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert: Do not use if you are allergic to omeprazole

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have:

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if:

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment

- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew or crush tablets

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F) and protect from moisture

Inactive ingredients

carnauba wax, ferric oxide red, ferric oxide yellow, hypromellose, hypromellose acetate succinate, lactose monohydrate, monoethanolamine, propylene glycol, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium stearyl fumarate, talc, titanium dioxide, triethyl citrate

Questions or comments? 1-800-719-9260

Principal Display Panel

KIRKLAND Signature

COMPARE TO PRILOSEC OTC®

See Current Drug Facts

OMEPRAZOLE

Delayed Release Tablets 20 mg

Acid Reducer

24HR

Treats Frequent Heartburn!

42 Tablets

Three 14-Day Courses of Treatment

May take 1 to 4 days for full effect

Actual Size



Acid Reducer

Delayed Release Tablets 20 mg

OMEPRAZOLE

Packaged by: Perrigo*, 515 Eastern Ave. Allegan, M149010 USA 1-800-719-9260 For:Costco Wholesale Corporation 999 Lake Drive,Issaquah, WA

Tips for Marraging Hearth urn

Do notile flator berd over after eating

Do note at before bed time

Raise in elead of your bed

Avoid hearthum-causing foods such as rich, spicy, farty or fried bods, ch codate, caffeine, alcohol and certain fruits and vegeta blee

Eatstowly and a vaid big meals

If one sweight, lose weight

Proceer & Gamble, distributor of Prilose c OTC® *This product is not manufactured or distributed by

Drug Facts

Active ingredient (in each tablet) Purpose Omeprazole 20 mg... .Acid re-ducer

- treats frequent heartburn (occurs 2 or more days a
- m not intended for immediate relief of heartburn; this drug may take 1 to 4 days forful effect

Allergy alert: Do not use if you are allergic to omeprazole

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with lightheadedness, sweating or
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders;

■ frequent chest pain

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have:

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent whee zing, particularly with heartburn
- unexplained weight loss
- nausea or vomitting
- stomach pain

Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if:

- your heartburn continues or worsens
- you need to take this product for more than
- you need to take more than 1 course of treatment every 4 months
- you get diarmea
- wyou develop a rash or joint pain

Drug Facts (continued)

If pregmant or breast-feeding, aska health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it many take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment

- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew or crush tablets.

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years ofage: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

Other information

- ead the directions and warnings before use
- keep the carton. It contains important information.
 store at 20-25°C (68-77°F) and protect from moisture

Inactive ingredients canauba wax, ferric coide red, ferric coide yellow, hypromellose, hypromellose acetate succinate, lactose monohydrate. monoethanolamire, propylene glycol, sodium buryl sulfate, sodium starch glycolate, sodium stearate, sodium stearyl fumarate, talc, tiltanium dioxide, triethyl citrate

Questions or comments?1-800-719-9260

KIRKLAND SIGNATURE OMEPRAZOLE

omeprazole tablet, delayed release

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:63981-915

Route of Administration ORAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------------|----------|
| OMEPRAZOLE (UNII: KG60484QX9) (OMEPRAZOLE - UNII:KG60484QX9) | OMEPRAZ OLE | 20 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| CARNAUBA WAX (UNII: R12CBM0EIZ) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| FERRIC OXIDE YELLOW (UNII: EX43802MRT) | |
| HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO) | |
| LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X) | |
| MONOETHANOLAMINE (UNII: 5KV86114PT) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| SODIUM LAURYL SULFATE (UNII: 368GB5141J) | |
| SODIUM STEARATE (UNII: QU7E2XA9TG) | |
| SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI) | |
| TALC (UNII: 7SEV7J4R1U) | |

Product Characteristics

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)

| 1 1 0 4 4 4 5 1 5 1 6 5 | | | |
|-------------------------|-------|--------------|----------|
| Color | BROWN | Score | no score |
| Shape | OVAL | Size | 12mm |
| Flavor | | Imprint Code | 20 |
| Contains | | | |

| | ka | | |
|--|----|--|--|
| | | | |
| | | | |

| # Item Code | Package Description | Marketing Start Date | Marketing End Date |
|------------------------|---------------------|-------------------------|-----------------------|
| 1 NDC:63981-915- 55 | 3 in 1 CARTON | 02/27/2008 | |

| 1 | 14 in 1 CARTON | | | |
|-----------------------|--|-------------------------|-----------------------|--|
| 1 | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product | | | |
| | | | | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| NDA | NDA022032 | 02/27/2008 | | |
| | | | | |

Labeler - Costco Wholesale Company (103391843)

Revised: 5/2023 Costco Wholesale Company