

**EQUALINE ANTIBIOTIC PLUS PAIN RELIEF- neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride cream**  
**Supervalu Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**equaline™**  
**antibiotic plus pain relief**

***Drug Facts***

<b><i>Active ingredients (each gram contains)</i></b>	<b><i>Purpose</i></b>
Neomycin sulfate 3.5 mg	First aid antibiotic
Polymyxin B sulfate 10,000 units	First aid antibiotic
Pramoxine hydrochloride 10 mg	Topical analgesic

**Uses**

first aid to help prevent infection and for the temporary relief of pain or discomfort in

- minor cuts
- scrapes
- burns

**Warnings**

**For external use only**

**Do not use**

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week

**Ask a doctor before use**

- on deep or puncture wounds, animal bites, serious burns

**Stop use and ask a doctor if**

- condition gets worse
- condition persists for more than 7 days
- condition clears up and occurs again within a few days
- a rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Adults and children 2 years of age and older:

- clean the affected area and dry thoroughly
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily

- may be covered with a sterile bandage

Children under 2 years of age: consult a doctor

**Other information**

- store at controlled room temperature
- see carton or tube crimp for lot number and expiration date

**Inactive ingredients**

emulsifying wax, methylparaben, mineral oil, propylene glycol, purified water, white petrolatum

Distributed by Albertsons, Inc.

Boise Idaho 83726

**PRINCIPAL DISPLAY PANEL - 14.2g Tube Carton**

**equaline™**

compare to active ingredients in  
Neosporin® Plus Pain Relief\*

**maximum strength**

**antibiotic cream + pain relief**

**neomycin sulfate • polymyxin B sulfate • pramoxine HCl**  
**first aid antibiotic / pain relieving cream**

NET WT 1/2 OZ (14.2g)

**equaline™**

compare to active ingredients in  
Neosporin® Plus Pain Relief\*

maximum strength  
**antibiotic cream  
+ pain relief**

neomycin sulfate • polymyxin B sulfate •  
pramoxine HCl  
first aid antibiotic / pain relieving cream

helps prevent infection in minor cuts, scrapes  
and burns plus maximum strength pain relief

LPK-5104-0  
0505-0  
MS3

**equaline™**

compare to active ingredients in  
Neosporin® Plus Pain Relief\*

maximum strength  
**antibiotic cream + pain relief**  
neomycin sulfate • polymyxin B sulfate • pramoxine HCl  
first aid antibiotic / pain relieving cream

NET WT 1/2 OZ (14.2g)

maximum strength  
antibiotic cream  
+ pain relief



L8159

**Drug Facts (continued)**  
**Other information**  
• store at controlled room temperature  
• see carton or tube crimp for lot number and expiration date  
**Inactive ingredients** emulsifying wax, methylparaben, mineral oil, propylene glycol, purified water, white petrolatum

0611234567  
9 10 11 12

Made in Canada  
Biba, Idaho 83725  
Distributed by McKesson, Inc.  
www.alexsciences.com  
1-877-432-7948 or  
Contact us at  
We are committed to  
your satisfaction and  
guarantee the quality  
of this product.  
**PROMISE**  
QUALITY  
owner of the  
registered trademark  
Neosporin® Plus.  
This product is not  
manufactured or  
distributed by Pfizer  
Consumer Healthcare.

**Drug Facts**  
**Active ingredients (each gram contains)**  
Neomycin sulfate 3.5 mg.....  
Polymyxin B sulfate 10,000 units.....  
Pramoxine hydrochloride 10 mg.....  
First aid antibiotic  
Topical analgesic  
First aid antibiotic  
First aid to help prevent infection and for the temporary relief of pain or discomfort in  
minor cuts • scrapes • burns  
**Uses**  
**Warnings**  
For external use only  
**Do not use** • in the eyes • over large areas of the body  
• if you are allergic to any of the ingredients • longer than 1 week  
**Ask a doctor before use** • on deep or puncture wounds, animal bites, or serious burns  
**Stop use and ask a doctor if**  
• condition gets worse  
• condition persists for more than 7 days  
• rash or other allergic reaction develops  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control  
Center right away.  
**Directions**  
Adults and children 2 years of age and older:  
• clean the affected area and dry thoroughly  
• apply a small amount of this product (an amount equal to the surface area of the tip of a  
finger) on the area 1 to 3 times daily  
• may be covered with a sterile bandage  
Children under 2 years of age: consult a doctor

antibiotic cream + pain relief  
neomycin sulfate • polymyxin B sulfate •  
pramoxine HCl  
first aid antibiotic / pain relieving cream

**equaline™**

**EQUALINE ANTIBIOTIC PLUS PAIN RELIEF**  
neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41163-428
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Neomycin sulfate</b> (UNII: 057Y626693) (Neomycin - UNII:I16QD7X297)	Neomycin	3.5 mg in 1 g
<b>Polymyxin B sulfate</b> (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)	Polymyxin B	10000 [iU] in 1 g
<b>Pramoxine hydrochloride</b> (UNII: 88AYB867L5) (Pramoxine - UNII:068X84E056)	Pramoxine hydrochloride	10 mg in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>methylparaben</b> (UNII: A2I8C7HI9T)	
<b>mineral oil</b> (UNII: T5L8T28FGP)	
<b>propylene glycol</b> (UNII: 6DC9Q167V3)	
<b>water</b> (UNII: 059QF0KO0R)	
<b>petrolatum</b> (UNII: 4T6HI2BN9U)	

**Packaging**

#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:41163-428-11	1 in 1 CARTON		
1		14.2 g in 1 TUBE		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part333B	03/21/2012	

**Labeler** - Supervalu Inc (006961411)**Registrant** - Taro Pharmaceuticals U.S.A., Inc. (145186370)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(41163-428)