

COUGH RELIEF- dextromethorphan hydrobromide capsule, liquid filled

Topco Associates LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Cough Relief

Drug Facts

Active ingredient (in each softgel)

Dextromethorphan HBr, USP 15 mg

Purpose

Cough suppressant

Use

temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold.

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- a cough that occurs with too much phlegm (mucus)
- a cough that lasts or is chronic as occurs with smoking, asthma, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 8 softgels in any 24-hour period
- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	take 2 softgels every 6 to 8 hours, as needed
children under 12 years	do not use

Other information

- store at room temperature 15-30°C (59-86°F)
- avoid excessive heat above 40°C (104°F)
- protect from light

Inactive ingredients

FD&C blue #1, FD&C red #40, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol special and white edible ink

Questions or comments?

Call toll free: **1-888-423-0139**

PRINCIPAL DISPLAY PANEL - Carton Label

TopCare Cough Relief

Dextromethorphan HBr, USP 15 mg 20 SOFTGELS

NDC 36800-415-15

*Compare to the active ingredient in Robitussin[®] Lingerin Cold Long-Acting CoughGels[®]

+TopCare[®]
health™

LONG-LASTING

Non-Drowsy
Non-Narcotic
Formula

Cough Relief



COUGH SUPPRESSANT
DEXTROMETHORPHAN HBr, USP 15 mg

- Relieves Cough for Up to 8 Hours
- For Ages 12 & Older

NDC 36800-415-15

+TopCare[®]
health™

COMPARE TO ROBITUSSIN®
LINGERING COLD LONG-ACTING
COUGHGELS ACTIVE INGREDIENT*

LONG-LASTING

Non-Drowsy
Non-Narcotic
Formula

Cough Relief



COUGH SUPPRESSANT
DEXTROMETHORPHAN HBr, USP 15 mg

- Relieves Cough for
Up to 8 Hours
- For Ages 12 & Older

20 SOFTGELS**

**Liquid Filled Capsules



actual size

Drug Facts

Active ingredient (in each softgel) **Purpose**
Dextromethorphan HBr, USP 15 mg.....Cough suppressant

Use
temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold.

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- a cough that occurs with too much phlegm (mucus)
- a cough that lasts or is chronic as occurs with smoking, asthma, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. ▶

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 8 softgels in any 24-hour period
- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	take 2 softgels every 6 to 8 hours, as needed
children under 12 years	do not use

Other information

- store at 15-30°C (59-86°F)
- avoid excessive heat above 40°C (104°F)
- protect from light

Inactive ingredients
FD&C blue #1, FD&C red #40, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan solution and white ink ▶

Drug Facts (continued)

Questions or Comments?
Call toll free: 1-888-423-0139

*This product is not manufactured or distributed by Richmond Division of Wyeth, distributors of ROBITUSSIN® LINGERING COLD LONG-ACTING COUGHGELS.

DISTRIBUTED BY TOPCO ASSOCIATES LLC, ELK GROVE VILLAGE, IL 60007
© TOPCO PAPA1217 QUESTIONS? 1-888-423-0139
topcare@topco.com www.topcarebrand.com
MADE IN CHINA

 This TopCare® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.

PARENTS:
Learn about teen medicine abuse
www.StopMedicineAbuse.org


0 36800 42327 5

TOP06-01

PRINCIPAL DISPLAY PANEL - Bottle Label

TopCare Cough Relief

Dextromethorphan HBr, USP 15 mg 20 SOFTGELS

NDC 36800-415-15

NDC 36800-415-15

TopCare health™

LONG-LASTING

Cough Relief For Ages 12 & Older
Non-Drowsy Non-Narcotic Formula

COUGH SUPPRESSANT
DEXTROMETHORPHAN HBr
USP 15 mg

Relieves Cough for Up to 8 Hours

20 SOFTGELS**
**Liquid Filled Capsules

DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Purpose
temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold.

Active ingredient (in each softgel)
Dextromethorphan HBr, USP 15 mg.....Cough suppressant

Warnings
Keep outer carton for complete warnings and product information.

Directions

- do not take more than 8 softgels in any 24-hour period
- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	take 2 softgels every 6 to 8 hours, as needed
children under 12 years	do not use

DISTRIBUTED BY TOPCO ASSOCIATES LLC, ELK GROVE VILLAGE, IL 60007
© TOPCO PAPA1217 QUESTIONS? 1-888-423-0139
topcare@topco.com www.topcarebrand.com MADE IN CHINA PAPA117
TOP07-01
LOT NO:
EXP DATE:

COUGH RELIEF

dextromethorphan hydrobromide capsule, liquid filled

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-415
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color	red (clear)	Score	no score
Shape	capsule (oval)	Size	14mm
Flavor		Imprint Code	PC6
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-415-15	1 in 1 CARTON	07/06/2016	
1		20 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	07/06/2016	

Labeler - Topco Associates LLC (006935977)**Establishment**

Name	Address	ID/FEI	Business Operations
Humanwell PuraCap Pharmaceutical (Wuhan) Co., Ltd.		421293287	manufacture(36800-415) , analysis(36800-415)