

**ANTISEPTIC SKIN CLEANSER- chlorhexidine gluconate 4% liquid**  
**Xttrium Laboratories, Inc.**

-----  
**Good Neighbor 4% CHG 1061**

**Active Ingredients**

Chlorhexidine Gluconate 4% Solution

**Purpose**

Antiseptic

**Uses**

- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **skin wound and general skin cleansing**

**Warnings**

**For external use only**

**Allergy alert:**

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away

**Do not use**

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area

**When using this product**

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

**Stop use and ask doctor if**

irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

**Healthcare personnel handwash:**

- wet hands with water
- dispense about 5ml of product into cupped hands and wash in vigorous manner for about 15 seconds
- rinse and dry thoroughly

**Skin wound and normal skin cleansing:**

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

**Other information**

- store at 20°-25° C (68°-77° F)
- avoid excessive heat above 40° C (104° F)

**Inactive ingredients**

cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol.

**Questions of comments?**

call 1-773-268-5800 Monday through Friday 8:00 AM to 4:30 PM CST

**Warning:** This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.gov](http://www.P65Warnings.gov)

**Laundering/Cleaning Instructions:** Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.

\*Good Neighbor Pharmacy® Antiseptic Skin Cleanser is not manufactured or distributed by Mölnlycke Healthcare, owner of the registered trademark Hibiclens®.

**Package label and principal display panel**

Good Neighbor Pharmacy

Compare to the active ingredient in Hibiclens®

NDC 46122-137-34

Antiseptic Skin Cleanser

(CHLORHEXIDINE GLUCONATE 4% SOLUTION)

ANTISEPTIC/ANTIMICROBIAL SKIN CLEANSER

8 fl oz (237 mL)

ABC #10103514

FOR EXTERNAL USE ONLY

DYE FREE

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING



Compare to the active  
ingredient in Hibiclens<sup>®</sup>

NDC 46122-137-34

# Antiseptic Skin Cleanser

(CHLORHEXIDINE GLUCONATE 4% SOLUTION)

**ANTISEPTIC/ANTIMICROBIAL SKIN CLEANSER**

8 fl oz (237 mL)

ABC# 10103514

FOR EXTERNAL USE ONLY  
DYE FREE

TAMPER EVIDENT: DO NOT USE IF  
SAFETY SEAL IS BROKEN OR MISSING



0 87701 41193 9

Lift Here

4GNP08BTLBLF



**WARNING:** This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## Drug Facts

Active ingredient	Purpose
Chlorhexidine gluconate 4% solution	Antiseptic

### Uses

- healthcare personnel handwash:  
helps reduce bacteria that potentially can cause disease
- skin wound and general skin cleansing

### Warnings

For external use only

**Allergy alert:** This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

## Drug Facts (continued)

If an allergic reaction occurs, stop use and seek medical help right away.

### Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area

### When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

**Drug Facts (continued)****Healthcare personnel handwash:**

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for about 15 seconds
- rinse and dry thoroughly

**Skin wound and general skin cleansing:**

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

**Other information**

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

**Inactive ingredients** cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol

**Questions or comments?** call 1-800-587-3721 Monday through Friday 8:00 AM to 4:30 PM CST

**Laundering/Cleaning Instructions:**

Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

\*Good Neighbor Pharmacy® Antiseptic Skin Cleanser is not manufactured or distributed by Mölnlycke Healthcare, owner of the registered trademark Hibiclens®.



Distributed by: AmerisourceBergen  
1300 Morris Drive, Chesterbrook, PA 19087  
Questions or Concerns? [www.mygnp.com](http://www.mygnp.com)

Good Neighbor Pharmacy

Compare to the active ingredient in Hibiclens®

NDC 46122-137-43

Antiseptic Skin Cleanser

(CHLORHEXIDINE GLUCONATE 4% SOLUTION)

ANTISEPTIC/ANTIMICROBIAL SKIN CLEANSER

16 fl oz (473 mL)

ABC #10192954

FOR EXTERNAL USE ONLY

DYE FREE

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING



Compare to the active  
ingredient in Hibidens<sup>®</sup>

NDC 46122-137-43

# Antiseptic Skin Cleanser

(CHLORHEXIDINE GLUCONATE 4% SOLUTION)

**ANTISEPTIC/ANTIMICROBIAL SKIN CLEANSER**

16 fl oz (473 mL)

ABC# 515811



**FOR EXTERNAL USE ONLY  
DYE FREE**

**TAMPER EVIDENT: DO NOT USE IF  
SAFETY SEAL IS CRACKED OR MISSING**



**WARNING:** This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

4GNP16BTLLBL

## Drug Facts

### Active ingredient

Chlorhexidine gluconate 4% solution .....

### Purpose

Antiseptic

### Uses

- healthcare personnel handwash:  
helps reduce bacteria that potentially can cause disease
- skin wound and general skin cleansing

### Warnings

For external use only



▲ Lift Here

### Drug Facts (continued)

**Allergy alert:** This product may cause a severe allergic reaction.

Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

#### Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area

#### When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

#### Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for about 15 seconds
- rinse and dry thoroughly

#### Skin wound and general skin cleansing:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

### Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)



### Drug Facts (continued)

**Inactive ingredients** cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol

**Questions or comments?** call 1-800-587-3721 Monday through Friday 8:00 AM to 4:30 PM CST

#### Laundry/Cleaning Instructions:

Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

\*Good Neighbor Pharmacy® Antiseptic Skin Cleanser is not manufactured or distributed by Mölnlycke Healthcare, owner of the registered trademark Hibiclens®.



Distributed by: AmerisourceBergen  
1300 Morris Drive, Chesterbrook, PA 19087  
Questions or Concerns? [www.mygnp.com](http://www.mygnp.com)

ANTISEPTIC SKIN CLEANSER

chlorhexidine gluconate 4% liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0116-0137
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	4 mg in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
COCO DIETHANOLAMIDE (UNII: 92005F972D)	
PEG-75 LANOLIN (UNII: 09179OX7TB)	
HYDROXYETHYL CELLULOSE (2000 CPS AT 1%) (UNII: S38J6RZN16)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
WATER (UNII: 059QF0KO0R)	
TRIDECYL ALCOHOL (UNII: 8I9428H868)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
LAURAMINE OXIDE (UNII: 4F6FC4MI8W)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0116-0137-34	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/01/2013	
2	NDC:0116-0137-43	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2019	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019125	04/01/2013	

Labeler - Xttrium Laboratories, Inc. (007470579)

Registrant - Xttrium Laboratories, Inc. (007470579)

Establishment			
Name	Address	ID/FEI	Business Operations
Xttrium Laboratories, Inc.		007470579	manufacture(0116-0137)

