ANTISEPTIC SKIN CLEANSER- chlorhexidine gluconate 4% liquid Xttrium Laboratories, Inc.

Walgreens 4% CHG

Active Ingredient

Chlorhexidine gluconate 4% Solution

Purpose

Antiseptic

Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash**: helps reduce bacteria that potentially can cause disease
- skin wound and general skin cleansing

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if pemitted to ener and remain in the eye or may cause deafness when instilled in the middle eat through perforated eardrums..
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if

irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Surgical hand scrub:

- wet hands and forearms under running water
- scrub for 3 minutes with about 5 mL of product and a wet brush, paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 5 mL of product and rinse under running water
- dry thoroughly

Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for about 15 seconds
- rinse and dry thoroughly

Skin wound and normal skin cleansing:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

Other information

- store at 20-25° C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol.

Questions or comments?

call 1-800-925-4733

Laundering/Cleaning Instructions: Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine-releasing products. Rinse completely and use only non-chlorine detergents.

WARNING: This product contains a chemical (cocamide DEA) known to the State of California to cause cancer.

‡Walgreens Pharmacist Survey Study, November 2014

‡‡This product is not manufactured or distributed by Mölnlycke Healthcare, owner of the registered trademark Hibiclens®.

Distributed by: Walgreen Co.

200 Wilmot RD., Deerfield, IL 60015

100% Satisfaction Guaranteed

walgreens.com

©2015 Walgreen Co. Made in USA

Package label and principal display panel

Walgreens

Compare to the Hibiclens® active ingredient

NDC 0363-1061-08

Dye-Free

Antiseptic Skin Cleanser

CHLORHEXIDINE GLUCONATE 4% SOLUTION / ANTISEPTIC / ANTIMICROBIAL SKIN CLEANSER

DYE FREE

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING 8 FL OZ (237 mL)



Walgreens Pharmacist Recommended Walgreens Pharmacist Survey

¹¹This product is not manufactured or distributed by Mölnlycke Healthcare, owner of the registered trademark Hibiclens®.

DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED walgreens.com @2018 Walgreen Co. 4WA08BTLLBLF



Drug Facts

Active ingredient

Purpose

Chlorhexidine gluconate 4% solution Antiseptic

Uses

- surgical hand scrub: significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- healthcare personnel handwash: helps reduce bacteria that potentially can cause disease
- skin wound and general skin cleansing

Lift Here

Drug Facts (continued)

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area.

When using this product

- keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- perforated eardrums.

 if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin —should-not-be-routinely treated— — — — — —
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

 use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Surgical hand scrub:

- wet hands and forearms under running water
- scrub for 3 minutes with about 5 mL of product and a wet brush, paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 5 mL of product and rinse under running water
- dry thoroughly

Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for about 15 seconds
- rinse and dry thoroughly

Drug Facts (continued)

Skin wound and general skin cleansing:

- thoroughly rinse the area to be cleaned with water
 apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

Other information

- store at 20-25°C (68-77°F) avoid excessive heat above 40°C (104°F)

Inactive ingredients
cocamide DEA, fragrance, glucono-delta-lactone,
hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75
lanolin, purified water, tridecyl alcohol.

Questions or comments? call 1-800-925-4733

W1061

ORG0918-F REV-1018

Laundering/Cleaning Instructions:

Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

VALUE SIZE

NDC 0363-1061-16

Walgreens

Compare to Hibiclens® active ingredient

Dye-Free Antiseptic Skin Cleanser

CHLORHEXIDINE GLUCONATE 4% SOLUTION / ANTISEPTIC / ANTIMICROBIAL SKIN **CLEANSER**

DYE FREE

Skin wound & general skin cleansing

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING 16 FL OZ (473 mL)



Walgreens Pharmacist Recommended Walgreens Pharmacist Survey

† This product is not manufactured or distributed by Mölnlycke Healthcare, owner of the registered trademark Hibiclens*.

DISTRIBUTED BY WALGREEN CO. 200 WILMOT RD, DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED

walgreens.com C2018 Walgreen Co. MADE IN U.S.A.



4WA16BTLLBLC

REV0718-RF

Drug Facts Active ingredient Purpose Chlorhexidine gluconate 4% solution .. ■ surgical hand scrub: significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care ■ healthcare personnel handwash: helps reduce bacteria that potentially can cause skin wound and general skin cleansing

Lift Here

Drug Facts (continued)

Warnings

For external use only

This product may cause a severe allergic reaction. Symptoms may include:

■ wheezing/difficulty breathing

- shock facial swelling
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this
 product
- in contact with meninges
- in the genital area.

- When using this product

 we keep out of eyes, ears and mouth. May cause serious and permanent eye injury if
 permitted to enter and remain in the eye or may cause deafness when instilled in the
 middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control

Directions

use with care in premature infants or infants under 2 months of age. These products may
cause irritation or chemical burns.

- Surgical hand scrub: wet hands and forearms under running water
- scrub for 3 minutes with about 5 mL of product and a wet brush, paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleaner may be used
- rinse thoroughly
 wash for an additional 3 minutes with 5 mL of product and rinse under running water
- dry thoroughly

Healthcare personnel handwash: wet hands with water

- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for about 15 seconds
- rinse and dry thoroughly

- Skin wound and general skin cleansing:

 thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and
- rinse again thoroughly

Drug Facts (continued)

Other information

■ store at 20-25°C (68-77°F) ■ avoid excessive heat above 40°C (104°F)

Inactive ingredients

cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol.

Questions or comments? call 1-800-925-4733

Laundering/Cleaning Instructions: Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

Carton

NDC 0363-1061-15

Walgreens, Co.

Chlorhexidine Gluconate 4% Solution Antiseptic Skin Cleansing Kit Distributed by:

Xttrium Laboratories, Inc., Mount Prospect, IL 60056 4WAL15INNERCTNA

0.5 FL OZ (15 mL)





CHLORHEXIDINE GLUCONATE 4% SOLUTION / ANTISEPTIC / NON-STERILE SOLUTION ANTIMICROBIAL SKIN CLEANSER

DYE FREE


ALL-IN-ONE KIT PRE-SURGICAL

- · Patient pre-operative skin preparation
- · Wound & general skin cleansing
- · Single-Use

KITS 1 SPONGE & 1 (15 ML) LIQUID POUCH EACH

BEFORE USING THES PRODUCT, CAREFULLY READ ALL WARRINGS AND FOLLOW THE DIRECTORS IN THE DRUG FACTS AND PACKAGE INSERT

NET WT 0.17 LB (79.62 g)



Lidstock

NDC 0363-1061-15

Walgreens, Co.

Chlorhexidine Gluconate 4% Solution

Antiseptic Skin Cleansing Kit

Distributed by:

Xttrium Laboratories, Inc.,

Mount Prospect, IL 60056 4WAL15LIDSTOCKA 0.5 FL OZ (15 mL)



Packet

NDC 0363-1061-15


Walgreens, Co.

Chlorhexidine Gluconate 4% Solution

Antiseptic Skin Cleansing Convenience Kit

Distributed by: Xttrium Laboratories, Inc., Mount Prospect, IL 60056 4WAL15PACKETA 0.5 FL OZ (15 mL)





ANTISEPTIC SKIN CLEANSER

chlorhexidine gluconate 4% liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0116-0161

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient NameBasis of StrengthStrengthCHLORHEXIDINE GLUCONATE (UNII: MOR8 4MUD8 E) (CHLORHEXIDINE -
UNII: R4K00 DY52L)CHLORHEXIDINE
GLUCONATE4 mg
in 100 mL

Inactive Ingredients				
Ingredient Name	Strength			
LAURAMINE O XIDE (UNII: 4F6 FC4MI8 W)				
COCO DIETHANOLAMIDE (UNII: 92005F972D)				
PEG-75 LANOLIN (UNII: 09179 O X7TB)				
HYDRO XYETHYL CELLULO SE (2000 CPS AT 1%) (UNII: S38J6RZN16)				
ISOPROPYL ALCOHOL (UNII: ND2M416302)				
WATER (UNII: 059QF0KO0R)				

TRIDECYL ALCOHOL (UNII: 819428H868) GLUCONOLACTONE (UNII: WQ29KQ9POT)

]	Packaging					
‡	t Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:0116-0161- 08	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/01/2011			
2	NDC:0116-0161- 16	473 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	05/01/2011			
3	NDC:0116-0161- 15	15 mL in 1 KIT; Type 1: Convenience Kit of Co-Package	0 1/0 1/20 17			

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
NDA	NDA0 19 125	05/01/2011				

Labeler - Xttrium Laboratories, Inc. (007470579)

Registrant - Xttrium Laboratories, Inc. (007470579)

Establishment							
Name	Address	ID/FEI	Business Operations				
Xttrium Laboratories, Inc.		007470579	manufacture(0116-0161)				

Revised: 10/2020 Xttrium Laboratories, Inc.