

**MAGNESIUM CITRATE- magnesium citrate liquid**  
**P & L Development, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredient**

Magnesium citrate 1.745g per fl. oz.

**Purpose**

Saline laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

**Warnings**

**Do not use**

laxative products for longer than 1 week unless directed by a doctor.

**Ask a doctor before use if you have**

- kidney disease
- a magnesium restricted diet
- a sodium restricted diet
- stomach pain, nausea, or vomiting
- noticed a sudden change in bowel habits that lasts more than 1 week

**Ask a doctor or pharmacist before use if you are**

presently taking a prescription drug.

**When using this product,**

do not exceed the maximum recommended daily dosage in a 24 hour period.

**Stop use and ask a doctor if**

you have rectal bleeding or no bowel movement after use. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

---

|  |                                   |
|--|-----------------------------------|
| adults and children 12 years of age and over | 1/2 bottle to 1 bottle (10 fl oz) |
| children 6 to 11 years of age                | 1/3 bottle to 1/2 bottle          |
| children under 6 years of age                | consult a doctor                  |

---

**Other information**

- **each fluid ounce contains:** magnesium 280 mg, sodium 37 mg
- store between 46-86°F (8-30°C). Do not refrigerate.
- protect from excessive heat and freezing
- discard unused product within 24 hours of opening bottle

**Inactive ingredients**

anhydrous citric acid, FD&C red #40, flavors, purified water, saccharin sodium anhydrous, sodium bicarbonate

**Questions or comments?**

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

**Principal Display Panel**

**magnesium citrate**

Saline Laxative

sugar-free

oral solution

Cherry Flavor

FL OZ (mL)

**TAMPER EVIDENT: DO NOT USE IF THE BREAKAWAY BAND ON CAP IS BROKEN OR MISSING.**

Manufactured by:  
 PL Developments  
 200 Hicks Street  
 Westbury, NY 11590

## Package Label

**ready in case** NDC 49580-0326-1

**magnesium citrate**  
 saline laxative  
 sugar-free  
 oral solution

10 fl oz (296 mL) cherry flavor

**Drug Facts**  
**Active ingredient (in each fl oz)** Purpose  
 Magnesium citrate 1.745g.....Saline laxative

**Uses** ■ relieves occasional constipation (irregularity)  
 ■ generally produces bowel movement in 1/2 to 6 hours

**Warnings**  
**Do not use** laxative products for longer than 1 week unless directed by a doctor.

**Ask a doctor before use if you have**  
 ■ kidney disease ■ a magnesium restricted diet  
 ■ a sodium restricted diet ■ stomach pain, nausea, or vomiting  
 ■ noticed a sudden change in bowel habits that lasts more than 1 week

**Ask a doctor or pharmacist before use if you are** presently taking a prescription drug.

**When using this product,** do not exceed the maximum recommended daily dosage in a 24 hour period.

**Stop use and ask a doctor** if you have rectal bleeding or no bowel movement after use. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Drug Facts (continued)**  
**Directions**  
 ■ drink a full glass (8 ounces) of liquid with each dose  
 ■ may be taken as a single daily dose or in divided doses

|  |                                   |
|--|-----------------------------------|
| adults and children 12 years of age and over | 1/2 bottle to 1 bottle (10 fl oz) |
| children 6 to 11 years of age                | 1/3 bottle to 1/2 bottle          |
| children under 6 years of age                | consult a doctor                  |

**Other information**  
 ■ each fluid ounce contains: magnesium 280 mg, sodium 37 mg  
 ■ store between 46-86°F (8-30°C). Do not refrigerate.  
 ■ protect from excessive heat and freezing  
 ■ discard unused product within 24 hours of opening bottle

**Inactive ingredients** citric acid, FD&C red #40, flavor, purified water, saccharin sodium, sodium bicarbonate

**Questions or comments?**  
 Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

**TAMPER EVIDENT: DO NOT USE IF BREAKAWAY BAND ON CAP IS BROKEN OR MISSING.** PLD-L273D LB003425

Distributed by:  
 PL Developments  
 200 Hicks Street  
 Westbury, NY 11590

3 49580 32610 1

## READYinCASE Magnesium Citrate

### MAGNESIUM CITRATE

magnesium citrate liquid

#### Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:49580-0326 |
| <b>Route of Administration</b> | ORAL           |                           |                |

#### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength           |
|--|-------------------|--------------------|
| <b>MAGNESIUM CITRATE</b> (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838) | MAGNESIUM CITRATE | 1.745 g in 29.6 mL |

#### Inactive Ingredients

| Ingredient Name                                 | Strength |
|---|----------|
| <b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL) |          |

|   |  |
|---|--|
| <b>WATER</b> (UNII: 059QF0KO0R)               |  |
| <b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA) |  |
| <b>SODIUM BICARBONATE</b> (UNII: 8MDF5V39QO)  |  |
| <b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)    |  |

### Product Characteristics

|                 |        |                     |  |
|-----------------|--------|---------------------|--|
| <b>Color</b>    |        | <b>Score</b>        |  |
| <b>Shape</b>    |        | <b>Size</b>         |  |
| <b>Flavor</b>   | CHERRY | <b>Imprint Code</b> |  |
| <b>Contains</b> |        |                     |  |

### Packaging

| # | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:49580-0326-1 | 296 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 01/31/2015           | 07/01/2024         |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part334                                  | 01/31/2015           | 07/01/2024         |

**Labeler** - P & L Development, LLC (101896231)

Revised: 5/2023

P & L Development, LLC